

KRM CORPORATION

OSHAS 18001-2007 & BS EN ISO 9001 : 2008 CERTIFIED COMPANY
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.safetyloto.com | www.lockoutmaster.com | www.lotoappliances.com



LOCKOUT/TAGOUT
KRM-LOTO
SAFETY PRODUCTS

to compliance
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmcorporation.com, krm@krmcorporation.com, wadhwrajinder@gmail.com



www.lotoappliances.com

**KRM Safetech Private Limited**

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO –24H PORTABLE/ WALL MOUNTED GROUP LOTO BOX(WITHOUT MATERIAL)

- **Material** - Mild Steel with duly Phosphate powder coated.
- Size - Width 270 mm x height 320 mm x Depth 85 mm
- Provision of hole on top to fix handle for portable purpose
- Provision of key holes on **fix back surface** of box to hang on any surface
- One slot on front top side
- Provision of holes inside to fix hooks .
- 24 Slots to hang / accommodates padlocks
- Front side with clear fascia 165 mm x 217 mm
- Resistant to corrosion.
- It is portable as well wall mounted type
- Number of boxes can be staged on one by one to save storage space.
- **Color** – Red , can make as per the requirement, if qty.50 pcs
- **Weight** – Min.± 2 Kg
- The contents in picture are not part of box – just for reference , all items like locks , tags etc. on additional cost



KRM-K-24H - PWMGLB

KRM CORPORATION

OSHAS 18001-2007 & BS EN ISO 9001 : 2008 CERTIFIED COMPANY
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.safetyloto.com | www.lockoutmaster.com | www.lotoappliances.com



LOCKOUT/TAGOUT
KRM-LOTO
SAFETY PRODUCTS

to compliance
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

**KRM Safetech Private Limited**

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO –24H1P PORTABLE/ WALL MOUNTED GROUP LOTO BOX (WITHOUT MATERIAL)

- **Material** - Mild Steel with duly Phosphate powder coated.
- Size - Width 270 mm x height 320 mm x Depth 85 mm
- Provision of hole on top to fix handle for portable purpose
- Provision of key holes on **fix back surface** of box to hang on any surface
- One slot on front top side
- Provision of holes inside to fix hooks
- **Provision of one ABS pocket .**
- 24 Slots to hang / accommodates padlocks
- Front side with clear fascia 165 mm x 217 mm
- Resistant to corrosion.
- It is portable as well wall mounted type
- Number of boxes can be staged on one by one to save storage space.
- **Color** – Red , can make as per the requirement, if qty.50 pcs
- **Weight**– Min. ± 2 Kg
- The contents in picture are not part of box – just for reference , all items like locks , tags etc. on additional cost



KRM-K-24H1P- PWMGLB

www.krmloto.com

KRM CORPORATION

OSHAS 18001-2007 & BS EN ISO 9001 : 2008 CERTIFIED COMPANY
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.safetyloto.com | www.lockoutmaster.com | www.lotoappliances.com



LOCKOUT/TAGOUT
KRM-LOTO
SAFETY PRODUCTS

to compliance
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

**KRM Safetech Private Limited**

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO –24H2P PORTABLE/ WALL MOUNTED GROUP LOTO BOX (WITHOUT MATERIAL)

- **Material** - Mild Steel with duly Phosphate powder coated.
- **Size** - Width 270 mm x height 320 mm x Depth 85 mm
- Provision of hole on top to fix handle for portable purpose
- Provision of key holes on **fix back surface** of box to hang on any surface
- One slot on front top side
- Provision of holes inside to fix hooks
- **Provision of TWO ABS pocket .**
- 24 Slots to hang / accommodates padlocks
- Front side with clear fascia 165 mm x 217 mm
- Resistant to corrosion.
- It is portable as well wall mounted type
- Number of boxes can be staged on one by one to save storage space.
- **Color** – Red , can make as per the requirement, if qty.50 pcs
- **Weight**– Min .±2 Kg
- The contents in picture are not part of box – just for reference , all items like locks , tags etc. on additional cost



KRM-K-24H2P- PWMGLB

KRM CORPORATION

OSHAS 18001-2007 & BS EN ISO 9001 : 2008 CERTIFIED COMPANY
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.safetyloto.com | www.lockoutmaster.com | www.lotoappliances.com



LOCKOUT/TAGOUT
KRM-LOTO
SAFETY PRODUCTS

to compliance
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

**KRM Safetech Private Limited**

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO –48H PORTABLE/ WALL MOUNTED GROUP LOTO BOX (WITHOUT MATERIAL)

- **Material** - Mild Steel with duly Phosphate powder coated.
- It is portable as well wall mounted type – compact UNIQUE DESIGN MODEL
- Size - Width 270 mm x height 320 mm x Depth 85 mm
- Provision of hole on top to fix handle for portable purpose
- **Provision of key holes on open able back surface of box to hang on any surface**
- One slot on front side
- Provision of holes inside to fix hooks .
- **24 Slots x 2 = 48 slots to hang / accommodates padlocks**
- **Front and back side with clear fascia 165 mm x 217 mm with side boarder**
- Resistant to corrosion.
- Number of boxes can be staged on one by one to save storage space.
- **Color** – Red , can make other color as per the requirement, if qty.50 pcs
- **Weight** – Min. ± 2 Kg
- The contents in picture are not part of box – just for reference , all items like locks , tags etc. on additional cost

Note : Provision to fix one or two ABS pocket with one layer of hooks on demand



KRM-K-48H - PWMGLB

KRM CORPORATION

OHSAS 18001-2007 & BS EN ISO 9001 : 2008 CERTIFIED COMPANY
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.safetyloto.com | www.lockoutmaster.com | www.lotoappliances.com



to compliance
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

**KRM Safetech Private Limited**

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO –48H1P- PORTABLE/ WALL MOUNTED GROUP LOTO BOX (WITHOUT MATERIAL)

- **Material** - Mild Steel with duly Phosphate powder coated.
- It is portable as well wall mounted type – compact UNIQUE DESIGN MODEL
- Size - Width 270 mm x height 320 mm x Depth 85 mm
- Provision of hole on top to fix handle for portable purpose
- **Provision of key holes on open able back surface of box to hang on any surface**
- One slot on front side
- Provision of holes inside to fix hooks .
- **Provision of one ABS pocket .**
- **24 Slots x 2 = 48 slots to hang / accommodates padlocks**
- **Front and back side with clear fascia 165 mm x 217 mm with side boarder**
- Resistant to corrosion.
- Number of boxes can be staged on one by one to save storage space.
- **Color** – Red , can make other color as per the requirement, if qty.50 pcs
- **Weight** – Min. ± 2 Kg

The contents in picture are not part of box – just for reference , all items like locks , tags etc. on additional cost



KRM-K-48H1P - PWMGLB

KRM CORPORATION

OSHAS 18001-2007 & BS EN ISO 9001 : 2008 CERTIFIED COMPANY
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.safetyloto.com | www.lockoutmaster.com | www.lotoappliances.com



LOCKOUT/TAGOUT
KRM-LOTO
SAFETY PRODUCTS

to compliance
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

**KRM Safetech Private Limited**

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO –48H2P- PORTABLE/ WALL MOUNTED GROUP LOTO BOX (WITHOUT MATERIAL)

- **Material** - Mild Steel with duly Phosphate powder coated.
- It is portable as well wall mounted type – compact UNIQUE DESIGN MODEL
- Size - Width 270 mm x height 320 mm x Depth 85 mm
- Provision of hole on top to fix handle for portable purpose
- **Provision of key holes on open able back surface of box to hang on any surface**
- One slot on front side
- Provision of holes inside to fix hooks .
- **Provision of TWO ABS pocket .**
- **24 Slots x 2 = 48 slots to hang / accommodates padlocks**
- **Front and back side with clear fascia 165 mm x 217 mm with side boarder**
- Resistant to corrosion.
- Number of boxes can be staged on one by one to save storage space.
- **Color** – Red , can make other color as per the requirement, if qty.50 pcs
- **Weight** – Min. ± 2 Kg
- The contents in picture are not part of box – just for reference , all items like locks , tags etc. on additional cost



KRM-K-48H2P - PWMGLB