



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



KRM LOTO – LOCKOUT KEY & DOCUMENTATION BOX ABS +POLYCARBONATE OR MILD STEEL



info@krmloto.com





OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Lockout/Key Documentation/Padlock/Permit Document





OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT KEY & DOCUMENTATION BOX ABS +POLYCARBONATE OR MILD STEEL





OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.locktagindia.com



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT KEY & DOCUMENTATION BOX- INDEX

Index Page No:-1

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	WEIGHT (kg)	PAGE NO.
1	KRM-K-DMLTB-TM-Y	DI-ELECTRIC MULTIPURPOSE (ABS + POLYCARBONATE) LOTO BOX FOR GROUP LOCKOUT/KEY DOCUMENTATION BOX	0.260	6
2	KRM-K-DMLTB-TM-G	DI-ELECTRIC MULTIPURPOSE (ABS + POLYCARBONATE) LOTO BOX FOR GROUP LOCKOUT/KEY DOCUMENTATION BOX	0.260	6
3	KRM-K-DMLTB-TM-R	DI-ELECTRIC MULTIPURPOSE (ABS + POLYCARBONATE) LOTO BOX FOR GROUP LOCKOUT/KEY DOCUMENTATION BOX	0.260	6
4	KRM-K-DMLTB-TM-85	KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation with 8 Boxes	7	7
5	KRM-K-DMLTB-TM-125	KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation with 12 Boxes	9	8
6	KRM-K-DMLTB-TM-155	KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation with 15 Boxes	11	9
7	KRM-K-DMLTB-TM-165	KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation with 16 Boxes	12	10
8	KRM-K-DMLTB-TM-205	KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation with 20 Boxes	15	11
9	KRM-K-DMLTB-TM-245	KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation with 24 Boxes	17	12
10	KRM-K-DMLTB-TM-305	KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation with 30 Boxes	21	13
11	KRM-K-DMLTB-TM-485	KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation with 48 Boxes	24	14



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT KEY & DOCUMENTATION BOX- INDEX

Index Page No:-1

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	WEIGHT (kg)	PAGE NO.
12	KRM-K-DMLTB-TM-T-85	KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation 8 Boxes with movable stand	17	15
13	KRM-K-DMLTB-TM-T-125	KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation 12 Boxes with movable stand	19	16
14	KRM-K-DMLTB-TM-T-155	KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation 15 Boxes with movable stand	21	17
15	KRM-K-DMLTB-TM-T-165	KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation 16 Boxes with movable stand	22	18
16	KRM-K-DMLTB-TM-T-205	KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation 20 Boxes with movable stand	25	19
17	KRM-K-DMLTB-TM-T-245	KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation 24 Boxes with movable stand	27	20
18	KRM-K-DMLTB-TM-T-305	KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation 30 Boxes with movable stand	31	21
19	KRM-K-DMLTB-TM-T-485	KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation 48 Boxes with movable stand	34	22

GSTIN No.: 06AACPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

DI-ELECTRIC MULTIPURPOSE (ABS + POLYCARBONATE) LOTO BOX FOR GROUP LOCKOUT/KEY DOCUMENTATION BOX

- Made from ABS +Polycarbonate compositions material.
- It is moulded piece
- Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- **Size** – L-150 mm x W-150 mm, D-50 mm with complete cover.
- Hole Dia.: 8.75mm
- Provision of maximum 5 in-built Locking hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock Hasps. Provision of single/multiple key hang Metal J hook - 7 nos.in one layer inside the box.
- A Small slot on the front side of the box
- Slot Size : L-88mm, W-5.5mm
- Handle on the top/side of the box Provision of four pre drilled hole on back side of box to mount on any surface.
- **Color** – Grey, Yellow or as per the quantity required.
- **Weight of individual small box** – 260gms.
- STANDARD BASE COLOR- **WHITE, YELLOW, RED, GREEN**
- with front facia transparent Polycarbonate
- Text matter can be customized as per requirement on the basis of quantity .
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-DMLTB-TM-R



KRM-K-DMLTB-TM-G



KRM-K-DMLTB-TM-Y

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com


www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation with 8 Boxes

- Made from ABS +Polycarbonate compositions material.
- It is moulded piece
- Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- **Size** – L-150 mm x W-150 mm, D-50 mm with complete cover.
- Hole Dia.: 8.75mm
- **Total size of plate** – 414 x 727 mm Provision of maximum 5 in-built Locking hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock Hasps.
- Provision of single/multiple key hang Metal J hook - 7 nos.in one layer inside the box.
- A Small slot on the front side of the box
- Slot Size : L-88mm, W-5.5mm
- Provision of four pre drilled hole on back side of box to mount on any surface.
- **No of Boxes** – 8no (4 Column x 2 Row)
- **Base plate** – 4 mm thick ACP Sheet with provision of holes to fix the boxes
- **Color** – Grey, Yellow or as per the quantity required.
- **Weight of individual small box** – 260gms.
- **Total Weight** – ±7kg
- STANDARD BASE COLOR- **WHITE, YELLOW, RED, GREEN**
- with front facia transparent Polycarbonate
- Text matter can be customized as per requirement on the basis of quantity .
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-DMLTB-TM-85



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269

www.lotoappliances.com



Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation with 12 Boxes

- Made from ABS +Polycarbonate compositions material.
- It is moulded piece
- Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- **Size** – L-150 mm x W-150 mm, D-50 mm with complete cover.
- Hole Dia.: 8.75mm
- **Total size of plate** – 589 x 727 mm
- Provision of maximum 5 in-built Locking hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock Hasps. Provision of single/multiple key hang Metal J hook - 7 nos.in one layer inside the box. Slot Size : L-88mm, W-5.5mm
- Provision of four pre drilled hole on back side of box to mount on any surface.
- **No of Boxes** – 12no (4 Column x 3 Row)
- **Base plate** – 4 mm thick ACP Sheet with provision of holes to fix the boxes
- **Color** – Grey, Yellow, or as per the quantity required.
- **Weight of individual small box** – 260gms.
- **Total Weight** – ±9kg
- STANDARD BASE COLOR- **WHITE, YELLOW, RED, GREEN**
- with front facia transparent Polycarbonate
- Text matter can be customized as per requirement on the basis of quantity .
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-DMLTB-TM-125



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269





www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation with 15 Boxes

- Made from ABS +Polycarbonate compositions material.
- It is moulded piece
- Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- **Size** – L-150 mm x W-150 mm, D-50 mm with complete cover.
- Hole Dia.: 8.75mm
- **Total size of plate** – 589 x 902 mm
- Provision of maximum 5 in-built Locking hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock Hasps.
- Provision of single/multiple key hang Metal J hook - 7 nos.in one layer inside the box.
- A Small slot on the front side of the box
- Slot Size : L-88mm, W-5.5mm
- Provision of four pre drilled hole on back side of box to mount on any surface.
- **No of Boxes** – 15no (5 Column x 3 Row)
- **Base plate** – 4 mm thick ACP Sheet with provision of holes to fix the boxes
- **Color** – Grey, Yellow or as per the quantity required.
- **Weight of individual small box** – 260gms.
- **Total Weight** – ±11kg
- STANDARD BASE COLOR- **WHITE, YELLOW, RED, GREEN**
- with front facia transparent Polycarbonate
- Text matter can be customized as per requirement on the basis of quantity .
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-DMLTB-TM-155

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com




GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation with 16 Boxes

- Made from ABS +Polycarbonate compositions material.
- It is moulded piece
- Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- **Size** – L-150 mm x W-150 mm, D-50 mm with complete cover.
- Hole Dia.: 8.75mm
- **Total size of plate** – 765 x 727 mm
- Provision of maximum 5 in-built Locking hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock Hasps.
- Provision of single/multiple key hang Metal J hook - 7 nos.in one layer inside the box.
- A Small slot on the front side of the box
- Slot Size : L-88mm, W-5.5mm
- Provision of four pre drilled hole on back side of box to mount on any surface.
- **No of Boxes** – 16no (4 Column x 4 Row)
- **Base plate** – 4 mm thick ACP Sheet with provision of holes to fix the boxes
- **Color** – Grey, Yellow or as per the quantity required.
- **Weight of individual small box** – 260gms.
- **Total Weight** – ±12kg
- STANDARD BASE COLOR- **WHITE, YELLOW, RED, GREEN**
- with front facia transparent Polycarbonate
- Text matter can be customized as per requirement on the basis of quantity .
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-DMLTB-TM-165



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269




www.lotoappliances.com



KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation with 20 Boxes

- Made from ABS +Polycarbonate compositions material.
- It is moulded piece
- Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- **Size** – L-150 mm x W-150 mm, D-50 mm with complete cover.
- Hole Dia.: 8.75mm
- **Total size of plate** – 765 x 902 mm
- Provision of maximum 5 in-built Locking hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock Hasps.
- Provision of single/multiple key hang Metal J hook - 7 nos.in one layer inside the box.
- A Small slot on the front side of the box
- Slot Size : L-88mm, W-5.5mm
- Provision of four pre drilled hole on back side of box to mount on any surface.
- **No of Boxes** – 20no (5 Column x 4 Row)
- **Base plate** – 4 mm thick ACP Sheet with provision of holes to fix the boxes
- **Color** – Grey, Yellow or as per the quantity required.
- **Weight of individual small box** – 260gms.
- **Total Weight** – +15kg
- STANDARD BASE COLOR- **WHITE, YELLOW, RED, GREEN**
- with front facia transparent Polycarbonate
- Text matter can be customized as per requirement on the basis of quantity .
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-DMLTB-TM-205

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com




GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation with 24 Boxes

- Made from ABS + Polycarbonate compositions material.
- It is moulded piece
- Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- **Size** – L-150 mm x W-150 mm, D-50 mm with complete cover.
- Hole Dia.: 8.75mm
- **Total size of plate** – 765 x 1078 mm
- Provision of maximum 5 in-built Locking hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock Hasps.
- Provision of single/multiple key hang Metal J hook - 7 nos.in one layer inside the box.
- A Small slot on the front side of the box
- Slot Size : L-88mm, W-5.5mm
- Provision of four pre drilled hole on back side of box to mount on any surface.
- **No of Boxes** – 24no (6 Column x 4 Row)
- **Base plate** – 4 mm thick ACP Sheet with provision of holes to fix the boxes
- **Color** – Grey, Yellow or as per the quantity required.
- **Weight of individual small box** – 260gms.
- **Total Weight** – +17kg
- STANDARD BASE COLOR- **WHITE, YELLOW, RED, GREEN**
- with front facia transparent Polycarbonate
- Text matter can be customized as per requirement on the basis of quantity .
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-DMLTB-TM-245

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com


www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation with 30 Boxes

- Made from ABS +Polycarbonate compositions material.
- It is moulded piece
- Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- **Size** – L-150 mm x W-150 mm, D-50 mm with complete cover.
- Hole Dia.: 8.75mm
- **Total size of plate** – 940 x 1078 mm
- Provision of maximum 5 in-built Locking hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock Hasps.
- Provision of single/multiple key hang Metal J hook - 7 nos.in one layer in side the box.
- A Small slot on the front side of the box
- Slot Size : L-88mm, W-5.5mm
- Provision of four pre drilled hole on back side of box to mount on any surface.
- **No of Boxes** – 30no (6 Column x 5 Row)
- **Base plate** – 4 mm thick ACP Sheet with provision of holes to fix the boxes
- **Color** – Grey, Yellow or as per the quantity required.
- **Weight of individual small box** – 260gms.
- **Total Weight** – ±21kg
- STANDARD BASE COLOR- **WHITE, YELLOW, RED, GREEN**
- with front facia transparent Polycarbonate
- Text matter can be customized as per requirement on the basis of quantity .
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-DMLTB-TM-305



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products


to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com



KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation with 48 Boxes

- Made from ABS +Polycarbonate compositions material.
- It is moulded piece
- Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- **Size** – L-150 mm x W-150 mm, D-50 mm with complete cover.
- Hole Dia.: 8.75mm
- **Total size of plate** – 1116 x 1428 mm
- Provision of maximum 5 in-built Locking hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock Hasps.
- Provision of single/multiple key hang Metal J hook - 7 nos.in one layer in side the box.
- A Small slot on the front side of the box
- Slot Size : L-88mm, W-5.5mm
- Provision of four pre drilled hole on back side of box to mount on any surface.
- **No of Boxes** – 48no (8 Column x 6 Row)
- **Base plate** – 4 mm thick ACP Sheet with provision of holes to fix the boxes
- **Color** – Grey, Yellow or as per the quantity required.
- **Weight of individual small box** – 260gms.
- **Total Weight** – +24kg
- STANDARD BASE COLOR- **WHITE, YELLOW, RED, GREEN**
- with front facia transparent Polycarbonate
- Text matter can be customized as per requirement on the basis of quantity .
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-DMLTB-TM-485

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation 8 Boxes with movable stand

- Made from ABS + Polycarbonate compositions material.
- It is molded piece
- Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- **Size** – L-150 mm x W-150 mm, D-50 mm with complete cover.
- **Hole Dia** – 8.75mm
- Provision of maximum 5 in-built Locking hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock Hasps.
- Provision of single/multiple key hang Metal J hook - 7 nos.in one layer inside the box.
- A Small slot on the front side of the box
- **Slot Size** – Length 88mm, Width 5.5mm
- Provision of four pre drilled hole on back side of box to mount on any surface.
- **Weight of individual small box** – 260gms.
- **STANDARD BASE COLOR** – WHITE, YELLOW, RED, GREEN with front fascia transparent Polycarbonate
- Label on individual box with box no + key documentation label on top of plate.
- With a provision of vertical movable stand.
- **Stand** – Vertical hollow MS tube with wheel mounted arrangement
- **No of Boxes** – 8no (4 Column x 2 Row)
- **Base plate** – 4 mm thick ACP Sheet with provision of holes to fix the boxes
- **Color** – Grey, Yellow or as per the quantity required.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-DMLTB-TM-T-85

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation 12 Boxes with movable stand

- Made from ABS + Polycarbonate compositions material.
- It is molded piece
- Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- **Size** – L-150 mm x W-150 mm, D-50 mm with complete cover.
- **Hole Dia** – 8.75mm
- Provision of maximum 5 in-built Locking hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock Hasps.
- Provision of single/multiple key hang Metal J hook - 7 nos.in one layer inside the box.
- A Small slot on the front side of the box
- **Slot Size** – Length 88mm, Width 5.5mm
- Provision of four pre drilled hole on back side of box to mount on any surface.
- **Weight of individual small box** – 260gms.
- **STANDARD BASE COLOR** – WHITE, **YELLOW**, **RED**, **GREEN** with front fascia transparent Polycarbonate
- Label on individual box with box no + key documentation label on top of plate.
- With a provision of vertical movable stand.
- **Stand** – Vertical hollow MS tube with wheel mounted arrangement
- **No of Boxes** – 12no (4 Column x 3 Row)
- **Base plate** – 4 mm thick ACP Sheet with provision of holes to fix the boxes
- **Color** – Grey, Yellow or as per the quantity required.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-DMLTB-TM-T-125

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation 15 Boxes with movable stand

- Made from ABS + Polycarbonate compositions material.
- It is molded piece
- Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- **Size** – L-150 mm x W-150 mm, D-50 mm with complete cover.
- **Hole Dia** – 8.75mm
- Provision of maximum 5 in-built Locking hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock Hasps.
- Provision of single/multiple key hang Metal J hook - 7 nos.in one layer inside the box.
- A Small slot on the front side of the box
- **Slot Size** – Length 88mm, Width 5.5mm
- Provision of four pre drilled hole on back side of box to mount on any surface.
- **Weight of individual small box**– 260gms.
- **STANDARD BASE COLOR** – WHITE, **YELLOW**, **RED**, **GREEN** with front fascia transparent Polycarbonate
- Label on individual box with box no + key documentation label on top of plate.
- With a provision of vertical movable stand.
- **Stand** – Vertical hollow MS tube with wheel mounted arrangement
- **No of Boxes** – 15no (5 Column x 3 Row)
- **Base plate** – 4 mm thick ACP Sheet with provision of holes to fix the boxes
- **Color** – Grey, Yellow or as per the quantity required.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-DMLTB-TM-T-155

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com




GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation 16 Boxes with movable stand

- Made from ABS + Polycarbonate compositions material.
- It is molded piece
- Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- **Size** – L-150 mm x W-150 mm, D-50 mm with complete cover.
- **Hole Dia** – 8.75mm
- Provision of maximum 5 in-built Locking hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock Hasps.
- Provision of single/multiple key hang Metal J hook - 7 nos.in one layer inside the box.
- A Small slot on the front side of the box
- **Slot Size** – Length 88mm, Width 5.5mm
- Provision of four pre drilled hole on back side of box to mount on any surface.
- **Weight of individual small box**– 260gms.
- **STANDARD BASE COLOR** – WHITE, **YELLOW**, **RED**, **GREEN** with front fascia transparent Polycarbonate
- Label on individual box with box no + key documentation label on top of plate.
- With a provision of vertical movable stand.
- **Stand** – Vertical hollow MS tube with wheel mounted arrangement
- **No of Boxes** – 16no (4 Column x 4 Row)
- **Base plate** – 4 mm thick ACP Sheet with provision of holes to fix the boxes
- **Color** – Grey, Yellow or as per the quantity required.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-DMLTB-TM-T-165

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation 20 Boxes with movable stand

- Made from ABS + Polycarbonate compositions material.
- It is molded piece
- Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- **Size** – L-150 mm x W-150 mm, D-50 mm with complete cover.
- **Hole Dia** – 8.75mm
- Provision of maximum 5 in-built Locking hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock Hasps.
- Provision of single/multiple key hang Metal J hook - 7 nos.in one layer inside the box.
- A Small slot on the front side of the box
- **Slot Size** – Length 88mm, Width 5.5mm
- Provision of four pre drilled hole on back side of box to mount on any surface.
- **Weight of individual small box** – 260gms.
- **STANDARD BASE COLOR** – WHITE, **YELLOW**, **RED**, **GREEN** with front fascia transparent Polycarbonate
- Label on individual box with box no + key documentation label on top of plate.
- With a provision of vertical movable stand.
- **Stand** – Vertical hollow MS tube with wheel mounted arrangement
- **No of Boxes** – 20no (5 Column x 4 Row)
- **Base plate** – 4 mm thick ACP Sheet with provision of holes to fix the boxes
- **Color** – Grey, Yellow or as per the quantity required.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-DMLTB-TM-T-205

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation 24 Boxes with movable stand

- Made from ABS + Polycarbonate compositions material.
- It is molded piece
- Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- **Size** – L-150 mm x W-150 mm, D-50 mm with complete cover.
- **Hole Dia** – 8.75mm
- Provision of maximum 5 in-built Locking hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock Hasps.
- Provision of single/multiple key hang Metal J hook - 7 nos.in one layer inside the box.
- A Small slot on the front side of the box
- **Slot Size** – Length 88mm, Width 5.5mm
- Provision of four pre drilled hole on back side of box to mount on any surface.
- **Weight of individual small box**– 260gms.
- **STANDARD BASE COLOR** – WHITE, YELLOW, RED, GREEN with front fascia transparent Polycarbonate
- Label on individual box with box no + key documentation label on top of plate.
- With a provision of vertical movable stand.
- **Stand** – Vertical hollow MS tube with wheel mounted arrangement
- **No of Boxes** – 24no (6 Column x 4 Row)
- **Base plate** – 4 mm thick ACP Sheet with provision of holes to fix the boxes
- **Color** – Grey, Yellow or as per the quantity required.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-DMLTB-TM-T-245

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation 30 Boxes with movable stand

- Made from ABS + Polycarbonate compositions material.
- It is molded piece
- Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- **Size** – L-150 mm x W-150 mm, D-50 mm with complete cover.
- **Hole Dia** – 8.75mm
- Provision of maximum 5 in-built Locking hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock Hasps.
- Provision of single/multiple key hang Metal J hook - 7 nos.in one layer inside the box.
- A Small slot on the front side of the box
- **Slot Size** – Length 88mm, Width 5.5mm
- Provision of four pre drilled hole on back side of box to mount on any surface.
- **Weight of individual small box**– 260gms.
- **STANDARD BASE COLOR** – WHITE, **YELLOW**, **RED**, **GREEN** with front fascia transparent Polycarbonate
- Label on individual box with box no + key documentation label on top of plate.
- With a provision of vertical movable stand.
- **Stand** – Vertical hollow MS tube with wheel mounted arrangement
- **No of Boxes** – 30no (6 Column x 5 Row)
- **Base plate** – 4 mm thick ACP Sheet with provision of holes to fix the boxes
- **Color** – Grey, Yellow or as per the quantity required.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-DMLTB-TM-T-305

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation 48 Boxes with movable stand

- Made from ABS + Polycarbonate compositions material.
- It is molded piece
- Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- **Size** – L-150 mm x W-150 mm, D-50 mm with complete cover.
- **Hole Dia** – 8.75mm
- Provision of maximum 5 in-built Locking hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock Hasps.
- Provision of single/multiple key hang Metal J hook - 7 nos.in one layer inside the box.
- A Small slot on the front side of the box
- **Slot Size** – Length 88mm, Width 5.5mm
- Provision of four pre drilled hole on back side of box to mount on any surface.
- **Weight of individual small box**– 260gms.
- **STANDARD BASE COLOR** – WHITE, **YELLOW**, **RED**, **GREEN** with front fascia transparent Polycarbonate
- Label on individual box with box no + key documentation label on top of plate.
- With a provision of vertical movable stand.
- **Stand** – Vertical hollow MS tube with wheel mounted arrangement
- **No of Boxes** – 48no (8 Column x 6 Row)
- **Base plate** – 4 mm thick ACP Sheet with provision of holes to fix the boxes
- **Color** – Grey, Yellow or as per the quantity required.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-DMLTB-TM-T-485

KRM CORPORATION

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



KRM

KRM LOTO

Lock Tag!!

safe loto

KRM Safetech Private Limited

QUALITY MANAGEMENT SYSTEM ISO 9001:2015

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**CAN MAKE DIFFERENT COMBINATIONS
OF BOXES ON A SINGLE BASE SHEET AS
PER REQUIREMENT ON THE BASIS OF
THE QUANTITY REQUIRED.**

KRM LOTO

KRM CORPORATION

ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018, ISO 90015 : 2018
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018, ISO 90015:2018

GSTIN No.: 06AAPVW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Lock Tag!!



www.locktagindia.com

safe loto




K&M Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



For more details on LOTO and Safety Products visit our website –

www.krmcorporation.com , www.krmloto.com

www.krmcorporation.com | www.krmloto.com | www.safetyloto.com | www.lockouttagouts.com | www.locktagindia.com

KRM CORPORATION

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018
 OSHA 29 CFR, 1910.147 Lockout Tagout Standard 29 CFR, 1910.147

GSTIN No.: 06AAPPW8746Q1Z6,
 PAN No.: AAPPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

**KRM****KRM LOTO****Lock Tag!!****safe loto****KM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2015

OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1ZI
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

Notes:

- Lock & Tag should be used with all loto products.
- For group locking on particular energy hasp should be used.
- Group lockout box should be used for group lockout tagout.
- Scissor Cable or Round cable lockout can be used to lock multiple hazardous energies instead putting individual locks & tags.