



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com  
Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA  
www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

# CYLINDER LOCKOUT VALVE





OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



**KRM LOTO – CYLINDER LOCKOUT**

**Index Page No:-2**

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	UNIT	WEIGHT (kg)	TECHNICAL PAGE NO.
1	KRM-K-CLOV	CYLINDER LOCK OUT VALVE	NO	0.056	3-4
2	KRM-K-UMDL-CEY-Y	Universal Multi device Lockout Product for Cylinder isolation- YELLOW	NO	0.113	5-6
3	KRM-K-UMDL-CEY-R	Universal Multi device Lockout Product for Cylinder isolation-RED	NO	0.113	5-6
4	KRM-K-VCERML	Valve Cylinder lockout with Round Multipurpose Cable Lockout with 2 mtr cable	NO	0.150	7-8
5		LABELS FOR CYLINDER VALVE LOCKOUT	NO		9
6	KRM-K-UDLCLD	UNIVERSAL DUAL Large Cylinder lockout Devices	NO	0.380	10-11



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



## CYLINDER VALVE LOCKOUT - KRM-K-CLOV

- **Material** – Poly Propylene with label
- KRM Cylinder Lockout is construct in two parts used to lock the cylinder tanks, including propane tanks for fork trucks and stand alone propane tanks valve.
- **Model** – With single and double hole for latching.
- Fitted for 25 mm to 63.5 mm Cylinder knobs and fixed tightly on spaces
- **Color** – Red or any color make as per the requirement
- **Weight** – 60 gms



MODELS	OUTER LENGTH	OUTER WIDTH	HOLE DIA	NUMBERS OF HOLE	WEIGHT
KRM-K-CLOV	63.5mm	23mm	9mm	1 Hole	60 gm



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**LOCKOUT/TAGOUT**



**CYLINDER VALVE LOCKOUT**

KRM LOTO EXPERT  
CE Certified



- **Material** – Poly Propylene with label
- KRM Cylinder Lockout is construct in two parts used to lock the cylinder tanks, including propane tanks on fork trucks and stand alone propane tanks valve.
- **Model** – With single and double hole for latching.
- Fitted for 25 mm to 63.5 mm Cylinder knobs and fixed tightly on spaces
- **Color** – Red or any color make as per the requirement
- **Weight** –60 gms



**KRM-K-CLOV**

MODELS	OUTER LENGTH	OUTER WIDTH	HOLE DIA	NUMBER OF HOLE	WEIGHT
KRM-K-CLOV	63.5mm	23mm	09mm	01	60gm



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269




www.lockoutappliance.com



# UNIVERSAL MULTI DEVICE LOCKOUT - CYLINDRICAL SHAPE

- **Material** - Poly Propylene with printed label
- KRM Universal Multi Device Lockout made by joining two parts that are designed to be used on high and low pressure gas cylinders and control the cylinder by locking the regulator attachment
- **Locking slots** – One hole to place the Lock
- **Upper plates** – Two or Three slots are attached with round rivet
- **Outer Size** – diameter 88 mm (3.45”), length 155 mm (6.10”)
- Can lockout equipment of size – 3.4” width x 6” Length
- **Color** - Yellow Or as per required quantity
- **Weight** -113 gms



KRM-K-UMDL-CEY-Y KRM-K-UMDL-CEY-R

MODELS	(A)	(B)	(C)	(D)	(E)	(F)
KRM-K-UMDL-CEY-Y	88mm	120mm	14mm	9mm	155mm	33mm
KRM-K-UMDL-CEY-R	88mm	120mm	14mm	9mm	155mm	33mm



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

**LOCKOUT/TAGOUT**



CE Certified

**UNIVERSAL MULTI DEVICE LOCKOUT - CYLINDRICAL SHAPE**


- Material – Poly Propylene with printed label
- KRM Universal Multi Device Lockout made by joining two parts that are designed to be used on high and low pressure gas cylinders and control the cylinder by locking the regulator attachment
- Locking slots – One hole to place the Lock
- Upper plates – Two or Three slots are attached with round rivet
- Outer Size – diameter 88 mm (3.45"), length 155 mm (6.10")
- Color - Yellow Or as per required quantity
- Weight – 113 gm



**KRM-K-UMDLCEL-Y**



**KRM-K-UMDL-CEL-Y KRM-K-UMDL-CEL-R**



MODELS	(A)	(B)	(C)	(D)	(E)	(F)
KRM-K-UMDL-CEL-Y	88mm	120mm	14mm	9mm	155mm	33mm
KRM-K-UMDL-CEL-R						



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269




www.lockoutappliances.com



**VALVE CYLINDER LOCKOUT WITH ROUND MULTIPURPOSE CABLE LOCKOUT- KRM-K-VCERML**

- **Material** - Poly Propylene with printed label
- KRM Universal Multi Device Lockout made by joining two parts that are designed for plug or chord lockout
- **Locking slots** – One hole to place the Lock
- **Upper plates** – Two or Three slots are attached with round rivet
- **Outer Size** – diameter 88 mm (3.45”), length 155 mm (6.10”)
- Can lockout equipment of size – 3.4” width x 6” Length
- **Color** - Red Or as per required quantity
- **Weight** - 150 gms



MODELS	(A)	(B)	(C)	(D)	(E)	(F)
KRM-K-VCERML	88mm	120mm	14mm	9mm	155mm	33mm



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lockouttagouts.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA


www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**LOCKOUT/TAGOUT**



**VALVE CYLINDER LOCKOUT WITH ROUND MULTIPURPOSE  
CABLE LOCKOUT**

CE  
Certified



**KRM-K-VCERML**

- Material – Poly Propylene with printed label
- KRM Universal Multi Device Lockout made by joining two parts that are designed for plug or chord lockout
- Locking slots – One hole to place the Lock
- Upper plates – Two or Three slots are attached with round rivet
- Outer Size – diameter 88 mm (3.45"), length 155 mm (6.10")
- Can lockout equipment of size – 3.4" width x 6" Length
- Color – Red Or as per required quantity
- Weight – 113 gm



MODELS	(A)	(B)	(C)	(D)	(E)	(F)
KRM-K-VCERML	88mm	120mm	14mm	9mm	155mm	33mm





OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

# LABELS FOR CYLINDER VALVE LOCKOUT

Additional Cylinder Labels that can be provided with cylinder valve lockout or can be provided in the set of 12 labels





OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



**UNIVERSAL DUAL LARGE CYLINDER LOCKOUT DEVICES-KRM-K-UDLCLD**

- **Material** – Poly Propylene
- **Holes for chord** – One hole of different diameter on both sides
- **Isolate Large Plugs of Size** – diameter 118 mm, length – 250 mm
- **Locking slots** – 11 hole to latch with Lock for group isolation.
- **Complete Outer Size** – length 256 mm, width 124 mm
- **Inner Size** – length 250 mm, width 118 mm
- **Color** – Yellow, Red Or any color make as per the quantity
- **Weight** – 380 gms



**KRM-K-UDLCLD**

MODELS	OUTER LENGTH	OUTER WIDTH	HOLE DIA	NUMBERS OF HOLE	WEIGHT
KRM-K-UDLCLD	256mm	124mm	10mm	11 Hole	380 gm



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.locktagindia.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## UNIVERSAL DUAL LARGE CYLINDER LOCKOUT DEVICE

CE  
Certified



- Material – Poly Propylene
- Holes for chord – One hole of different diameter on both sides
- Isolate Large Plugs of Size – diameter 118 mm, length – 250 mm
- Locking slots – 11 hole to latch with Lock for group isolation.
- Complete Outer Size – length 256 mm, width 124 mm
- Inner Size – length 250 mm, width 118 mm
- Color – Yellow, Red Or any color make as per the quantity
- Weight – 380 gms



**KRM-K-UDLCLD**

MODELS	OUTER LENGTH	OUTER WIDTH	HOLE DIA	NUMBER OF HOLE	WEIGHT
KRM-K-UDLCLD	256mm	124mm	10mm	11	380gms

**KRM CORPORATION**

ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

**KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwrajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com

**KRM LOTO**

**KRM CORPORATION**

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAPVW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269

**Lock Tag!!**



www.locktagindia.com

**safe loto**




**KM Safetech Private Limited**  
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA  
[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



For more details  
login our website.

For more details on LOTO and Safety Products visit our website – [www.krmcorporation.com](http://www.krmcorporation.com)

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## Notes:

- Lock & Tag should be used with all loto products.
- For group locking on particular energy hasp should be used.
- Group lockout box should be used for group lockout tagout.
- Scissor Cable or Round cable lockout can be used to lock multiple hazardous energies instead putting individual locks & tags.