



FOOD PROCESSING & HYGIENE SIGNS

**NOTE**

**This is a food production area in the interests of hygiene protective garments must be worn**

6600 H, PT

**Slicing Machine**  
Switch off/disconnect power supply at mains before cleaning. The guard provided must be in the correct position before operating the machine. Always return the slicing thickness indicator to the zero position when works is finished to avoid injury to hand.

6601 H, PT

**Convectior Oven**  
Switch off heater fan button before opening doors

6602 H, PT

**Potato Chipping Machine**  
Switch off/disconnect power supply at mains before changing or attempting to dislodge blockages

6603 H, PT

**Deep Fat Fryer**  
Switch off/disconnect power supply at mains before cleaning. Avoid filling pan beyond recommended oil level. Ensure food is dried before immersing in oil to prevent fothing and subsequent overflowing. Always return thermostat control to zero when frying completed.  
When draining:  
1. Ensure that receptacle used is large enough to contain contents.  
2. Maintain constant vigilance.  
3. Clean up spillages immediately

6604 H, PT

**Mincing/Mixing Machine**  
Switch off/disconnect power supply at mains before cleaning. Use only the plunger provided to push food into the mincing machine - spoons, forks, knives or steels should be avoided. Keep hands clear when machine is in operation.

6605 H, PT

**Dishwashing Machine**  
Switch off/disconnect power supply at mains before cleaning. Avoid overloading machine. If machine jams or stops, immediately switch off power and water supply and examine cause of stoppage. Allow machine to cool before reaching in otherwise serious scalds could occur.

6606 H, PT

**Steam Oven**  
Open door sufficiently to break the seal and allow steam and water to escape before opening fully

6607 H, PT

**Waste Disposal Machine**  
Switch off/disconnect power supply at mains before cleaning. Ensure that cutlery, bones, string, etc. are not mixed with food waste. Switch off power supply if machine jams or stops. Follow manufacturer's inspection instructions.

6608 H, PT

**Keep hands clear when machine is operating**  
Disconnect power supply before cleaning

6610 D, F

**Wear rubber gloves**  
1. Drain fryer and wipe off excess grease and oil.  
2. Fill with warm water and stir in alkaline base detergent (follow maker' directions).  
3. Heat to 80-90°C and switch off heaters. Leave for 15 minutes stirring continuously. Submerge utensils and baskets in same solution for 5-10 minutes. Remove and scour clean. Rinse well and dry thoroughly.  
4. Drain off the fryer, scrape away remaining solids, rinse out well and dry thoroughly.

6611 D, F

**Ventilation systems**  
Clean ventilation canopy externally and internally at least weekly. Clean fan. Clean or replace filters.  
Do not operate system without filters where fitted.

6612 D, F

**Please wash only food equipment here**

6613 D, F

**CODE OF PRACTICE FOR THE USE OF BANDSAWS**  
This code of practice provides safe working conditions for the operation of bandsaws and its provisions must be strictly observed.  
1. Only trained operators are allowed to use a bandsaw.  
2. Operators under training may only use a bandsaw under skilled supervision.  
3. Eye protection must be worn.  
4. Operating instructions:  
(a) The bandsaw must be operated from the side to enable full use to be made of the moveable table and meat pusher.  
(b) Before operation, the blade guard should be adjusted to a height which allows the meat to pass under and give maximum protection.  
5. When not in use:  
(a) The power must be switched off or the power plug removed.  
(b) The moveable table must be locked in position with the blade guard lowered onto the meat pusher.  
6. Before commencing to clean or dismantle the operator must check that the power has been switched off or the power plug disconnected.

6614 D, F

**DANGEROUS MACHINE**  
1. Only trained operators are allowed to use this machine.  
2. Operators under training may only use this machine under skilled supervision.  
3. Check that the guards are in place before operating.  
4. Before commencing to clean or dismantle this machine, the operator must check that power has been switched off or the power plug removed.  
5. Switch off when not in use.

6615 D, F

Colour code - Black / Green / Blue / Red

**SIZE**

- C=6"x6"
- D=6"x8"
- E=8"x8"
- F=8"x10"
- H=6"x16"
- L=4"x16"
- Q=12"x12"
- PT=4"x11"

**MATERIAL**

Glow-in-the-dark

Self Adhesive  
Vinyl

PVC Rigid Sheet  
0.7mm to 3mm

Processed hard Aluminum Sheet (1mm)



GENERAL SIGNS



6700 A,C,E



6701 A,C,E



6702 A,C,E



6703 A,C,E



6704 A,C,E



6705 A,C,E



6706 A,C,E



6707 A,C,E



6708 H, PT



6709 H, PT



6710 H, PT



6711 H, PT



6712 H, PT



6713 H, PT



6714 H, PT



6715 H, PT



6716 H, PT



6717 H, PT



6718 H, PT



6719 H, PT



6720 H, PT



6721 H, PT



6722 H, PT



6723 H, PT



6724 H, PT



6725 H, PT



6726 H, PT



6727 H, PT



6728 H, PT



6729 H, PT



6730 H, PT



6731 H, PT



6732 H, PT



6733 H, PT



6734 H, PT



6735 H, PT



6736 H, PT



6737 H, PT



6738 H, PT



6739 H, PT



6740 H, PT




6741 H, PT




6742 H, PT


HOTEL & BAR SIGNS




6800 D, F




6801 D, F




6802 D, F




6803 D, F




6804 D, F



6805 D, F



6806 D, F



6807D, F



6808 D, F



6809 D, F



6810 D, F

NOTE



Colour code - Black / Green / Blue / Red

SIZE

- A=4"x4"
- C=6"x6"
- D=6"x8"
- E=8"x8"
- F=8"x10"
- H=6"x16"
- PT=4"x11"

MATERIAL

Glow-in-the-dark

Self Adhesive  
Vinylnyl

PVC  
Rigid Sheet  
0.7mm to 3mm

Processed hard  
Aluminum Sheet (1mm)



DOOR SIGNS




6831 D,S




6832 D,S



6833 D,S



6834 D,S



6835 D,S



6836 D,S



6837 D,S



6838 D,S

NOTE



Colour code - Black / Green / Blue / Red

OFFICE SIGNS



7550 L



7551 L



7552 L



7553 L



7554 L



7555 L



7556 L



7557 L



7558 L



7559 L



7560 L



7561 L



7562 L



7563 L




7750 H




7751 H



7752 H



7753 H



7754 H



7755 H

SIZE

D=6"x8"  
H=6"x16"  
L=4"x16"  
S=8"x12"

MATERIAL

Glow-in-the-dark

Self Adhesive  
Vinyl

PVC  
Rigid Sheet  
0.7mm to 3mm

Processed hard  
Aluminum Sheet (1mm)



AGRICULTURE SIGNS

NOTE

**TRACTORS  
TURNING**

7630 D,F

**CAUTION  
MUD ON  
ROAD**

7631 D,F

**CONCEALED  
FARM  
ENTRANCE**

7632 D,F

**CAUTION  
CATTLE  
GRID**

7633 D,F

**PRIVATE  
ROAD**

7634 D,F

**PRIVATE  
FARM**

7635 D,F

**All visitors  
must report  
to farm  
office**

7636 D,F

**FARM  
OFFICE**

7637 D,F

**FARM LIVESTOCK  
DOGS MUST  
BE KEPT  
ON A LEAD**

7638 D,F

THE ANIMALS ACT 1971  
PROTECTION OF  
LIVESTOCK AGAINST DOGS  
**YOUR DOG COULD  
BE SHOT IF FOUND  
AMONGST SHEEP**

7639 D,F

**SLOW  
CHILDREN  
AND  
ANIMALS**

7640 D,F

**DRIVE  
SLOWLY IN  
FARMYARD**

7641 D,F

**BEWARE  
FARM  
VEHICLES**

7642 D,F

**CONCEALED  
FARM  
ENTRANCE**

7643 D,F

**CAUTION  
FARK  
ENTRANCE**

7644 D,F

**CAUTION  
CHILDREN  
PLAYING**

7645 D,F

**Private  
No right  
of way**

7646 D,F

**Beware  
of the  
dogs**

7647 D,F

**Trespassers  
will be  
prosecuted**

7650 D,F

**Keep to  
public  
footpath**

7651 D,F

**Private  
property  
Keep out**

7652 D,F

**Private  
farm buildings  
Keep out**

7653 D,F

**All visitors  
must report  
to farm office**

7654 D,F

**No  
trespassing**

7655 D,F

**Keep this  
gate shut**

7656 D,F

**Private woods  
Keep out**

7657 D,F

**Private road  
Farm access  
only**

7658 D,F

**No entry  
Disease  
precautions**

7659 D,F

**Public  
footpath**

7660 D,F

**No  
fishing**

7661 D,F

**No  
camping or  
caravans**

7662 D,F

**Livestock  
Dogs must be  
kept under  
control**

7663 D,F

**No dogs  
allowed  
except on  
a leash**

7664 D,F

**Farm  
demonstration**

7670 D,F

**Farm  
tour**

7671 D,F

**Farm  
shop**

7672 D,F

**FARMHOUSE  
Bed & Breakfast**

7673 D,F

**Please  
take your  
litter home  
Thank you**

7674 D,F

**Fresh  
Farm Eggs**

7675 D,F

**Farmhouse  
Cream Teas**

7676 D,F

Colour code - Black / Green / Blue / Red

SIZE

D=6"x8"  
F=8"x10"

MATERIAL

Glow-  
in-the-  
dark

Self  
Adhesive  
 vinyl

PVC  
 rigid  
Sheet  
0.7mm  
to  
3 mm

Processed  
hard  
 aluminum  
Sheet  
(1mm)



AGRICULTURE SIGNS



8550 D,F



8551 D,F



8552 D,F



8553 D,F



8554 D,F



8555 D,F



8556 D,F



8557 D,F



8558 D,F



8559 D,F



8560 D,F



8561 D,F



8562 D,F



8580 H, PT



8581 H, PT



8582 H, PT



8583 H, PT



8584 H, PT

NOTE



Colour code - Black / Green / Blue / Red

SIZE

D=6"x8"  
F=8"x10"  
H=6"x16"  
PT=4"x11"

MATERIAL

Glow-in-the-dark

Self Adhesive  
Vinyl

PVC Rigid Sheet  
0.7mm to 3mm

Processed hard  
Aluminum Sheet (1mm)

DOG SIGNS



8650 D,F



8651 D,F



8652 D,F



8653 D,F



8654 D,F



TEMPORARY TIE SIGNS

NOTE



Colour code - Black / Green / Blue / Red

SIZE

G=6"x12"  
I=8"x16"

MATERIAL

Glow-in-the-dark

Self Adhesive  
 Vinyl

PVC  
 Rigid Sheet  
0.7mm to 3mm


Processed hard  
 Aluminum Sheet (1mm)




9250 G,I



9251 G,I



9252 G,I



9253 G,I



9254 G,I



9255 G,I



9256 G,I



9257 G,I



9258 G,I



9259 G,I



9260 G,I



9261 G,I



9262 G,I



9263 G,I



9264 G,I



9265 G,I



9266 G,I



9267 G,I



9268 G,I



9269 G,I



9270 G,I



9271 G,I

G=6"x12"  
I=8"x16"