

Company Name : KRM CORPORATION

Regd. Office: 1H / 31-A, N.I.T., Faridabad - 121 001 (Haryana)

Postal Address: 615 , Sector- 15 -A , Faridabad- 121007-Haryana-NCR-INDIA

M : 00 91 9810 291 381, 8800 544 881, Telefax: 00 91 129 4021 381, 413 1381 (D)

Email : info@krmcorporation.com, krm@krmcorporation.com

lockout@krmcorporation.com, wadhwarajinder@gmail.com

TIN No. : 06821328889, IEC No. : 0509006116, PAN No. : AAVPW8746Q, TAN NO. RTKK03359G
in the name of Proprietor



www.krmcorporation.com

www.lockouttagouts.com

www.safetyloto.com


www.lockoutmaster.com

Rajinder Wadhwa

M: +91 9810 291 381, 8800 544 881

E mail: lockout@krmcorporation.com

rajinderwadhwa



Regd. Off. : 1H/31-A, N.I.T. Faridabad
Haryana-121001, India
Postal Add.: 615, Sector-15-A,
Faridabad-121007, India.
Telefax: +91 129 402 1381, 413 1381
website: www.krmcorporation.com



Manufacturer & Global Supplier of Lockout \ Tagout & Safety Products



Company Name : KRM CORPORATION

Regd. Office: 1H / 31-A, N.I.T., Faridabad - 121 001 (Haryana)

Postal Address: 615 , Sector- 15 -A , Faridabad- 121007-Haryana-NCR-INDIA

M : 00 91 9810 291 381, 8800 544 881, Telefax: 00 91 129 4021 381, 413 1381 (D)

Email : info@krmcorporation.com, krm@krmcorporation.com

lockout@krmcorporation.com, wadhwarajinder@gmail.com


TIN No. : 06821328889, IEC No. : 0509006116, PAN No. : AAVPW8746Q, TAN NO. RTKK03359G

in the name of Proprietor



www.krmcorporation.com | www.lockouttagouts.com | www.safetvlotto.com | www.lockoutmaster.com

KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Lockout/Key Documentation/Padlock/Permit Document



Company Name : KRM CORPORATION



Regd. Office: 1H / 31-A, N.I.T., Faridabad - 121 001 (Haryana)

Postal Address: 615 , Sector- 15 -A , Faridabad- 121007-Haryana-NCR-INDIA

M : 00 91 9810 291 381, 8800 544 881, Telefax: 00 91 129 4021 381, 413 1381 (D)

Email : info@krmcorporation.com, krm@krmcorporation.com

lockout@krmcorporation.com, wadhwarajinder@gmail.com

TIN No. : 06821328889, IEC No. : 0509006116, PAN No. : AAVPW8746Q, TAN NO. RTKK03359G

in the name of Proprietor



www.krmcorporation.com

www.lockouttagouts.com

www.safetyloto.com

www.lockoutmaster.com

KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation with 8 Boxes

- Made from ABS +Polycarbonate compositions material.
- It is moulded piece
- Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- Size – L-156 mm x W-156 mm, D-64mm with complete cover.
- Hole Dia.: 8.75mm
- Provision of maximum 5 in-built hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock Hasps.
- Provision of single/multiple key hook inside the box.
- A Small slot on the front side of the box
- Slot Size : L-88mm, W-5.5mm
- Handle on the top/side of the box
- Provision of four pre drilled hole on back side of box to mount on any surface.
- Weight – 260gms.
- STANDARD BASE COLOR- **WHITE, YELLOW, RED, GREEN** with front facia transparent Polycarbonate
- Text matter can be customized as per requirement on the basis of quantity .

Can install multiple boxes like 8/12/15/ 16/20/24/30/36/48 on one platform with different combination. Also can provide BASE SHEET in any color.

NOTE: Internal hooks 1/2/3/4 can be provided on requirement



KRM-K-DMLTB-TM-85

Company Name : KRM CORPORATION



Regd. Office: 1H / 31-A, N.I.T., Faridabad - 121 001 (Haryana)

Postal Address: 615, Sector- 15 -A, Faridabad- 121007-Haryana-NCR-INDIA

M : 00 91 9810 291 381, 8800 544 881, Telefax: 00 91 129 4021 381, 413 1381 (D)

Email : info@krmcorporation.com, krm@krmcorporation.com

lockout@krmcorporation.com, wadhwarajinder@gmail.com

TIN No. : 06821328889, IEC No. : 0509006116, PAN No. : AAVPW8746Q, TAN No. RTKK03359G
in the name of Proprietor



www.krmcorporation.com

www.lockouttagouts.com

www.safetyloto.com

www.lockoutmaster.com

KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation with 8 Boxes

- **Made from ABS +Polycarbonate compositions material.**
 - **It is moulded piece**
 - Anti-corrosion, oil-resistance etc.
 - Application for indoor and outdoor uses.
 - Size – L-156 mm x W-156 mm, D-64mm with complete cover.
 - Hole Dia.: 8.75mm
 - Provision of maximum 5 in-built hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock Hasps.
 - Provision of single/multiple key hook inside the box.
 - A Small slot on the front side of the box
 - Slot Size : L-88mm, W-5.5mm
 - Handle on the top/side of the box
 - Provision of four pre drilled hole on back side of box to mount on any surface.
 - Weight – 260gms.
 - STANDARD BASE COLOR- **WHITE, YELLOW, RED, GREEN** with front facia transparent Polycarbonate
 - Text matter can be customized as per requirement on the basis of quantity .
- Can install multiple boxes like 8/12/15/ 16/20/24/30/36/48 on one platform with different combination. Also can provide BASE SHEET in any color.**
- NOTE:** Internal hooks 1/2/3/4 can be provided on requirement



KRM-K-DMLTB-TM-85Y

Company Name : KRM CORPORATION



Regd. Office: 1H / 31-A, N.I.T., Faridabad - 121 001 (Haryana)

Postal Address: 615 , Sector- 15 -A , Faridabad- 121007-Haryana-NCR-INDIA

M : 00 91 9810 291 381, 8800 544 881, Telefax: 00 91 129 4021 381, 413 1381 (D)

Email : info@krmcorporation.com, krm@krmcorporation.com

lockout@krmcorporation.com, wadhwarajinder@gmail.com

TIN No. : 06821328889, IEC No. : 0509006116, PAN No. : AAVPW8746Q, TAN NO. RTKK03359G
in the name of Proprietor



www.krmcorporation.com

www.lockouttagouts.com

www.safetyloto.com

www.lockoutmaster.com

KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation with 16 Boxes

Made from ABS + Polycarbonate compositions material.

It is moulded piece.

- Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- Size – L-156 mm x W-156 mm, D-64mm with complete cover.
- Hole Dia.: 8.75mm
- Provision of maximum 5 in-built hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock/Hasps.
- Provision of single/multiple key hook inside the box.
- A Small slot on the front side of the box
- Slot Size : L-88mm, W-5.5mm
- Handle on the top/side of the box
- Provision of four pre drilled hole on back side of box to mount on any surface.
- Weight – 260gms.
- STANDARD BASE COLOR- **WHITE, YELLOW, RED, GREEN**
- with front facia transparent Polycarbonate
- Text matter can be customized as per requirement on the basis of quantity .

It can use in multiple

boxes like 8/12/15/ 16/20/24/30/36/48

on one platform

NOTE: Internal hooks 1/2/3/4 can be provided on requirement



KRM-K-DMLTB-TM-165

Company Name : KRM CORPORATION



Regd. Office: 1H / 31-A, N.I.T., Faridabad - 121 001 (Haryana)

Postal Address: 615 , Sector- 15 -A , Faridabad- 121007-Haryana-NCR-INDIA

M : 00 91 9810 291 381, 8800 544 881, Telefax: 00 91 129 4021 381, 413 1381 (D)

Email : info@krmcorporation.com, krm@krmcorporation.com

lockout@krmcorporation.com, wadhwarajinder@gmail.com

TIN No. : 06821328889, IEC No. : 0509006116, PAN No. : AAVPW8746Q, TAN NO. RTKK03359G

in the name of Proprietor



www.krmcorporation.com

www.lockouttagouts.com

www.safetyloto.com

www.lockoutmaster.com

KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation with 20 Boxes

Made from ABS + Polycarbonate compositions material.

It is moulded piece.

- Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- Size – L-156 mm x W-156 mm, D-64mm with complete cover.
- Hole Dia.: 8.75mm
- Provision of maximum 5 in-built hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock/Hasps.
- Provision of single/multiple key hook inside the box.
- A Small slot on the front side of the box
- Slot Size : L-88mm, W-5.5mm
- Handle on the top/side of the box
- Provision of four pre drilled hole on back side of box to mount on any surface.
- Weight – 260gms.
- STANDARD BASE COLOR- **WHITE, YELLOW, RED, GREEN**
- with front facia transparent Polycarbonate
- Text matter can be customized as per requirement on the basis of quantity .

It can use in multiple

boxes like 8/12/15/ 16/20/24/30/36/48

on one platform

NOTE: Internal hooks 1/2/3/4 can be provided on requirement



KRM-K-DMLTB-TM-205

Company Name : KRM CORPORATION



Regd. Office: 1H / 31-A, N.I.T., Faridabad - 121 001 (Haryana)

Postal Address: 615, Sector- 15 -A, Faridabad- 121007-Haryana-NCR-INDIA

M : 00 91 9810 291 381, 8800 544 881, Telefax: 00 91 129 4021 381, 413 1381 (D)

Email : info@krmcorporation.com, krm@krmcorporation.com

lockout@krmcorporation.com, wadhwarajinder@gmail.com

TIN No. : 06821328889, IEC No. : 0509006116, PAN No. : AAVPW8746Q, TAN NO. RTKK03359G
in the name of Proprietor



www.krmcorporation.com

www.lockouttagouts.com

www.safetyloto.com

www.lockoutmaster.com

KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation with 24 Boxes

Made from ABS + Polycarbonate compositions material.

It is moulded piece.

- Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- Size – L-156 mm x W-156 mm, D-64mm with complete cover.
- Hole Dia.: 8.75mm
- Provision of maximum 5 in-built hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock/Hasps.
- Provision of single/multiple key hook inside the box.
- A Small slot on the front side of the box
- Slot Size : L-88mm, W-5.5mm
- Handle on the top/side of the box
- Provision of four pre drilled hole on back side of box to mount on any surface.
- Weight – 260gms.
- STANDARD BASE COLOR- **WHITE, YELLOW, RED, GREEN**
- with front facia transparent Polycarbonate
- Text matter can be customized as per requirement on the basis of quantity .

It can use in multiple

boxes like 8/12/15/ 16/20/24/30/36/48

on one platform

NOTE: Internal hooks 1/2/3/4 can be provided on requirement



KRM-K-DMLTB-TM-245



Company Name : KRM CORPORATION

Regd. Office: 1H / 31-A, N.I.T., Faridabad - 121 001 (Haryana)

Postal Address: 615 , Sector- 15 -A , Faridabad- 121007-Haryana-NCR-INDIA

M : 00 91 9810 291 381, 8800 544 881, Telefax: 00 91 129 4021 381, 413 1381 (D)

Email : info@krmcorporation.com, krm@krmcorporation.com

lockout@krmcorporation.com, wadhwarajinder@gmail.com

TIN No. : 06821328889, IEC No. : 0509006116, PAN No. : AAVPW8746Q, TAN NO. RTKK03359G
in the name of Proprietor



www.krmcorporation.com

www.lockouttagouts.com

www.safetyloto.com

www.lockoutmaster.com

KRM LOTO – Di-Electric Multipurpose (ABS + Polycarbonate) LOTO Box for Group Key Documentation with 30 Boxes

Made from ABS + Polycarbonate compositions material.

It is moulded piece.

- Anti-corrosion, oil-resistance etc.
- Application for indoor and outdoor uses.
- Size – L-156 mm x W-156 mm, D-64mm with complete cover.
- Hole Dia.: 8.75mm
- Provision of maximum 5 in-built hook in box for group locking purpose. Anyone can lock box either with one or multiple padlock/Hasps.
- Provision of single/multiple key hook inside the box.
- A Small slot on the front side of the box
- Slot Size : L-88mm, W-5.5mm
- Handle on the top/side of the box
- Provision of four pre drilled hole on back side of box to mount on any surface.
- Weight – 260gms.
- STANDARD BASE COLOR- **WHITE, YELLOW, RED, GREEN**
- with front facia transparent Polycarbonate
- Text matter can be customized as per requirement on the basis of quantity .

It can use in multiple

boxes like **8/12/15/ 16/20/24/30/36/48**

on one platform

NOTE: Internal hooks 1/2/3/4 can be provided on requirement



KRM-K-DMLTB-TM-305

Company Name : KRM CORPORATION



KRM CORPORATION
OHSAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED COMPANY

Regd. Office: 1H / 31-A, N.I.T., Faridabad - 121 001 (Haryana)

Postal Address: 615 , Sector- 15 -A , Faridabad- 121007-Haryana-NCR-INDIA

M : 00 91 9810 291 381, 8800 544 881, Telefax: 00 91 129 4021 381, 413 1381 (D)

Email : info@krmcorporation.com, krm@krmcorporation.com

lockout@krmcorporation.com, wadhwarajinder@gmail.com

TIN No. : 06821328889, IEC No. : 0509006116, PAN No. : AAVPW8746Q, TAN NO. RTKK03359G
in the name of Proprietor



www.krmcorporation.com | www.lockouttagouts.com | www.safetyloto.com | www.lockoutmaster.com

Can make different combinations of boxes on a single base sheet as per requirement on the basis of the quantity required.

Company Name : KRM CORPORATION

Regd. Office: 1H / 31-A, N.I.T., Faridabad - 121 001 (Haryana)

Postal Address: 615 , Sector- 15 -A , Faridabad- 121007-Haryana-NCR-INDIA

M : 00 91 9810 291 381, 8800 544 881, Telefax: 00 91 129 4021 381, 413 1381 (D)

Email : info@krmcorporation.com, krm@krmcorporation.com

lockout@krmcorporation.com, wadhwarajinder@gmail.com

TIN No. : 06821328889, IEC No. : 0509006116, PAN No. : AAVPW8746Q, TAN NO. RTKK03359G

in the name of Proprietor




www.krmcorporation.com

www.lockouttagouts.com

www.safetyloto.com

www.lockoutmaster.com



For more details login our website.

For more details on LOTO and Safety Products visit our website – www.krmcorporation.com

Websites : www.krmcorporation.com, www.lockouttagouts.com, www.lockoutmaster.com, www.safetyloto.com

Company Name : **KRM CORPORATION**
KRM-LOTO
LOCKOUT/TAGOUT
SAFETY PRODUCTS INDIA
KRM CORPORATION
OHSAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED COMPANY

Regd. Office: 1H / 31-A, N.I.T., Faridabad - 121 001 (Haryana)
Postal Address: 615 , Sector- 15 -A , Faridabad- 121007-Haryana-NCR-INDIA
M : 00 91 9810 291 381, 8800 544 881, Telefax: 00 91 129 4021 381, 413 1381 (D)
Email : info@krmcorporation.com, krm@krmcorporation.com
lockout@krmcorporation.com, wadhwarajinder@gmail.com
TIN No. : 06821328889, IEC No. : 0509006116, PAN No. : AAVPW87460, TAN NO. RTKK03359G
in the name of Proprietor



www.krmcorporation.com | www.lockoutgouts.com | www.safetyloto.com | www.lockoutmaster.com

Notes:

- Lock & Tag should be used with all loto products.
- For group locking on particular energy hasp should be used.
- Group lockout box should be used for group lockout tagout.
- Scissor Cable or Round cable lockout can be used to lock multiple hazardous energies instead putting individual locks & tags.