



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 4/5/6/7/8 LOCKS





OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – KEY SAFE GROUP LOCK BOX -INDEX

Index Page No:-1

| SR.NO | KRM LOTO PART CODE | PRODUCT NAME | WEIGHT (kg) | PAGE NO. |
|-------|--------------------|---|-------------|----------|
| 1 | KRM-K-MKSLB-4 | KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 4 LOCKS | 2.2 | 5 |
| 2 | KRM-K-MKSLB-4P | KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 4 LOCKS-PLAIN | 2.2 | 6 |
| 3 | KRM-K-LBC-84H | GROUP LOCKOUT BOX CABINET 4 LOCK WITH 8 BOXES | 25 | 7 |
| 4 | KRM-K-LBC-124H | GROUP LOCKOUT BOX CABINET 4 LOCK WITH 12 BOXES | 38 | 8 |
| 5 | KRM-K-LBC-154H | GROUP LOCKOUT BOX CABINET 4 LOCK WITH 15 BOXES | 48 | 9 |
| 6 | KRM-K-LBC-164H | GROUP LOCKOUT BOX CABINET 4 LOCK WITH 16 BOXES | 52 | 10 |
| 7 | KRM-K-LBC-204H | GROUP LOCKOUT BOX CABINET 4 LOCK WITH 20 BOXES | 63 | 11 |
| 8 | KRM-K-LBC-244H | GROUP LOCKOUT BOX CABINET 4 LOCK WITH 24 BOXES | 76 | 12 |
| 9 | KRM-K-LBC-304H | GROUP LOCKOUT BOX CABINET 4 LOCK WITH 30 BOXES | 106 | 13 |
| 10 | KRM-K-LBC-484H | GROUP LOCKOUT BOX CABINET 4 LOCK WITH 48 BOXES | 152 | 14 |
| 11 | KRM-K-PLBT-84 | GROUP LOCKOUT BOX CABINET 4 LOCK WITH 8 BOXES WITH MOVABLE STAND | 35 | 15 |
| 12 | KRM-K-PLBT-124 | GROUP LOCKOUT BOX CABINET 4 LOCK WITH 12 BOXES WITH MOVABLE STAND | 48 | 16 |
| 13 | KRM-K-PLBT-154 | GROUP LOCKOUT BOX CABINET 4 LOCK WITH 15 BOXES WITH MOVABLE STAND | 58 | 17 |
| 14 | KRM-K-PLBT-164 | GROUP LOCKOUT BOX CABINET 4 LOCK WITH 16 BOXES WITH MOVABLE STAND | 62 | 18 |
| 15 | KRM-K-PLBT-204 | GROUP LOCKOUT BOX CABINET 4 LOCK WITH 20 BOXES WITH MOVABLE STAND | 73 | 19 |
| 16 | KRM-K-PLBT-244 | GROUP LOCKOUT BOX CABINET 4 LOCK WITH 24 BOXES WITH MOVABLE STAND | 76 | 20 |
| 17 | KRM-K-PLBT-304 | GROUP LOCKOUT BOX CABINET 4 LOCK WITH 30 BOXES WITH MOVABLE STAND | 116 | 21 |
| 18 | KRM-K-PLBT-484 | GROUP LOCKOUT BOX CABINET 4 LOCK WITH 48 BOXES WITH MOVABLE STAND | 162 | 22 |



KRM LOTO – KEY SAFE GROUP LOCK BOX -INDEX

Index Page No:-2

| SR.NO | KRM LOTO PART CODE | PRODUCT NAME | WEIGHT (kg) | PAGE NO. |
|-------|--------------------|---|-------------|----------|
| 19 | KRM-K-MKSLB-5 | KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 5 LOCKS | 2.2 | 23 |
| 20 | KRM-K-MKSLB-5P | KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 5 LOCKS-PLAIN | 2.2 | 24 |
| 21 | KRM-K-LBC-85H | GROUP LOCKOUT BOX CABINET 5 LOCK WITH 8 BOXES | 25 | 25 |
| 22 | KRM-K-LBC-125H | GROUP LOCKOUT BOX CABINET 5 LOCK WITH 12 BOXES | 38 | 26 |
| 23 | KRM-K-LBC-155H | GROUP LOCKOUT BOX CABINET 5 LOCK WITH 15 BOXES | 48 | 27 |
| 24 | KRM-K-LBC-165H | GROUP LOCKOUT BOX CABINET 5 LOCK WITH 16 BOXES | 52 | 28 |
| 25 | KRM-K-LBC-205H | GROUP LOCKOUT BOX CABINET 5 LOCK WITH 20 BOXES | 63 | 29 |
| 26 | KRM-K-LBC-245H | GROUP LOCKOUT BOX CABINET 5 LOCK WITH 24 BOXES | 76 | 30 |
| 27 | KRM-K-LBC-305H | GROUP LOCKOUT BOX CABINET 5 LOCK WITH 30 BOXES | 106 | 31 |
| 28 | KRM-K-LBC-485H | GROUP LOCKOUT BOX CABINET 5 LOCK WITH 48 BOXES | 152 | 32 |
| 29 | KRM-K-PLBT-85 | GROUP LOCKOUT BOX CABINET 5 LOCK WITH 8 BOXES WITH MOVABLE STAND | 35 | 33 |
| 30 | KRM-K-PLBT-125 | GROUP LOCKOUT BOX CABINET 5 LOCK WITH 12 BOXES WITH MOVABLE STAND | 48 | 34 |
| 31 | KRM-K-PLBT-155 | GROUP LOCKOUT BOX CABINET 5 LOCK WITH 15 BOXES WITH MOVABLE STAND | 58 | 35 |
| 32 | KRM-K-PLBT-165 | GROUP LOCKOUT BOX CABINET 5 LOCK WITH 16 BOXES WITH MOVABLE STAND | 62 | 36 |
| 33 | KRM-K-PLBT-205 | GROUP LOCKOUT BOX CABINET 5 LOCK WITH 20 BOXES WITH MOVABLE STAND | 73 | 37 |
| 34 | KRM-K-PLBT-245 | GROUP LOCKOUT BOX CABINET 5 LOCK WITH 24 BOXES WITH MOVABLE STAND | 76 | 38 |
| 35 | KRM-K-PLBT-305 | GROUP LOCKOUT BOX CABINET 5 LOCK WITH 30 BOXES WITH MOVABLE STAND | 116 | 39 |
| 36 | KRM-K-PLBT-485 | GROUP LOCKOUT BOX CABINET 5 LOCK WITH 48 BOXES WITH MOVABLE STAND | 162 | 40 |

**KRM LOTO – KEY SAFE GROUP LOCK BOX -INDEX****Index Page No:-3**

| SR.NO | KRM LOTO PART CODE | PRODUCT NAME | WEIGHT (kg) | PAGE NO. |
|-------|--------------------|---|-------------|----------|
| 37 | KRM-K-MKSLB-6 | KEY SAFE GROUP LOCKOUT BOX WITH 6 LOCKS | 2.5 | 41 |
| 38 | KRM-K-GLTCB-DD | KRM LOTO – group LOCKOUT TAGOUT CABINET box– DOUBLE DOOR | 3.5 | 42 |
| 39 | KRM-K-MKSLB-8 | KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 8 LOCKS | 2.5 | 43 |
| 40 | KRM-K-MKSLB-4Y | KRM LOTO – KEY SAFE GROUP LOCKOUT BOX WITH 4 LOCKS | 2.2 | 44,45 |
| 41 | KRM-K-GLB-Y-4 | KRM LOTO – GROUP LOCKOUT BOX WITH 4 LOCKS | 3 | 46,47 |
| 42 | KRM-K-GLB-Y-6 | KRM LOTO – GROUP LOCKOUT BOX WITH 6 LOCKS | 3 | 48,49 |
| 43 | KRM-K-GLB-Y-8 | KRM LOTO – GROUP LOCKOUT BOX WITH 8 LOCKS | 3.5 | 50 |
| 44 | KRM-K-GLB-121H | KRM LOTO – GROUP LOCKOUT BOX WITH IN BUILT 1 LOCK & 12 SLOTS | 2.7 | 51 |
| 45 | KRM-K-GLB-12H | KRM LOTO – GROUP LOCKOUT BOX WITH IN BUILT 4 LOCKS & 12 SLOTS | 2.7 | 52,53 |

GSTIN No.: 06AAPVW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 4 LOCKS

- Group Lockout Box are compulsory and important safety isolation equipment. All the important material, keys or documents can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material** - Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- Locking Mechanism** - 4 Control lock
- Provision of four pre drilled holes on backside to hang box on any surface.
- Front fascia with transparent cut out to insert any document after locking the box.
- Size** - 215mm x 150mm x 100mm with shelf (or 50mm without shelf as per requirement)
- It is portable type.
- Weight** - 2200 gms.
- Color** - Grey , Or as per the volume.
- NOTE:** - Group Lockout is also available with shelf and without shelf as per the requirement at different prices



KRM-K-MKSLB-4

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com


www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 4 LOCKS

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- **Material** - Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- **Locking Mechanism** - 4 Control lock
- Provision of four pre drilled holes/ key holes on backside to hang box on any surface.
- Front Fascia is fully opaque with one knob provision
- Standard slot on top to insert any document after locking the box (if not require, confirm)
- **Size** - 215mm x 150mm x 100mm with shelf (or 50mm without shelf as per requirement)
- It is portable/ wall mounted type.
- **Weight** – 2500 gms.
- **Color** - Grey or Or as per the volume.




KRM-K-MKSLB-4P

NOTE: - Group Lockout is also available with shelf and without shelf as per the requirement at different prices.



KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 8 BOXES

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- **Size of individual small box** – 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate** – 544 x 727 mm
- **Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- **No of Boxes** – 8no (4 Column x 2 Row)
- Transparent front 3 mm Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- **Color** - Grey or any color as per quantity.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-LBC-84H

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAMPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com


www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 12 BOXES

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- **Size of individual small box** – 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate** – 784 x 727 mm
- **Weight of individual small box**- 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- **No of Boxes** – 12no (4 Column x 3 Row)
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- **Color** - Grey or any color as per quantity.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**





KRM-K-LBC-124H



KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 15 BOXES

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- **Size of individual small box** – 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate** – 784 x 902 mm
- **Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- **No of Boxes** – 15no (5 Column x 3 Row)
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- **Color** - Grey or any color as per quantity.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-LBC-154H

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com




GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 16 BOXES

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- **Size of individual small box** – 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate** – 1025 x 727 mm
- **Weight of individual small box**- 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- **No of Boxes** – 16no (4 Column x 4 Row)
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- **Color** - Grey or any color as per quantity.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-LBC-164H

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 20 BOXES

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- **Size of individual small box**– 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate** – 1025 x 902 mm
- **Weight of individual small box**- 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- **No of Boxes** – 20no (5 Column x 4 Row)
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- **Color** - Grey or any color as per quantity.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-LBC-204H



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products


to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269

www.lotoappliances.com



KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 24 BOXES

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- **Size of individual small box** – 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate** – 1025 x 1078 mm
- **Weight of individual small box**- 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- **No of Boxes** – 24no (6 Column x 4 Row)
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- **Color** - Grey or any color as per quantity.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-LBC-244H

GSTIN No.: 06AACPW8746Q1Z6,
 PAN No.: AACPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 30 BOXES

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- **Size of individual small box** – 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate** – 1265 x 1078 mm
- **Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- **No of Boxes** – 30no (6 Column x 5 Row)
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- **Color** - Grey or any color as per quantity.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-LBC-304H

GSTIN No.: 06AAMPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 48 BOXES

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- Locking Mechanism** – 4 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- Size of individual small box** – 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- Total size of plate** – 1505 x 1428 mm
- Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- No of Boxes** – 48no (8 Column x 6 Row)
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- Color** - Grey or any color as per quantity.
- Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-LBC-484 H

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 8 BOXES WITH MOVABLE STAND

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- **Size of individual small box** – 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate** – 544 x 727 mm
- **Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- **No of Boxes** – 8no (4 Column x 2 Row)
- With a provision of vertical movable stand.
- **Stand** – Vertical hollow MS tube with wheel mounted arrangement
- **Acrylic sheet + MS Frame + Slit opening at top.**
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- **Color** - Grey or any color as per quantity.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-PLBT-84

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 12 BOXES WITH MOVABLE STAND

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- **Size of individual small box** – 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate** – 784 x 727 mm
- **Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- **No of Boxes** – 12no (4 Column x 3 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- **Color** - Grey or any color as per quantity.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-PLBT-124



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 15 BOXES WITH MOVABLE STAND

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- Locking Mechanism** – 4 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- Size of individual small box** – 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- Total size of plate** – 784 x 902 mm
- Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- No of Boxes** – 15no (5 Column x 3 Row)
- With a provision of vertical movable stand.**
- Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- Color** - Grey or any color as per quantity.
- Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-PLBT-154

GSTIN No.: 06AACPW8746Q1Z6,
 PAN No.: AACPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 16 BOXES WITH MOVABLE STAND

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- **Size of individual small box** – 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate** – 1025 x 727 mm
- **Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- **No of Boxes** – 16no (4 Column x 4 Row)
- With a provision of vertical movable stand.
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- **Acrylic sheet + MS Frame + Slit opening at top.**
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- **Color** - Grey or any color as per quantity.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-PLBT-164

GSTIN No.: 06AAVPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

GROUP LOCKOUT BOX CABINET 4 LOCK WITH 20 BOXES WITH MOVABLE STAND

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- **Size of individual small box** – 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate** – 1025 x 902 mm
- **Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- **No of Boxes** – 20no (5 Column x 4 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- **Color** - Grey or any color as per quantity.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT**



KRM-K-PLBT-204

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lockoutappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com


www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 24 BOXES WITH MOVABLE STAND

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- **Size of individual small box** – 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate** – 1025 x 1078 mm
- **Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- **No of Boxes** – 24no (6 Column x 4 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- **Color** - Grey or any color as per quantity.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-PLBT-244

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAAPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lockouttagouts.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 30 BOXES WITH MOVABLE STAND

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- Locking Mechanism** – 4 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- Size of individual small box** – 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- Total size of plate** – 1265 x 1078 mm
- Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- No of Boxes** – 30no (6 Column x 5 Row)
- With a provision of vertical movable stand.**
- Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- Color** - Grey or any color as per quantity.
- Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-PLBT-304

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 48 BOXES WITH MOVABLE STAND

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- **Size of individual small box** – 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate** – 1505 x 1428 mm
- **Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- **No of Boxes** – 48no (8 Column x 6 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- **Color** - Grey or any color as per quantity.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-PLBT-484

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com


www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 5 LOCKS

- Group Lockout Box are compulsory and important safety isolation equipment. All the important material, keys or documents can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material** - Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- Locking Mechanism** – 4 locks & 1 Control lock
- Provision of four pre drilled holes on backside to hang box on any surface.
- Front fascia with transparent cut out to insert any document after locking the box.
- It is portable type.
- Size** - 225 mm x 150 mm x 100 mm with shelf (or 50 mm without shelf as per requirement)
- It is portable type.
- Weight** - 2200 grams.
- Color** - Grey , Yellow Or as per the volume.



KRM-K-MKSLB-5



NOTE: - Group Lockout is also available with shelf and without shelf as per the requirement at different prices.

GSTIN No.: 06AAMPW8746Q126,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com


www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 5 LOCKS

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material** - Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- Locking Mechanism - 5 locks – 4 differ + 1 control key lock (same key for all box)
- Provision of four pre drilled holes/ key holes on backside to hang box on any surface.
- Front Fascia is fully opaque with one knob provision
- Standard slot on top to insert any document after locking the box (if not require, confirm)
- Size** - 225 mm x 150 mm x 100 mm with shelf (or 50 mm without shelf as per requirement)
- It is portable/ wall mounted type.
- Weight** - 2500 grams to onward
- Color** - Grey



KRM-K-MKSLB-5P





OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products


to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269

www.lotoappliances.com



KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 8 BOXES

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- Locking Mechanism** – 4 locks & 1 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- Size of individual small box** – 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- Total size of plate** – 564 x 727 mm
- Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- No of Boxes** – 8no (4 Column x 2 Row)
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- Color** - Grey or any color as per quantity.
- Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-LBC-85H



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com




Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 12 BOXES

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- Locking Mechanism** – 4 locks & 1 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- Size of individual small box**– 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- Total size of plate** – 815 x 727 mm
- Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- No of Boxes** – 12no (4 Column x 3 Row)
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- Color** - Grey or any color as per quantity.
- Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-LBC-125H

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L



Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 15 BOXES

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 locks & 1 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- **Size of individual small box**– 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate** – 815 x 902 mm
- **Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- **No of Boxes** – 15no (5 Column x 3 Row)
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- **Color** - Grey or any color as per quantity.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-LBC-155H

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lockouttagouts.com

Email: info@krmlogo.com, info@krmcorporation.com, krmlogo@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmlogo.com

www.locktagindia.com


www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 16 BOXES

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- Locking Mechanism** – 4 locks & 1 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- Size of individual small box**– 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- Total size of plate** – 1065 x 727 mm
- Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- No of Boxes** – 16no (4 Column x 4 Row)
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- Color** - Grey or any color as per quantity.
- Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-LBC-165H

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lockouttagouts.com



Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com


www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 20 BOXES

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- Locking Mechanism** – 4 locks & 1 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- Size of individual small box**– 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- Total size of plate** – 1065 x 902 mm
- Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- No of Boxes** – 20no (5 Column x 4 Row)
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- Color** - Grey or any color as per quantity.
- Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination
- NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-LBC-205H

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com


www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 24 BOXES

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- Locking Mechanism** – 4 locks & 1 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- Size of individual small box**– 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- Total size of plate** – 1065 x 1078 mm
- Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- No of Boxes** – 24no (6 Column x 4 Row)
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- Color** - Grey or any color as per quantity.
- Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-LBC-245H



OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269



www.lotoappliances.com




Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 30 BOXES

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 locks & 1 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- **Size of individual small box**– 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate** – 1315 x 1078 mm
- **Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- **No of Boxes** – 30no (6 Column x 5 Row)
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- **Color** - Grey or any color as per quantity.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-LBC-305H



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products


to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269

www.lotoappliances.com



KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 48 BOXES

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 locks & 1 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- **Size of individual small box**– 25 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate** – 1565 x 1428 mm
- **Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- **No of Boxes** – 48no (8 Column x 6 Row)
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- **Color** - Grey or any color as per quantity.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-LBC-485H

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 8 BOXES WITH MOVABLE STAND

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- Locking Mechanism** – 4 locks & 1 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- Size of individual small box**– 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- Total size of plate** – 564 x 727 mm
- Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- No of Boxes** – 8no (4 Column x 2 Row)
- With a provision of vertical movable stand.
- Stand** – Vertical hollow MS tube with wheel mounted arrangement
- Acrylic sheet + MS Frame + Slit opening at top.**
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- Color** - Grey or any color as per quantity.
- Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-PLBT-85

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 12 BOXES WITH MOVABLE STAND

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 locks & 1 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- **Size of individual small box**– 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate** – 815 x 727 mm
- **Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- **No of Boxes** – 12no (4 Column x 3 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- **Color** - Grey or any color as per quantity.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-PLBT-125

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 15 BOXES WITH MOVABLE STAND

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 locks & 1 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- **Size** – 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate** – 815 x 902 mm
- **Weight** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- **No of Boxes** – 15no (5 Column x 3 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- **Color** - Grey or any color as per quantity.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-PLBT-155

GSTIN No.: 06AAVPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269

www.lotoappliances.com




GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 16 BOXES WITH MOVABLE STAND

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 locks & 1 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- **Size of individual small box**– 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate** – 1065 x 727 mm
- **Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- **No of Boxes** – 16no (4 Column x 4 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- **Color** - Grey or any color as per quantity.
- **Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- **NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-PLBT-165

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 20 BOXES WITH MOVABLE STAND

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- Locking Mechanism** – 4 locks & 1 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- Size of individual small box**– 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- Total size of plate** – 1065 x 902 mm
- Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- No of Boxes** – 20no (5 Column x 4 Row)
- With a provision of vertical movable stand.**
- Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- Color** - Grey or any color as per quantity.
- Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-PLBT-205

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 24 BOXES WITH MOVABLE STAND

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- Locking Mechanism** – 4 locks & 1 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- Size of individual small box**– 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- Total size of plate** – 1065 x 1078 mm
- Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- No of Boxes** – 24no (6 Column x 4 Row)
- With a provision of vertical movable stand.**
- Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- Color** - Grey or any color as per quantity.
- Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-PLBT-245

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 30 BOXES WITH MOVABLE STAND

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- Locking Mechanism** – 4 locks & 1 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- Size of individual small box**– 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- Total size of plate** – 1315 x 1078 mm
- Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- No of Boxes** – 30no (6 Column x 5 Row)
- With a provision of vertical movable stand.**
- Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- Color** - Grey or any color as per quantity.
- Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-PLBT-305

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 48 BOXES WITH MOVABLE STAND

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation
- Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- Locking Mechanism** – 4 locks & 1 Control lock
- Front Fascia with transparent cut to insert any document after locking the box.
- Size of individual small box**– 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- Total size of plate** – 1565 x 1428 mm
- Weight of individual small box** - 2200 gms.
- Provision of one row 1/2/3/4 hook inside small box.
- No of Boxes** – 48no (8 Column x 6 Row)
- With a provision of vertical movable stand.**
- Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Acrylic sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate with wall mounting arrangement on back side.
- All the boxes fixed on powder coated mild steel base plate with wall mounting arrangement on back side
- Label on individual box with box no + key documentation label on top of plate.
- Color** - Grey or any color as per quantity.
- Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**
- NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



KRM-K-PLBT-485

GSTIN No.: 06AAPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com
 www.krmcorporation.com

www.lockouttagouts.com
 www.lockouttagouts.com

www.krmloto.com
 www.krmloto.com

www.locktagindia.com
 www.locktagindia.com

www.lotoappliances.com
 www.lotoappliances.com

KRM LOTO - KEY SAFE GROUP LOCKOUT BOX WITH 6 LOCKS

- Group Lockout Box are compulsory and important safety isolation equipment. All the important material, keys or documents can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- **Material**-Group Lockout made of Mild Steel with duly Phosphate powder coated.
- Two compartment
- **Locking Mechanism** - 6 locks. (5 differ + 1 common alike key in all)
- Provision of four pre drilled holes on backside to hang box on any surface
- Front fascia with transparent cut out to insert any document after locking the box
- **Size** - (A)Height : 250X (B)Width :150 X(C)Depth :100 mm
- It is portable type .
- **Weight** – 2200 gms
- **Color** – Grey, Yellow Or as per the volume.



KRM-K-MKSLB-6

NOTE: - Group Lockout is also available with shelf and without shelf as per the requirement at different prices.

GSTIN No.: 06AAPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881



Lock Tag!!
 to compliance
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



safe loto



KRM Safetech Private Limited

GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA
 Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com
 www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – GROUP LOCKOUT TAGOUT CABINET BOX– DOUBLE DOOR

- **Material**-Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 310 X 200 X 170 mm
- Provision of pre drilled hole on back side to mount any other surface.
- 3 Layer of inbuilt Metal J Type Hook slots in each segment and also a shelf to place any LOTO items.
- Front door is designed in two parts for double safety and security.
- On the right side of the door there are Six in built locks and on the left side a small door with one in built lock as shown in the image for reference.
- One in-built Lock to provide support and a knob to hold.
- **Weight**- ± 3.5 kg
- **Color** – Grey or as per quantity required.



KRM-K-GLTCB-DD

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881



to compliance
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 8 LOCKS

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material - Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- Locking Mechanism - 7 locks & 1 Control lock
- Provision of four pre drilled holes on backside to hang box on any surface.
- Front Fascia with transparent cut to insert any document after locking the box.
- Size - 350 mm x 150 mm x 100 mm
- It is portable type.
- Weight – 2.5 kg.
- Color - Grey, Yellow or as per the volume.



KRM-K-MKSLB-8

KRM CORPORATION

ISO 9001:2007, ISO 14001:2004, ISO 45001:2018, ISO 9001:2015
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com

safe loto



KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED COMPANY
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269



KRM-K-MKSLB-4-Y

KEY SAFE GROUP LOCKOUT BOX WITH 4 LOCKS

Group Lockout Box are compulsory and important safety isolation equipment. All the important material, keys or documents can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.

- **Material** - Group Lockout made of Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion
- Locking Mechanism - 4 locks
- Provision of four pre drilled holes on backside to hang box on any surface .
- Front fascia with transparent cut out to insert any document after locking the box
- Size - (A)Height : 215 X (B)Width :150 X(C)Depth :100 mm
- It is portable type .
- **Color** - Yellow, Grey Or as per the volume
- Weight -2200 gms

KRM CORPORATION Contact No.: 00 91 9810 291 381, 8800 544 881 Ph: 00 91 129 - 4021 381
Email: info@krmcorporation.com, wadhwarajinder@gmail.com, website: www.krmcorporation.com, www.lockouttagouts.com



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269

www.lotoappliances.com



KRM LOTO – GROUP LOCKOUT BOX WITH 4 LOCKS

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material – Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- Locking Slots – 4 inbuilt locks for group isolation.
- Front side Clear Fascia with border frame.
- Having provision of slots on the top layer to drop key or document after locking.
- Provision of four pre drilled holes on backside to mount on any surface.
- Three Stainless steel hooks slots for placing the item.
- Size - (A)Height : 407 X (B)Length :356 X(C)Depth :76 mm
- Weight – 3kgs.
- Color - Yellow, Grey or as per the volume.



KRM-K-GLB-Y-4

| ITEM CODE | HEIGHT | WIDTH | DEPTH | WEIGHT | LOCKING SLOTS |
|---------------|--------|--------|-------|--------|---------------|
| KRM-K-GLB-Y-4 | 407 mm | 356 mm | 76 mm | 3 kg | 4 |



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lockouttagouts.com



KRM CORPORATION

OHSA 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED COMPANY
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269



KRM-K-GLB-Y-4

Group Lockout Box with 4 Locks

Group Lockout Box are compulsory and important safety isolation equipment. All the important material, keys or documents can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.

- **Material** – Group Lockout made of Mild Steel with duly Phosphate powder coated. Resistant to corrosion
- Locking Slots – 4 inbuilt locks for group isolation.
- Front side Clear Fascia with border frame.
- Having provision of slots on the top layer to drop key or document after locking.
- Provision of four pre drilled holes on backside to mount on any surface.
- Three Stainless steel hooks slots for placing the item.
- Size - (A)Height : 407 X (B)Length :356 X(C)Depth :76 mm
- Color - Yellow, Grey or as per the volume.
- Weight – 3 kgs

| Height | Width | Depth | Weight | Locking Slots |
|--------|--------|-------|--------|---------------|
| 407 mm | 356 mm | 76 mm | 3 kg | 4 |

GSTIN No.: 06AACPW8746Q126,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L12I
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – GROUP LOCKOUT BOX WITH 6 LOCKS

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material – Mild Stainless Steel Sheet with Powder coated.
- Resistant to corrosion.
- Locking Slots – 6 inbuilt locks for group isolation.
- Front side Clear Fascia with border frame.
- Provision of four pre drilled holes on backside to mount on any surface.
- Three Stainless steel hooks slots for placing the item.
- Size - (A)Height : 464 X (B)Width :394 X(C)Depth :50 mm.
- It is portable type.
- Weight – 3 kgs



KRM-K-GLB-Y-6

| ITEM CODE | HEIGHT | WIDTH | DEPTH | WEIGHT | LOCKING SLOTS |
|---------------|--------|--------|-------|--------|---------------|
| KRM-K-GLB-Y-6 | 464 mm | 394 mm | 50 mm | 3 kg | 6 |



KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED COMPANY
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269



KRM-K-GLB-Y-6

Group Lockout Box With 6 Locks

Group Lockout Box are compulsory and important safety isolation equipment. All the important material, keys or documents can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.

- **Material** – Group Lockout Made of Mild Stainless Steel Sheet with Powder coated Resistant to corrosion
- Locking Slots – 6 inbuilt locks for group isolation.
- Front side Clear Fascia with border frame.
- Provision of four pre drilled holes on backside to mount on any surface.
- Three Stainless steel hooks slots for placing the item.
- Size - (A)Height : 464 X (B)Length :394 X(C)Depth :50 mm
- It is portable type.
- Color - Yellow, Grey or as per the volume.
- Weight – 3 kgs

| Height | Width | Depth | Weight | Locking Slots |
|--------|--------|-------|--------|---------------|
| 464 mm | 394 mm | 50 mm | 3 kg | 6 |



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



KRM LOTO – GROUP LOCKOUT BOX WITH 8 SLOTS

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material-Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- Locking Slots – 8 slots for group isolation.
- Front side Clear Fascia with border frame.
- Provision of four pre drilled holes on backside to mount on any surface.
- One main lock available for locking arrangement.
- Size - (A)Height – 464 X (B)Length – 394 X (C)Depth – 50 mm
- Weight – 3.5 kg
- Color – Grey, Yellow or as per the volume.



KRM-K-GLB-Y-8

| ITEM CODE | HEIGHT | WIDTH | DEPTH | WEIGHT | LOCKING SLOTS |
|---------------|--------|--------|-------|--------|---------------|
| KRM-K-GLB-P-8 | 464 mm | 394 mm | 50 mm | 3.5 kg | 8 |



KRM CORPORATION

OHSA'S 18001:2017 & IS EN ISO 9001 : 2015 CERTIFIED COMPANY
 to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269



KRM-K-GLB-P8

Group Lockout Box With 8 Slots

Group Lockout Box are compulsory and important safety isolation equipment. All the important material, keys or documents can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.

Material - Group Lockout made of Mild Steel with duly Phosphate powder coated.

- Resistant to corrosion
- Locking Slots – 8 slots for group isolation.
- Front side Clear Fascia with border frame.
- Provision of four pre drilled holes on backside to mount on any surface.
- One main lock available for locking arrangement.
- Size - (A)Height : 464 X (B)Length :394 X(C)Depth :50 mm
- Color – Grey, Yellow or as per the volume.
- Weight – 3.5 kgs

| Height | Length | Depth | Weight | Locking Slots |
|--------|--------|-------|--------|---------------|
| 464 mm | 394 mm | 50 mm | 3.5 kg | 8 |

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – GROUP LOCKOUT BOX WITH IN BUILT 1 LOCK & 12 SLOTS

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material - Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- Locking Mechanism - 1 inbuilt lock + 12 locking slots on top and bottom of the box.
- Two slots in front on top and bottom of the box to hang padlocks for group locking.
- Provision of four pre drilled holes on backside to hang box on any surface .
- Front side clear fascia with border frame.
- Size - (A)Height : 254 X (B)Length :203 X (C)Depth :100 mm
- Locking Mechanism - 1 lock & 12 Locking slots.
- It is portable type.
- Weight -2700 gms
- Color - Yellow , Grey or as per the volume



KRM-K-GLB-121H

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – GROUP LOCKOUT BOX WITH IN BUILT 4 LOCKS & 12 SLOTS

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material - Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- Locking Mechanism - 4 inbuilt locks + 12 locking slots on top and bottom of the box.
- Two slots in front on top and bottom of the box to hang padlocks for group locking.
- Provision of four pre drilled holes on backside to hang box on any surface .
- Front side clear fascia with border frame.
- Size - (A)Height : 254 X (B)Length :203 X (C)Depth :100 mm
- Locking Mechanism - 4 locks & 12 Locking slots.
- It is portable type.
- Weight -2700 gms
- Color - Yellow , Grey or as per the volume
- NOTE:- Group Lockout Box is available with Padlocks and without Padlocks at different prices.**



KRM-K-GLB-12H



KRM CORPORATION

GSTIN No.: 06AAPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



Lock Tag!!

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com

safe loto



KRM Safetech Private Limited

QUALITY MANAGEMENT SYSTEM ISO 9001:2015
 GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



KRM CORPORATION

OSHAS 19001:2007 & BS EN ISO 9001 : 2008 CERTIFIED COMPANY
 to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269



KRM-K-GLB-12H

GROUP LOCKOUT BOX WITH IN BUILT 4 LOCKS & 12 SLOTS

Group Lockout Box are compulsory and important safety isolation equipment. All the important material, keys or documents can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.

- **Material** - Group Lockout made of Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion
- Locking Mechanism - 4 inbuilt locks + 12 locking slots on top and bottom of the box.
- Two slots in front on top and bottom of the box to hang padlocks for group locking.
- Provision of four pre drilled holes on backside to hang box on any surface .
- Front side clear fascia with border frame.
- Size - (A)Height : 254 X (B)Length :203 X (C)Depth :100 mm
- Locking Mechanism - 4 locks & 12 Locking slots.
- It is portable type .
- **Color** - Yellow , Grey or as per the volume
- Weight -2700 gms

KRM CORPORATION Contact No.: 00 91 9810 291 381, 8800 544 881 Ph: 00 91 129 - 4021 381
 Email: info@krmcorporation.com, wadhwarajinder@gmail.com, website: www.krmcorporation.com, www.lockouttagouts.com