



to compliance
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lootoappliances.com



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.safetyloto.com | www.lockoutmaster.com | www.lootoappliances.com

KRM LOTO – OSHA LOCKABLE LOCKOUT TAGOUT STATION WITH MATERIAL-10P

S No	Item code	Brief Description	Unit	Qty.
1	KRM-K-LPSB	LOCKABLE PLASTIC STATION BOX SIZE:-+ 406mm X 315mm X 65mm	NO	1
2	KRM-K-OSLTP-C-MDK	OSHA Safety Lock Tag Padlocks / Locks - With differ key - 38 mm Height - Metal Shackle - with curve at top	No	10
3	KRM-K-MTH	KRM LOTO Multipurpose TAG HOLDER	NO	1
4	KRM-K-VCH-R-S25	Vinyl Molded coated Hasp - Small - jaw dia. -25 mm – RED	NO	1
6	KRM-K-LT#100300	Do Not Operate Tags - Lockout Tags - 2 colors	NO	20
7	KRM-K-NT	Nylon Ties for Tags	NO	20
8	KRM-K-PEN	Rewritable Pen / Marker with eraser	NO	1



Model no. : KRM-K-OLLTS-10P
Quantity : 1kit
Weight : 3Kg

KRM CORPORATION

OSHAS 19001-2007 & BS EN ISO 9001 : 2008 CERTIFIED COMPANY
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881



LOCKOUT/TAGOUT
KRM-LOTO
SAFETY PRODUCTS

to compliance
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lofoappliances.com

**KRM Safetech Private Limited**

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.safetyloto.com | www.lockoutmaster.com | www.lofoappliances.com

KRM LOTO – OSHA LOCKABLE LOCKOUT TAGOUT STATION WITH MATERIAL-10M

S No	Item code	Brief Description	Unit	Qty.
1	KRM-K-LTSL	Lockable Lockout Station - Size : 375 mm X 375 mm X92.5mm	NO	1
2	KRM-K-OSLTP-C-MDK	OSHA Safety Lock Tag Padlocks / Locks - With differ key - 38 mm Height - Metal Shackle - with curve at top	No	10
3	KRM-K-MTH	KRM LOTO Multipurpose TAG HOLDER	NO	2
4	KRM-K-VCH-R-S25	Vinyl Molded coated Hasp - Small - jaw dia. -25 mm – RED	NO	1
5	KRM-K-VCH-R-P38/39	Vinyl Molded coated Hasp - Premier -jaw dia. -38/39mm – RED	NO	1
6	KRM-K-LT#10300	Do Not Operate Tags - Lockout Tags - 2 colors	NO	20
7	KRM-K-NT	Nylon Ties for Tags	NO	20
8	KRM-K-PEN	Rewritable Pen / Marker with eraser	NO	1



Model no. : KRM-K-OLLTS-10M
Quantity : 1kit
Weight : 6.5 Kg



to compliance
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lofoappliances.com



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.safetyloto.com | www.lockoutmaster.com | www.lofoappliances.com

KRM LOTO – OSHA LOCKABLE LOCKOUT TAGOUT STATION WITH MATERIAL

S No	Item code	Brief Description	Unit	Qty.
1	KRM-K-LTSL	Lockable Lockout Station - Size : 375 mm X 375 mm X92.5mm	NO	1
2	KRM-K-OSLTP-C-MDK	OSHA Safety Lock Tag Padlocks / Locks - With differ key - 38 mm Height - Metal Shackle - with curve at top	No	5
3	KRM-K-MTH	KRM LOTO Multipurpose TAG HOLDER	NO	2
4	KRM-K-VCH-R-S25	Vinyl Molded coated Hasp - Small - jaw dia. -25 mm – RED	NO	2
5	KRM-K-VCH-R-P38/39	Vinyl Molded coated Hasp - Premier -jaw dia. -38/39mm – RED	NO	1
6	KRM-K-LT#10300	Do Not Operate Tags - Lockout Tags - 2 colors	NO	20



Model no. : KRM-K-OLLTSWM-5P3H
Quantity : 1kit
Weight : 5.5 Kg



to compliance
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lofoappliances.com



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.safetyloto.com | www.lockoutmaster.com | www.lofoappliances.com

KRM LOTO – OSHA LOCKABLE LOCKOUT TAGOUT STATION WITH MATERIAL

S No	Item code	Brief Description	Unit	Qty.
1	KRM-K-LTSL	Lockable Lockout Station - Size : 375 mm X 375 mm X92.5mm	NO	1
2	KRM-K-OSLTP-C-MDK	OSHA Safety Lock Tag Padlocks / Locks - With differ key - 38 mm Height - Metal Shackle - with curve at top	No	10
3	KRM-K-MTH	KRM LOTO Multipurpose TAG HOLDER	NO	2
4	KRM-K-VCH-R-S25	Vinyl Molded coated Hasp - Small - jaw dia. -25 mm – RED	NO	2
5	KRM-K-LT#10300	Do Not Operate Tags - Lockout Tags - 2 colors	NO	20



Model no. : KRM-K-OLLTSWM-10P2H
Quantity : 1kit
Weight : 6.5 Kg



KRM LOTO – OSHA LOCKABLE LOCKOUT TAGOUT STATION WITH MATERIAL

S No	Item code	Brief Description	Unit	Qty.
1	KRM-K-LTSL	Lockable Lockout Station - Size : 375 mm X 375 mm X92.5mm	NO	1
2	KRM-K-OSLTP-C-MDK	OSHA Safety Lock Tag Padlocks / Locks - With differ key - 38 mm Height - Metal Shackle - with curve at top	No	12
3	KRM-K-MTH	KRM LOTO Multipurpose TAG HOLDER	NO	2
4	KRM-K-VCH-R-S25	Vinyl Molded coated Hasp - Small - jaw dia. -25 mm – RED	NO	2
5	KRM-K-VCH-R-P38/39	Vinyl Molded coated Hasp - Premier -jaw dia. -38/39mm – RED	NO	1
6	KRM-K-LT#10300	Do Not Operate Tags - Lockout Tags - 2 colors	NO	20



Model no. : KRM-K-OLLTSWM-12P3H
Quantity : 1kit
Weight : 7Kg



KRM LOTO – OSHA LOCKABLE LOCKOUT TAGOUT STATION WITH MATERIAL

S No	Item code	Brief Description	Unit	Qty.
1	KRM-K-LTSL	Lockable Lockout Station - Size : 375 mm X 375 mm X92.5mm	NO	1
2	KRM-K-OSLTP-C-MDK	OSHA Safety Lock Tag Padlocks / Locks - With differ key - 38 mm Height - Metal Shackle - with curve at top	No	15
3	KRM-K-MTH	KRM LOTO Multipurpose TAG HOLDER	NO	1
4	KRM-K-VCH-R-S25	Vinyl Molded coated Hasp - Small - jaw dia. -25 mm – RED	NO	3
5	KRM-K-VCH-R-P38/39	Vinyl Molded coated Hasp - Premier -jaw dia. -38/39mm – RED	NO	2
6	KRM-K-LT#10300	Do Not Operate Tags - Lockout Tags - 2 colors	NO	10



Model no. : KRM-K-OLLTSWM-15P5H
Quantity : 1kit
Weight : 7Kg

KRM CORPORATION

OSHAS 19001-2007 & BS EN ISO 9001 : 2008 CERTIFIED COMPANY
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881



to compliance
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lofoappliances.com



KRM Safetech Private Limited

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.safetyloto.com | www.lockoutmaster.com | www.lofoappliances.com

KRM LOTO – OSHA LOCKABLE LOCKOUT TAGOUT STATION WITH MATERIAL

S No	Item code	Brief Description	Unit	Qty.
1	KRM-K-LTSL	Lockable Lockout Station - Size : 375 mm X 375 mm X92.5mm	NO	1
2	KRM-K-OSLTP-C-MDK	OSHA Safety Lock Tag Padlocks / Locks - With differ key - 38 mm Height - Metal Shackle - with curve at top	No	20
3	KRM-K-MTH	KRM LOTO Multipurpose TAG HOLDER	NO	1
4	KRM-K-LT#10300	Do Not Operate Tags - Lockout Tags - 2 colors	NO	10
5	KRM-K-PEN	Rewritable Pen / Marker with eraser	NO	1



Model no. : KRM-K-OLLTSWM-20P1
Quantity : 1kit
Weight : 7Kg



to compliance
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lootoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.safetyloto.com | www.lockoutmaster.com | www.lootoappliances.com

KRM LOTO – OSHA LOCKABLE LOCKOUT TAGOUT STATION WITH MATERIAL

S No	Item code	Brief Description	Unit	Qty.
1	KRM-K-LTSL	Lockable Lockout Station - Size : 375 mm X 375 mm X92.5mm	NO	1
2	KRM-K-OSLTP-C-MDK	OSHA Safety Lock Tag Padlocks / Locks - With differ key - 38 mm Height - Metal Shackle - with curve at top	No	20
3	KRM-K-MTH	KRM LOTO Multipurpose TAG HOLDER	NO	2
4	KRM-K-LT#10300	Do Not Operate Tags - Lockout Tags - 2 colors	NO	20
5	KRM-K-PEN	Rewritable Pen / Marker with eraser	NO	1



Model no. : KRM-K-OLLTSWM-20P2
Quantity : 1kit
Weight : 7.5 Kg



to compliance
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lofoappliances.com



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.safetyloto.com | www.lockoutmaster.com | www.lofoappliances.com

KRM LOTO – OSHA LOCKABLE LOCKOUT TAGOUT STATION WITH MATERIAL

S No	Item code	Brief Description	Unit	Qty.
1	KRM-K-LTSL	Lockable Lockout Station - Size : 375 mm X 375 mm X92.5mm	NO	1
2	KRM-K-OSLTP-C-MDK	OSHA Safety Lock Tag Padlocks / Locks - With differ key - 38 mm Height - Metal Shackle - with curve at top	No	18
	KRM-K-OSLTP-C-NDK	OSHA Safety Lock Tag Padlocks / Locks - With differ key - 38 mm Height - Nylon Shackle - with curve at top	NO	2
3	KRM-K-MTH	KRM LOTO Multipurpose TAG HOLDER	NO	2
4	KRM-K-VCH-R-S25	Vinyl Molded coated Hasp - Small - jaw dia. -25 mm – RED	NO	2
5	KRM-K-LT#10300	Do Not Operate Tags - Lockout Tags - 2 colors	NO	20
6	KRM-K-PEN	Rewritable Pen / Marker with eraser	NO	1



Model no. : KRM-K-OLLTSWM-20P2H
Quantity : 1kit
Weight : 7.5 Kg



KRM LOTO – OSHA LOCKOUT TAGOUT ELECTRICAL STATION KIT -8043

S No	Item code	Brief Description	Unit	Qty.
1	KRM-K-LTSL	Lockable Lockout Tagout Station Size : 375 mm X 375mm X92.5mm	NO	1
2	KRM-K-OSLTP-C-MDK	OSHA Safety Lock Tag Padlocks / Locks - With differ key - 38 mm Height - Metal Shackle - with curve at top	NO	3
3	KRM-K-OSLTP-C-NDK	OSHA Safety Lock Tag Padlocks / Locks - With differ key - 38 mm Height - Nylon Shackle - with curve at top	NO	2
4	KRM-K-NH 4	Di-electric Multi Device HASP with 4 holes	NO	1
5	KRM-K-DEH-64	Dielectric Hasp with 6 holes . RED,	NO	1
6	KRM-K-VCH-R-S25	Vinyl Molded coated Hasp - Small - jaw dia -25 mm - RED	NO	2
7	KRM-K-RMCLT-6CL-R	Round Multipurpose Cable Lockout with Loop - Red	NO	1
8	KRM-K-DMCBL	Multi function Circuit Breaker Lockout	NO	1
9	KRM-K-UMCBL-RB	KRM LOTO – UNIVERSAL MINI CIRCUIT BREAKER LOCKOUT COMBINATION OF RED & BLACK	NO	1
10	KRM-K-CBL-3	CIRCUIT BREAKER LOCKOUT - ONE POLE	NO	1
11	KRM-K-MCBL-C-3	Combo of Mini Circuit breaker lockout- PIN TYPE having - 3 no.s	SET	1
12	KRM-K-UCBL-R-P1	Universal Circuit Breaker Lockout Plain with normal screw	NO	1
13	KRM-K-MCBL-Y1	Mini Ciciuit Breaker Lockout with normal screw - Yellow	NO	1
14	KRM-K-MCBL-G 1	Mini Circuit Breaker Lockout with normal screw - Green	NO	1
15	KRM-K-BLK-L	KRM LOTO Breaker Lockout KIT	NO	1
16	KRM-K-MPBSL- R -Round	KRM LOTO Mushroom Push button / emergency switch Safety- Lockout - Milky Transparent	NO	1
17	KRM-K-TEPBL-30	KRM LOTO EMERGENCY PUSH BUTTON LOCKOUT	NO	1
18	KRM-K-RSDEL	Round Shape Di-Electric Lockout	NO	1
19	KRM-K- EPL-S	KRM LOTO - Multi devices- EMERGENCY push button Lockout- outer square base	NO	1
20	KRM-K-MEPL-R65-P	KRM LOTO Push Button Lockout - ROUND - Medium	NO	1
21	KRM-K-MIESLD-5	Multipurpose Industrial Electrical Safety Lockout Device	NO	1
22	KRM-K-MIESLD-1	Multipurpose Industrial Electrical Safety Lockout Device	NO	1
23	KRM-K-MTH	KRM LOTO Multipurpose TAG HOLDER	NO	2
24	KRM-K-NT	Nylon Ties for Tags (set of 10)	SET	1
25	KRM-K-PEN	Rewritable Pen / Marker with eraser	NO	1
26	KRM-K-LT#10300	Do Not Operate Tags - Lockout Tags - 2 colors printing (set of 10)	SET	1



Model no. : KRM-K-OLTESK-8043
Quantity : 1kit
Weight : 7.5Kg



M: 00 91 9810 291 381, 8800 544 881

Email: info@krmcorporation.com, krm@krmcorporation.com, wadhwarajinder@gmail.com

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.safetyloto.com | www.lockoutmaster.com | www.lotoappliances.com

KRM LOTO – OSHA LOCKOUT TAGOUT ELECTRICAL STATION KIT -8044

S No	Item code	Brief Description	Unit	Qty.
1	KRM-K-LTSL	Lockable Lockout Tagout Station Size : 375 mm X 375mm X92.5mm	NO	1
2	KRM-K-OSLTP-C-MDK	OSHA Safety Lock Tag Padlocks / Locks - With differ key - 38 mm Height - Metal Shackle - with curve at top	NO	3
3	KRM-K-OSLTP-C-NDK	OSHA Safety Lock Tag Padlocks / Locks - With differ key - 38 mm Height - Nylon Shackle - with curve at top	NO	2
4	KRM-K-NH 4	Di-electric Multi Device HASP with 4 holes	NO	1
5	KRM-K-PMLD-R	Multipurpose Lockout made of Metallic material - Red	NO	1
6	KRM-K-VCH-R-S25	Vinyl Molded coated Hasp - Small - jaw dia -25 mm - RED	NO	2
7	KRM-K-RMCLT-6CL-R	Round Multipurpose Cable Lockout with Loop - Red	NO	1
8	KRM-K-DMCBL	Multi function Circuit Breaker Lockout	NO	1
9	KRM-K-UMCBL-RB	KRM LOTO – UNIVERSAL MINI CIRCUIT BREAKER LOCKOUT COMBINATION OF RED & BLACK	NO	1
10	KRM-K-CBL-3	CIRCUIT BREAKER LOCKOUT - ONE POLE	NO	1
11	KRM-K-MCBL-C-3	Combo of Mini Circuit breaker lockout- PIN TYPE having - 3 no.s	SET	1
12	KRM-K-UCBL-R-P1	Universal Cicuit Breaker Lockout Plain with normal screw	NO	1
13	KRM-K-MCBL-Y1	Mini Cicuit Breaker Lockout with normal screw - Yellow	NO	1
14	KRM-K-MCBL-G 1	Mini Cicuit Breaker Lockout with normal screw - Green	NO	1
15	KRM-K-CBLM-101	KRM LOTO – CIRCUIT BREAKER LOCKOUT – MEDIUM - Made of ABS - Suits to one way or two way switch	NO	1
16	KRM-K-CBLM-104	KRM LOTO – CIRCUIT BREAKER LOCKOUT – MEDIUM - Made of ABS with metallic screw - Size - 40 mm x 14 mm 480V to 600V	NO	1
17	KRM-K-LCBL-T-AS 1	Large Circuit Breaker Lockout with provision of moulded teeth for strong grip- with Adjustable screw	NO	1
18	KRM-K-BLK-L	KRM LOTO Breaker Lockout KIT	NO	1
19	KRM-K-MPBSL- R -Round	KRM LOTO Mushroom Push button / emergency switch Safety- Lockout - Milky Transparent	NO	1
20	KRM-K-TEPBL-30	KRM LOTO EMERGENCY PUSH BUTTON LOCKOUT	NO	1
21	KRM-K-RSDEL	Round Shape Di-Electric Lockout	NO	1
22	KRM-K- EPL-S	KRM LOTO - Multi devices- EMERGENCY push button Lockout- outer square base	NO	1
23	KRM-K-MEPL-R65-P	KRM LOTO Push Button Lockout - ROUND - Medium	NO	1
24	KRM-K-MIESLD-3	Multipurpose Industrial Electrical Safety Lockout Device	NO	1
25	KRM-K-MIESLD-1	Multipurpose Industrial Electrical Safety Lockout Device	NO	1
26	KRM-K-MTH	KRM LOTO Multipurpose TAG HOLDER	NO	2
27	KRM-K-NT	Nylon Ties for Tags (set of 10)	SET	1
28	KRM-K-PEN	Rewritable Pen / Marker with eraser	NO	1
29	KRM-K-LT#10300	Do Not Operate Tags - Lockout Tags - 2 colors printing (set of 10)	SET	1



Model no. : KRM-K-OLTESK-8044
Quantity : 1kit
Weight : 7.5Kg