



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com)

[www.lockouttagouts.com](http://www.lockouttagouts.com)

[www.krmloto.com](http://www.krmloto.com)

[www.locktagindia.com](http://www.locktagindia.com)

[www.lotoappliances.com](http://www.lotoappliances.com)



[www.lotoappliances.com](http://www.lotoappliances.com)



# KRM LOTO – LOCKOUT KEY STATION



**KRM Corporation Lockout Tagout**

**KRM Corporation Parking & Road Safety Products**

**KRM Corporation Electrical Safety Products**

**KRM Corporation Signage & Tapes**

**KRM Corporation TRAINING**

**KRM Corporation Other Products**













OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA  
www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

LOCKOUT/TAGOUT



**LOCKOUT TAGOUT KEY STATION**

KRM LOTO  
EXPERT  
CE  
Certified



**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com | www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com





OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)



KRM LOTO  
EXPERT

CE  
Certified

**LOCKOUT/TAGOUT**

**LOCKOUT TAGOUT KEY STATION**



**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

**KRM Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

[www.krmloto.com](http://www.krmloto.com) | [www.krmcorporation.com](http://www.krmcorporation.com) | [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com)





OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



www.lockouttagouts.com



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**KRM LOTO – LOCKOUT TAGOUT KEY STATION - INDEX**

**Index Page No:-6**

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	WEIGHT (kg)	TECHNICAL PAGE NO.
1	KRM-K-MKC3J-18152	KRM LOTO – LOCKOUT KEY STATION-CLEAR FASCIA-18152	4.5	9-10
2	KRM-K-MKC4J-18152	KRM LOTO – LOCKOUT KEY STATION-CLEAR FASCIA-18152	4.5	9-10
3	KRM-K-MKC5J-18152	KRM LOTO – LOCKOUT KEY STATION-CLEAR FASCIA-18152	4.5	9-10
4	KRM-K-MKC6J-LRB18152	KRM LOTO – LOCKOUT KEY STATION-CLEAR FASCIA-DOUBLE SIDE-18152	9	11-12
5	KRM-K-MKC8J-LRB18152	KRM LOTO – LOCKOUT KEY STATION-CLEAR FASCIA-DOUBLE SIDE-18152	9	11-12
6	KRM-K-MKC10J-LRB18152	KRM LOTO – LOCKOUT KEY STATION-CLEAR FASCIA-DOUBLE SIDE-18152	9	11-12
7	KRM-K-MKC-5C	KRM LOTO – LOCKOUT KEY STATION 5 – OPAQUE FASCIA-18152	5	13-14
8	KRM-K-MKC-4C	KRM LOTO – LOCKOUT KEY STATION 4 – OPAQUE FASCIA-18152	5	15-16
9	KRM-K-MKC-3C	KRM LOTO – LOCKOUT KEY STATION 3 – OPAQUE FASCIA-18152	5	17
10	KRM-K-DLLKS-DML-3	DUAL LAYER LOCKOUT KEY STATION-WITH DISPLAY MESSAGE LAYER OPAQUE FASCIA-18153	5	18-19
11	KRM-K-DLLKS-3	KRM LOTO – DUAL LAYER LOCKOUT KEY STATION-3 OPAQUE FASCIA-18156	8.5	20-21
12	KRM-K-DLLKS-34	DUAL LAYER LOCKOUT KEY STATION-WITH DISPLAY MESSAGE LAYER OPAQUE FASCIA-18153	8.5	22-23





OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)

**KRM LOTO – LOCKOUT TAGOUT KEY STATION - INDEX**

**Index Page No:-7**

13	KRM-K-DLLKS-44	KRM LOTO – DUAL LAYER LOCKOUT KEY STATION-3 OPAQUE FASCIA-18156	9.5	24-25
14	KRM-K-DPKS-43	KRM LOTO – DUAL LAYER LOCKOUT KEY STATION-3 OPAQUE FASCIA-18156	9.5	26-27
15	KRM-K-DPKS-5	KRM LOTO – DUAL LAYER LOCKOUT KEY STATION-5 OPAQUE FASCIA-18156	8.5	28-29
16	KRM-K-LLTKS-3752655	KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-3752655	3.5	30-31
17	KRM-K-LLTKS-375	KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-375	4.5	32-33
18	KRM-K-LLTKS-375-1P	KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-375-1p	4.5	34-36
19	KRM-K-LLTKS-24152-R-5	KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-red-24152	5	36-37
20	KRM-K-LLTKS- 20J-24243	KRM LOTO – LOCKOUT TAGOUT KEY STATION- OPAQUE FASCIA-20J-24243	13	38-39
21	KRM-K-LLTKS- 24J-24243	KRM LOTO – LOCKOUT TAGOUT KEY STATION- OPAQUE FASCIA-20J-24243	13	40-41
22	KRM-K-LLTKS-CF-30152	KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION CLEAR FASCIA 30152	6	42-43
23	KRM-K-LLTKS- MF-30152	KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION - MESH FASCIA-30152	6	44-45
24	KRM-K-LLTKS-CF-30156	KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-CLEAR FASCIA -30156	10	46-47
25	KRM-K-LLTKS-CF217-30156	KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION- CLEAR fascia 30156	10	48-49
26	KRM-K-LLTKS-MF-30156	KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION- Mesh fascia 30156	10	50-51
27	KRM-K-LKS-CFG-15155-1	KRM LOTO – LOCKOUT KEY STATION- CLEAR FASCIA- GREY-15155-1	0.650	52-53
28	KRM-K-LKS-CFY-15155-4	KRM LOTO – LOCKOUT KEY STATION- CLEAR FASCIA- YELLOW -15155-4	0.650	54-55





**KRM LOTO – LOCKOUT TAGOUT KEY STATION - INDEX**

**Index Page No:-8**

29	KRM-K-LKB-75101	KRM LOTO – LOTO KEY BOX-75101	0.3	56-57
30	KRM-K-LKB-75103	KRM LOTO – LOTO KEY BOX-75103	0.3	58-59
31	KRM-K-LKST-PCF-Y15156-5	KRM LOTO – LOCKOUT KEY STATION- POLYCARBONATE CLEAR FASCIA -YELLOW	0.0250	60-61
32	KRM-K-LKST-PCF-R15156-5	KRM LOTO – LOCKOUT KEY STATION- POLYCARBONATE CLEAR FASCIA -RED	0.0250	60-61
32	KRM-K-LKS-MFY-15155-4	KRM LOTO – LOCKOUT KEY STATION-MESH FASCIA-15155-4-YELLOW	0.650	62-63
33	KRM-K-LKS-MFR-15155-4	KRM LOTO – LOCKOUT KEY STATION-MESH FASCIA-15155-4-RED	0.650	62-63
34	KRM-K-LLTKS-2251655	KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION -2251655	1.5	64-65
35	KRM-K-LKHB-2251655	KRM LOTO – LOTO KEY HAMMER BOX-15145	1.2	66
36	KRM-K-LKS-MFR-225155-4	KRM LOTO – LOCKOUT KEY STATION-MESH FASCIA-225155-4-RED	1	67-68
37	KRM-K-LKS-MFY-225155-4	KRM LOTO – LOCKOUT KEY STATION-MESH FASCIA-225155-4-Yellow	1	67-68
38	KRM-K-LTKS-CF-48362	KRM LOTO –LOCKOUT TAGOUT KEY STATION-clear fascia-48362	24	69-70
39	KRM-K-LTKS-CF-36362	KRM LOTO –LOCKOUT TAGOUT KEY STATION-CLEAR FASCIA-36362	20	71-72
40	KRM-K-TKS30	KRM LOTO – TRANSPARENT KEY STATION -AL	2	73-74
41	KRM-K-TKS 50	KRM LOTO – TRANSPARENT KEY STATION -AL	2.5	73-74
42	KRM-K-TKS 100	KRM LOTO – TRANSPARENT KEY STATION -AL	5	73-74

OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Productsto meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO – LOCKOUT KEY STATION-CLEAR FASCIA-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- **Weight** –  $\pm 4.5$  Kg
- **Color** – Yellow,/Grey/Red/Green or as per quantity required
- **KRM-K-MKC3J 18152 = 3 Layers (Total separate key capacity -51)**
- **KRM-K-MKC4J-18152= 4 Layers (Total separate key capacity -68)**
- **KRM-K-MKC5J-18152= 5 Layers (Total separate key capacity -85)**
- **Note: material design to be supply as per stock inventory.**





GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAPPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## LOCKOUT/TAGOUT



### LOCKOUT KEY STATION-CLEAR FASCIA-18152

CE  
Certified



- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- **Weight** – ±4.5 Kg
- **Color** – Yellow/Grey/Red/Green or as per quantity required
- **KRM-K-MKC3J 18152 = 3 Layers (Total separate key capacity-51)**
- **KRM-K-MKC4J-18152= 4 Layers (Total separate key capacity-68)**
- **KRM-K-MKC5J-18152= 5 Layers (Total separate key capacity-85)**
- **Note** – Material design to be supply as per stock inventory.



GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKOUT KEY STATION-CLEAR FASCIA-DOUBLE SIDE-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – L18"X 15"X2"+ R18"x15"x2 (combination of 2 Boxes)
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook - (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.(x2)
- **Weight** –  $\pm 4.5\text{Kg} + 4.5\text{kg}$
- **Color** – Yellow,/Grey/Red/Green or as per quantity required
- **KRM-K-MKC6J-LRB18152 = 3 Layers Having Each Box (Total separate key capacity -102)**
- **KRM-K-MKC8J-LRB18152 = 4 Layers Having Each Box (Total separate key capacity -136)**
- **KRM-K-MKC10J- LRB18152= 5 Layers Having Each Box (Total separate key capacity -170)**



KRM-K-MKC6J-LRB18152=3

KRM-K-MKC6J-LRB18152=4



KRM-K-MKC6J-LRB18152=5



GSTIN No.: 06AACPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com)

[www.lockouttagouts.com](http://www.lockouttagouts.com)

[www.krmloto.com](http://www.krmloto.com)

[www.locktagindia.com](http://www.locktagindia.com)

[www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



**KRM-LOTO**  
SAFETY PRODUCTS

**safe loto**



KRM-K-MKC6J-LRB18152=3



KRM-K-MKC6J-LRB18152=4 KRM-K-MKC6J-LRB18152=5

### LOCKOUT KEY STATION-CLEAR FASCIA- DOUBLE SIDE-18152

CE  
Certified

- Material – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- Size – L18"X 15"X2"+ R18"x15"x2 (combination of 2 Boxes)
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook .
- Metal J hook - 17 nos.in one layer
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.(x2)
- Weight – ±4.5Kg + 4.5kg
- Color – Yellow,/Grey/Red/Green or as per quantity required
- KRM-K-MKC6J-LRB18152 = 3 Layers Having Each Box (Total separate key capacity -102)
- KRM-K-MKC8J-LRB18152 = 4 Layers Having Each Box(Total separate key capacity -136)
- KRM-K-MKC10J- LRB18152= 5 Layers Having Each Box (Total separate key capacity -170)

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

**KRM Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T, Faridabad-121001 Haryana - NCR (INDIA)

[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)



## KRM LOTO – LOCKOUT KEY STATION 5 – OPAQUE FASCIA-18152

- **Material-** Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook - (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- **Weight** –  $\pm 4.5$  kg
- **Color** – Yellow or grey as per quantity required.
- NOTE : - Five + Five Metal J Type hook / slots on each side of station to hang key rings.
- **KRM-K-MKC-5C= 5+5=10 Layers**
- **Total separate key hooks capacity - 170**



KRM-K-MKC-5C



GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)

Email: [info@krmloto.com](mailto:info@krmloto.com), [info@krmcorporation.com](mailto:info@krmcorporation.com), [krmloto@gmail.com](mailto:krmloto@gmail.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



CE  
Certified

**LOCKOUT KEY STATION 5 – OPAQUE FASCIA-18152**

- Material – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Size – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement.
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- Weight – ±4.5 kg
- Color – Yellow, Grey or as per quantity required.
- NOTE – Five + Five Metal J Type hook / slots on each side of station to hang key rings.
- KRM-K-MKC-5C=5+5=10 Layers
- Total separate key hooks capacity – 170

**KRM-K-MKC-5C****KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

**KRM Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

✉ [info@krmcorporation.com](mailto:info@krmcorporation.com), [info@krmloto.com](mailto:info@krmloto.com), [krmloto@gmail.com](mailto:krmloto@gmail.com), [wadhwarajinder@gmail.com](mailto:wadhwarajinder@gmail.com)

[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)

GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lockoutappliance.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKOUT KEY STATION 4 – OPAQUE FASCIA-18152

- **Material-** Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook - (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- **Weight** –  $\pm$  4.5 kg
- **Color** – Grey or as per quantity required.
- Four/Three Metal J Type hook slots on one side and Three Metal J Type hook slots on another side of station to hang key rings.
- **KRM-K-MKC-4C= 4+3=7 Layers**
- **Total separate key hooks capacity - 119**



KRM-K-MKC-4C



GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)

Email: [info@krmloto.com](mailto:info@krmloto.com), [info@krmcorporation.com](mailto:info@krmcorporation.com), [krmloto@gmail.com](mailto:krmloto@gmail.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



**KRM-LOTO**  
SAFETY PRODUCTS  
safe loto



**KRM-K-MKC-4C**

### LOCKOUT KEY STATION 4 –OPAQUE FASCIA-18152

- Material – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Size – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- Weight – ±4.5 kg
- Color – Grey or as per quantity required.
- Four / Three Metal J Type hook slots on one side and Three Metal J Type hook slots on another side of station to hang key rings.
- **KRM-K-MKC-4C=4+3=7 Layers**
- Total separate key hooks capacity - 119

CE  
Certified

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKOUT KEY STATION 3 – OPAQUE FASCIA-18152

- **Material-** Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook - (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- **Weight** –  $\pm$  4.5 kg
- **Color** – Grey or as per quantity required.
- Four/Three Metal J Type hook slots on one side and Three Metal J Type hook slots on another side of station to hang key rings.
- **KRM-K-MKC-3C= 3+3=6 Layers**
- **Total separate key hooks capacity - 102**



**KRM-K-MKC-3C**



GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lockouttagouts.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## DUAL LAYER LOCKOUT KEY STATION-WITH DISPLAY MESSAGE LAYER OPAQUE FASCIA-18153

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size** – 18" X 15" X 3"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- One movable Layer for display Message.
- **Weight** – +8.5 kg
- **Color** – Grey or as per quantity required.
- Three Metal J Type hook /slots on each side of station to hang key rings.
- **KRM-K-DLLKS-DML-3** = 3+3 = 6 Layers
- Total separate key capacity – 102
- **NOTE : PADLOCKS CAN ALSO HANG ON ALTERNATE HOOKS**



**KRM-K-DLLKS-DML-3**

GSTIN No.: 06AAMPW8746Q1Z6,  
 PAN No.: AAVPW8746Q  
 TIN No.: 06821328889,  
 TAN no.: RTKKO3359G  
 IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1  
 PAN No.: AAECK2831L  
 TIN No.: 06824000112  
 CIN No.: U31903HR2011PTC042508  
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



## LOCKOUT/TAGOUT



**KRM LOTO**  
 SAFETY PRODUCTS  
**safe loto**

CE  
 Certified

### DUAL LAYER LOCKOUT KEY STATION-WITH DISPLAY MESSAGE LAYER OPAQUE FASCIA-18153

- Material – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Size – 18" X 15" X 3"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- One movable Layer for display Message.
- Weight – +8.5 kg
- Color – Grey or as per quantity required.
- Three Metal J Type hook /slots on each side of station to hang key rings.
- KRM-K-DPKS-DML-3 = 3+3 = 6 Layers
- Total separate key capacity – 102
- NOTE – PADLOCKS CAN ALSO HANG ON ALTERNATE HOOKS



**KRM-K-DPKS-DML-3**

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
 to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
 Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

**KM Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381  
 info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
 www.lotoappliances.com, www.lockouttagouts.com





GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



KRM LOTO  
SAFETY PRODUCTS  
safe loto



KRM-K-DPKS-3



### DUAL LAYER LOCKOUT KEY STATION-3 OPAQUE FASCIA-18156

CE  
Certified

- Material – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Size – 18" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- Weight – ±9.5 kg
- Color – Grey or as per quantity required.
- Three Metal J Type hook/slots on each side of station to hang key rings.
- **KRM-K-DPKS-3 = 3+3+3+3 = 12 Layers**
- Total separate key capacity - 204
- NOTE – **PADLOCKS CAN ALSO HANG ON ALTERNATE HOOKS**

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com | www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com





GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAPPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



## DUAL LAYER LOCKOUT KEY

## STATION - 34 OPAQUE FASCIA-18156

CE  
Certified



KRM-K-DLLKS-34

- Material – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Size – 18" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 15 Metal J hook – (1Layer having 17 no's hooks) and inner movable layer having 12no's hooks
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- Weight – ±9.5 kg
- Color – Grey or as per quantity required.
- 3 or 4 Metal J Type hook /slots on each side of station to hang key rings.
- **KRM-K-DLLKS-34 = 3+4+4+4 = 15 Layers**
- Total separate key capacity – 215
- NOTE – PADLOCKS CAN ALSO HANG ON ALTERNATE HOOKS

## KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

## KRM Safetech Private Limited

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com



GSTIN No.: 06AAMPW8746Q126,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – DUAL LAYER LOCKOUT KEY STATION-3 OPAQUE FASCIA-18156

- **Material-** Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size** – 18" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1Layer having 17 no's hooks) ) and inner movable layer having 12no's hook.
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- **Weight** – + 9.5 kg
- **Color** – Grey or as per quantity required.
- Four Metal J Type hook/slots on each side of station to hang key rings.
- **KRM-K-DLLKS-44 = 4+4+4+4 = 16 Layers**
- **Total separate key capacity - 232**



KRM-K-DLLKS-44

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)

Email: [info@krmloto.com](mailto:info@krmloto.com), [info@krmcorporation.com](mailto:info@krmcorporation.com), [krmloto@gmail.com](mailto:krmloto@gmail.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



**KRM-LOTO**  
SAFETY PRODUCTS  
safe loto

## KRM LOTO – DUAL LAYER LOCKOUT KEY STATION-3 OPAQUE FASCIA-18156

CE  
Certified



**KRM-K-DLLKS-44**

- Material – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Size – 18" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1Layer having 17 no's hooks ) and inner movable layer having 12no's hook.
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- Weight – ± 9.5 kg
- Color – Grey or as per quantity required.
- Four Metal J Type hook/slots on each side of station to hang key rings.
- **KRM-K-DLLKS-44 = 4+4+4+4 = 16 Layers**
- Total separate key capacity - 232
- **NOTE – PADLOCKS CAN ALSO HANG ON ALTERNATE HOOKS**

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007 Haryana - NCR (INDIA)  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001

**KM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)



GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – DUAL LAYER LOCKOUT KEY STATION-3 OPAQUE FASCIA-18156

### LOCKOUT/TAGOUT

- **Material**- Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size** – 18" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1Layer having 17 no's hooks) and inner movable layer having 12no's hook.
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- **Weight** – +9.5 kg
- **Color** – Grey or as per quantity required.
- 4 or 3 Metal J Type hook/slots on each side of station to hang key rings.
- **KRM-K-DLLKS-43 = 4+3+3+4 = 14 Layers**
- **Total separate key capacity - 208**



KRM-K-DLLKS-43

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## LOCKOUT/TAGOUT



KRM LOTO  
SAFETY PRODUCTS  
safe loto



KRM-K-DLLKS-43

## KRM LOTO – DUAL LAYER LOCKOUT KEY STATION-3 OPAQUE FASCIA-18156

CE  
Certified

- Material – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Size – 18" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1Layer having 17 no's hooks) and inner movable layer having 12no's hook.
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- Weight – + 9.5 kg
- Color – Grey or as per quantity required.
- 4 or 3 Metal J Type hook/slots on each side of station to hang key rings.
- **KRM-K-DLLKS-43 = 4+3+3+4 = 14 Layers**
- Total separate key capacity - 208
- NOTE – **PADLOCKS CAN ALSO HANG ON ALTERNATE HOOKS**

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com



GSTIN No.: 06AAMPW8746Q1Z6,  
 PAN No.: AAMPW8746Q  
 TIN No.: 06821328889,  
 TAN no.: RTKKO3359G  
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
 PAN No.: AAECK2831L  
 TIN No.: 06824000112  
 CIN No.: U31903HR2011PTC042508  
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – DUAL LAYER LOCKOUT KEY STATION-5 OPAQUE FASCIA-18156

- **Material-** Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size** – 18" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- **Weight** – ±8.5 kg
- **Color** – Grey or as per quantity required.
- Five Metal J Type hook /slots on each side of station to hang key rings.
- **KRM-K-DPKS-5 = 5+5+5+5 = 20 Layers**
- **Total separate key capacity – 340**



**KRM-K-DPKS-5**

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269

[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



**KRM-LOTO**  
SAFETY PRODUCTS  
safe loto

## DUAL LAYER LOCKOUT KEY STATION- 5 OPAQUE FASCIA-18156

CE  
Certified



**KRM-K-DPKS-5**

- Material – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Size – 18" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – 17 nos. in one layer
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- Weight – +9.5 kg
- Color – Grey or as per quantity required.
- Five Metal J Type hook / slots on each side of station to hang key rings.
- **KRM-K-DPKS-5 = 5+5+5+5 = 20 Layers**
- Total separate key capacity – 340
- NOTE – PADLOCKS CAN ALSO HANG ON ALTERNATE HOOKS

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381  
www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com



GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-3752655

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 375 X 265 X 50 MM
- Provision of pre drilled hole on back side to mount any other surface.
- 4 Metal J Type hook (1Layer having 12 No's hooks).
- Maximum 4 layer of 12 hooks can fix inside the box.
- Can also make combination of 7/12/ hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- **Weight** –  $\pm 3.5$  kg
- **Color** – Red or Grey as per volume required.
- **KRM-K-LLTKS-3752655 =4 Layers of Metal J hook = For Total 48 no's keys.**
- **Note -Can also make combination of metal j hook 7/12/ as per requirement.**
- **Note: material design to be supply as per stock inventory.**



KRM-K-LLTKS-3752655



**NOTE: IMAGE FOR YOUR REFERENCE ONLY.**

GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com)

[www.lockouttagouts.com](http://www.lockouttagouts.com)

[www.krmloto.com](http://www.krmloto.com)

[www.locktagindia.com](http://www.locktagindia.com)

[www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



## LOCKABLE LOCKOUT TAGOUT KEY STATION-3752655

CE  
Certified



KRM-K-LLTKS-3752655

- Material – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- Size – 375 X 265 X 50 MM
- Provision of pre drilled hole on back side to mount any other surface.
- 4 Metal J Type hook (1 Layer having 12 No's hooks).
- Maximum 4 layer of 12 hooks can fix inside the box.
- Can also make combination of 7/12 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- Weight –  $\pm 3.5$  kg
- Color – Red or Grey as per volume required.
- KRM-K-LLTKS-3752654 = 4 Layers of Metal J hook = For Total 48 no's keys.
- Note – Can also make combination of metal j hook 7/12/ as per requirement
- Note – Material design to be supply as per stock inventory.

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)





## KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-375 (to keep multipurpose loto items)

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 375 X 375 X 92.5 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 3Metal J Type hook (1Layer having 17 No's hooks).
- Maximum 5 layer of 17 hooks can fix inside the box.
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- **Weight** –  $\pm 4.5$  kg
- **Color** – Yellow or as per volume required.
- **KRM-K-LLTKS-375 =3 Layers (Total separate key capacity – 51)**
- **KRM-K-LLTKS-375 =4 Layers Total separate key capacity – 68)**
- **KRM-K-LLTKS-375 =5 Layers Total separate key capacity – 85)**
- **Note: Material design to be supply as per stock inventory**



**KRM-K-LLTKS-375**



GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



## LOCKABLE LOCKOUT TAGOUT KEY STATION-375590

(to keep multipurpose loto items)

CE  
Certified



KRM-K-LLTKS-375

- Material – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- Size – 375 X 375 X 92.5 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 3 Metal J Type hook (1Layer having 17 No's hooks).
- Maximum 5 layer of 17 hooks can fix inside the box.
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- Weight – ±4.5 kg
- Color – Yellow or as per volume required.
- KRM-K-LLTKS-375 =3 Layers (Total separate key capacity – 51)
- KRM-K-LLTKS-375 =4 Layers Total separate key capacity – 68)
- KRM-K-LLTKS-375 =5 Layers Total separate key capacity – 85)
- Note – Material design to be supply as per stock inventory

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com



GSTIN No.: 06AAPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com


www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

## KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-375-1P (to keep multipurpose loto items)

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 375 X 375 X 92.5 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 4 Layers of Metal J Type hook –(1 layer having 17no's hooks) and other layer having 7 no's hook.
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- **Weight** –  $\pm 4.5$  kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTKS-375-1P = 3 layer having 17 hooks and 1 Layer having 7 hooks ,and 1 ABS Pocket**
- **Total separate key capacity – 58**
- **Note: material design to be supply as per stock inventory**



**KRM-K-LLTKS-375-1P**

GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAPPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



**KRM-LOTO**  
SAFETY PRODUCTS  
safe loto

## LOCKABLE LOCKOUT TAGOUT KEY STATION-375-1P (to keep multipurpose loto items)

CE  
Certified



**KRM-K-LLTKS-375-1P**

- Material – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- Size – 375 X 375 X 92.5 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- Weight – +4.5 kg
- Color – Yellow or as per quantity required.
- **KRM-K-LLTKS-375-1P = 3 layer having 17 hooks and 1 Layer having 7 hooks and 1 ABS Pocket**
- Total separate key capacity - 58
- Note – **Material design to be supply as per stock inventory**

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)



GSTIN No.: 06AAMPW8746Q126,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L12I  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-RED-24152

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 24" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook - (1 Layer having 17 no's hooks)
- Max 7 layer of 17 hooks can put inside .
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One/ two in-built Locks and a knob to hold.
- **Weight** –  $\pm 5$  kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTKS-24152-R =5 Layers (Total separate key capacity – 85)**
- **KRM-K-LLTKS-24152-R =6 Layers (Total separate key capacity – 102)**
- **KRM-K-LLTKS-24152-R =7 Layers (Total separate key capacity – 119)**



**KRM-K-LLTKS-24152-R-5**

GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



**KRM-K-LLTKS-24152-R-5**

### LOCKABLE LOCKOUT TAGOUT KEY STATION- RED-24152

CE  
Certified

- Material – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- Size in mm – 24"X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 17 no's hooks)
- Max 7 layer of 17 hooks can put inside.
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One / two in-built Locks and a knob to hold.
- Weight – ±5 kg
- Color – Yellow or as per quantity required.
- **KRM-K-LLTKS-24152-R =5 Layers (Total separate key capacity – 85)**
- **KRM-K-LLTKS-24152-R =6 Layers (Total separate key capacity – 102)**
- **KRM-K-LLTKS-24152-R =7 Layers (Total separate key capacity – 119)**
- Note – **Material design to be supply as per stock inventory**

#### **KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

#### **KRM Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)



GSTIN No.: 06AAMPW8746Q126,  
 PAN No.: AAVPW8746Q  
 TIN No.: 06821328889,  
 TAN no.: RTKKO3359G  
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
 PAN No.: AAECK2831L  
 TIN No.: 06824000112  
 CIN No.: U31903HR2011PTC042508  
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKOUT TAGOUT KEY STATION- OPAQUE FASCIA-20J-24243

- **Material** – Mild/ CR steel sheet with duly phosphate powder coated.
- Front side Opaque Fascia
- **Overall Size** – 24" X 24 X 3"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 10 Layers of Metal J Type hook (1 layer having 17 no's hook) + 10 layer having 12 no's hook.
- Can hang Multiple key chain on one hook ,if require
- One in-built Locks and a knob to hold.
- **Net Weight** -  $\pm 13$  kg
- **Gross Weight** - 14 kg
- **Color** – Red , Any color can make on volume basis
- **KRM-K-LLTKS-20J-24243=10 Layers 17no's and 10 Layer 12 no's Metal j hook (Total Individual key capacity # 290), if 5 key chain on one hook , in that case capacity will be 1450 key chain.**



KRM-K-LLTKS- 20J-24243

image only for reference

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



CE  
Certified

### LOCKOUT TAGOUT KEY STATION- OPAQUE FASCIA- 20J-24243



**KRM-K-LLTKS-20J-24243**

- **Material** – Mild/ CR steel sheet with duly phosphate powder coated.
- Front side Opaque Fascia
- **Overall Size** – 24"X 24 X 3"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 10 Layers of Metal J Type hook (1 layer having 17 no's hook) +10 layer having 12 no's hook.
- Can hang Multiple key chain on one hook ,if require
- One in-built Locks and a knob to hold.
- **Net Weight** – ±13 kg
- **Gross Weight** – 14 kg
- **Color** – Red , Any color can make on volume basis
- **KRM-K-LLTKS-20J-24243 = 10 Layers 17no's and 10 Layer 12 no's Metal j hook (Total Individual key capacity # 290), if 5 key chain on one hook, in that case capacity will be 1450 key chain.**



GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAMPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKOUT TAGOUT KEY STATION- OPAQUE FASCIA- 24J-24243

- **Material** – Mild/ CR steel sheet with duly phosphate powder coated.
- Front side Opaque Fascia
- **Overall Size** – 24"X 24 X 3"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 12 Layers of Metal J Type hook (1 layer having 17 no's hook) + 12 layer having 12 no's hook.
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Locks and a knob to hold.
- **Net Weight** -  $\pm 13$  kg
- **Gross Weight** - 14 kg
- **Color** – Red , Any color can make on volume basis
- **KRM-K-LLTKS-24J-24243=12 Layers 17no's and 12 Layer 12 no's Metal j hook (Total Individual key capacity 348), if 5 key chain on one hook , in that case capacity will be 1720 key chain.**



KRM-K-LLTKS- 24J-24243

image only for reference



GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



## LOCKOUT TAGOUT KEY STATION-OPAQUE FASCIA-24J-24243

CE  
Certified



KRM-K-LLTKS-24J-24243

- Material – Mild/ CR steel sheet with duly phosphate powder coated.
- Front side Opaque Fascia
- Overall Size – 24" X 24 X 3"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 12 Layers of Metal J Type hook (1 layer having 17 no's hook) +12 layer having 12 no's hook.
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Locks and a knob to hold.
- Net Weight – ±13 kg
- Gross Weight – 14 kg
- Color – Red or any color can make on volume basis
- KRM-K-LLTKS-24J-24243 =12 Layers 17no's and 12 Layer 12 no's Metal j hook (Total individual key capacity 348), if 5 key chain on one hook, in that case capacity will be 1720 key chain.



GSTIN No.: 06AAMPW8746Q126,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L12I  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

## KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION CLEAR FASCIA 30152

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 30" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook - (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One/two in-built Lock and a knob to hold.
- **Weight** –  $\pm 6$  kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTKS-CF-30152 =7 Layers (Total separate key capacity – 119)**
- **KRM-K-LLTKS-CF-30152 =8 Layers (Total separate key capacity - 136)**
- **KRM-K-LLTKS-CF-30152 =9 Layers (Total separate key capacity – 153)**



KRM-K-LLTKS-CF-30152

- **Note: Material design to be supply as per stock inventory**

GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com)

[www.lockouttagouts.com](http://www.lockouttagouts.com)

[www.krmloto.com](http://www.krmloto.com)

[www.locktagindia.com](http://www.locktagindia.com)

[www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



KRM-K-LLTKS-CF-30152

## LOCKABLE LOCKOUT TAGOUT KEY STATION CLEAR FASCIA 30152

CE  
Certified

- Material – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- Size – 30"x15"x2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One/two in-built Lock and a knob to hold.
- Weight –  $\pm 6$  kg
- Color – Yellow or as per quantity required.
- KRM-K-LLTKS-CF-30152 = 7 Layers (Total separate key capacity – 119)
- KRM-K-LLTKS-CF-30152 = 8 Layers (Total separate key capacity – 136)
- KRM-K-LLTKS-CF-30152 = 9 Layers (Total separate key capacity – 153)
- Note – Material design to be supply as per stock inventory

## KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T, Faridabad-121001 Haryana - NCR (INDIA)

## KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381  
www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com



GSTIN No.: 06AACPW8746Q1Z6,  
PAN No.: AACPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lockouttagouts.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION - MESH FASCIA-30152

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Mesh Fascia with border frame.
- **Size** – 30" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook - (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One / two in-built Lock and a knob to hold.
- **Weight** – ±6.5 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTKS-MF-30152 =7 Layers (Total separate key capacity – 119)**
- **KRM-K-LLTKS-MF-30152 =8 Layers (Total separate key capacity – 136)**
- **KRM-K-LLTKS-MF-30152 =9 Layers (Total separate key capacity – 153)**



KRM-K-LLTKS-MF-30152

GSTIN No.: 06AAPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



**KRM-LOTO**  
SAFETY PRODUCTS  
safe loto



**KRM-K-LLTKS- MF-30152**

## LOCKABLE LOCKOUT TAGOUT KEY STATION – MESH FASCIA-30152

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Mesh Fascia with border frame.
- **Size** – 30" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One / two in-built Lock and a knob to hold.
- **Weight** –  $\pm 5.5$  kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTKS-MF-30152 = 7 Layers (Total separate key capacity – 119)**
- **KRM-K-LLTKS-MF-30152 = 8 Layers (Total separate key capacity – 136)**
- **KRM-K-LLTKS-MF-30152 = 9 Layers (Total separate key capacity – 153)**

CE  
Certified

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T, Faridabad-121001 Haryana - NCR (INDIA)

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381  
www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com



GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lockoutappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-CLEAR FASCIA -30156

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 30" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook - (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One adjustable shelf
- One/ two in-built Lock and a knob to hold.
- **Weight** –  $\pm 10$  kg
- **Color** – Yellow or as per quantity required.
- KRM-K-LLTKS-CF-30156 = 7 Layers (Total separate key capacity – 119)
- KRM-K-LLTKS-CF-30156 = 8 Layers (Total separate key capacity – 136)
- KRM-K-LLTKS-CF-30156 = 9 Layers (Total separate key capacity – 153)
- **Note: Material design to be supply as per stock inventory**



KRM-K-LLTKS-CF-30156



GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



KRM-K-LLTKS-CF-30156

## LOCKABLE LOCKOUT TAGOUT KEY STATION -CLEAR FASCIA-30156

CE  
Certified

- Material – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- Size – 30" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One adjustable shelf
- One/ two in-built Lock and a knob to hold.
- Weight – ±10 kg
- Color – Yellow or as per quantity required.
- KRM-K-LLTKS-CF-30156 = 7 Layers (Total separate key capacity – 119)
- KRM-K-LLTKS-CF-30156 = 8 Layers (Total separate key capacity – 136)
- KRM-K-LLTKS-CF-30156 = 9 Layers (Total separate key capacity – 153)
- Note – Material design to be supply as per stock inventory

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381  
www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com



GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION CLEAR FASCIA 30156

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 30" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- **17 & 7 hooks individually in one metal layer with combination of Front & both left & right side.**
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One/two in-built Lock and a knob to hold.
- **Weight** – +10kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTKS-CF217-30156=7 Layers 17 no's and 7+7 Layer-7no's Metal J Hook(Total separate key capacity – 217)**
- **KRM-K-LLTKS-CF248-30156 =8 Layers 17 No's and 8+8 Layer -7 no's Metal J Hook (Total separate key capacity - 248)**
- **KRM-K-LLTKS-CF279-30156 =9 Layers 17 No's and 9+9 Layer -7 no' Metal J Hook (Total separate key capacity – 279)**

**Note: Material design to be supply as per stock inventory**



**KRM-K-LLTKS-CF217-30156**



GSTIN No.: 06AAMPW8746Q126,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



LOCKOUT/TAGOUT  
KRM-LOTO  
SAFETY PRODUCTS  
safe loto

## LOCKABLE LOCKOUT TAGOUT KEY STATION-CLEAR FASCIA-30156

KRM LOTO  
EXPERT

CE  
Certified



KRM-K-LLTKS-CF217-30156

- Material – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- Size – 30" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 17 & 7 hooks individually in one metal layer with combination of Front & both left & right side.
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One/two in-built Lock and a knob to hold.
- Weight – ±7kg
- Color – Yellow or as per quantity required.
- KRM-K-LLTKS-CF217-30156=7 Layers 17 no's and 7+7 Layer-7no's Metal J Hook (Total separate key capacity – 217)
- KRM-K-LLTKS-CF248-30156 =8 Layers 17 No's and 8+8 Layer -7 no's Metal J Hook (Total separate key capacity - 248)
- KRM-K-LLTKS-CF279-30156 =9 Layers 17 No's and 9+9 Layer -7 no' Metal J Hook (Total separate key capacity – 279)
- Note – Material design to be supply as per stock inventory

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

KRM SafeTech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com





GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



KRM-K-LLTKS-MF-30156

## KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION- MESH FASCIA 30156

CE  
Certified

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side mesh Fascia with border frame.
- **Size** – 30" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement.
- Can hang Multiple key chain on one hook if require
- One adjustable shelf
- One/ two in-built Lock and a knob to hold.
- **Weight** – ±10 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTKS- MF-30156 = 7 Layers (Total separate key capacity – 119)**
- **KRM-K-LLTKS- MF-30156 = 8 Layers (Total separate key capacity – 136)**
- **KRM-K-LLTKS- MF-30156 = 9 Layers (Total separate key capacity – 153)**



GSTIN No.: 06AACPW8746Q1Z6,  
PAN No.: AACPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKOUT KEY STATION- CLEAR FASCIA- GREY-15155-1

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 150X 150 X 50 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 7 no's hooks)
- Max 2 layer of 7 hooks can put inside
- Can hang Multiple key chain (max 3 nos.) on one hook if require
- 1 locking hooks outside to put locks
- **Weight** – ±650 gms
- **Color** – Grey or as per quantity required
- **KRM-K-LKS-CFG-15155-1 = 2 LAYERS**



GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)

Email: [info@krmloto.com](mailto:info@krmloto.com), [info@krmcorporation.com](mailto:info@krmcorporation.com), [krmloto@gmail.com](mailto:krmloto@gmail.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



## LOCKOUT KEY STATION- CLEAR FASCIA- GREY-15155-1

CE  
Certified



**KRM-K-LKS-CFG-15155-1**

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 150 X 150 X 50 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 17 no's hooks)
- Max 2 layer of 7 hooks can put inside
- Can hang Multiple key chain (max 3 nos.) on one hook if require
- 1 locking hooks outside to put locks
- **Weight** – +650 gm
- **Color** – Grey or as per quantity required
- **KRM-K-LKS-CFG-15155-1 = 2 LAYERS**

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381  
www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com



GSTIN No.: 06AAMPW8746Q126,  
PAN No.: AAMPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKOUT KEY STATION- CLEAR FASCIA- YELLOW -15155-4

### LOCKOUT/TAGOUT

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 150 X 150 X 50 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 17 no's hooks)
- Max 2 layer of 7 hooks can put inside
- Can hang Multiple key chain (max 3 nos.) on one hook if require
- 4 locking hooks outside to put locks
- **Weight** – +650 gms
- **Color** – Yellow / Red or as per quantity required
- **KRM-K-LKS-CFY-15155-4 = 2 LAYERS**



**KRM-K-LKS-CFY-15155-4**

GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)

Email: [info@krmloto.com](mailto:info@krmloto.com), [info@krmcorporation.com](mailto:info@krmcorporation.com), [krmloto@gmail.com](mailto:krmloto@gmail.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



## LOCKOUT KEY STATION-CLEAR FASCIA- YELLOW-15155-4

CE  
Certified



**KRM-K-LKS-CFY-15155-4**

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 150 X 150 X 50 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 17 no's hooks)
- Max 2 layer of 7 hooks can put inside
- Can hang Multiple key chain (max 3 nos.) on one hook if require
- 4 locking hooks outside to put locks
- **Weight** – +650 gm
- **Color** – Yellow / Red or as per quantity required
- **KRM-K-LKS-CFY-15155-4 = 2 LAYERS**

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381  
www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com



GSTIN No.: 06AACPW8746Q1Z6,  
PAN No.: AACPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOTO KEY BOX-75101

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side clear Fascia with border frame.
- **Size** – 100 X 75 X 50 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Provision of one row 1/2 hook inside small box.
- Can hang Multiple key chain on one hook .
- 1 locking hooks outside to put locks
- **Weight** – + 0.3kg
- **Standard Color** – Yellow
- Red color make customized quantity required .



**KRM-K-LKB-75101**

GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)

Email: [info@krmloto.com](mailto:info@krmloto.com), [info@krmcorporation.com](mailto:info@krmcorporation.com), [krmloto@gmail.com](mailto:krmloto@gmail.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT

**LOTO KEY BOX-75101**

CE  
Certified



**KRM-K-LKB-75101**

- Material – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side clear Fascia with border frame.
- Size – 75X 50 X 100 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J hook – 2 nos.
- Can hang Multiple key chain on one hook.
- 1 locking hooks outside to put locks
- Weight –  $\pm 0.3$  kg
- Standard Color – Yellow
- Red color make customized quantity required.

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381  
[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)



GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOTO KEY BOX-75103

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side clear Fascia with border frame.
- **Size** – 75X 50 X 100 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J hook - 2 nos.
- Can hang Multiple key chain on one hook .
- 3 locking hooks outside to put locks
- **Weight** – +0.3 kg
- **Standard Color** – Yellow
- Red color make customized quantity required .



KRM-K-LKB-75103

GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAPPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



**KRM-LOTO**  
SAFETY PRODUCTS  
safe loto

**LOTO KEY BOX-75103**

CE  
Certified



**KRM-K-LKB-75103**

- Material – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side clear Fascia with border frame.
- Size – 75X 50X 100 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J hook – 2 nos.
- Can hang Multiple key chain on one hook.
- 3 locking hooks outside to put locks
- Weight –  $\pm 0.3$  kg
- Standard Color – Yellow
- Red color make customized quantity required.

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001:2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381  
www.krmloto.com | www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com





GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAPPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



**KRM LOTO**  
SAFETY PRODUCTS  
safe loto



**KRM-K-LKST-PCF-Y15156-5**



**KRM-K-LKST-PCF-R15156-5**

### LOCKOUT KEY STATION- POLYCARBONATE CLEAR FASCIA

- **Material** – Made from ABS + Polycarbonate compositions material. It is moulded piece.
- Front side Polycarbonate Clear Fascia with border frame.
- **Size** – 156X 156 X 64 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 17 no's hooks)
- Max 2 layer of 7 hooks can put inside
- Can hang Multiple key chain (max 3 nos.) on one hook if require
- 5 locking hooks outside to put locks
- **Weight** – +225 gm
- **Color** – Yellow / Red or as per quantity required
- **KRM-K-LKST-PCF-Y15156-5 = 2 LAYERS**
- **KRM-K-LKST-PCF-R15156-5 = 2 LAYERS**

CE  
Certified

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381  
www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com



GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAPPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO – LOCKOUT KEY STATION-MESH FASCIA-15155-4

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side MESH Fascia with border frame.
- **Size** – 150X 150 X 50MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook - (1 Layer having 7 no's hooks)
- Max 2 layer of 7 hooks can put inside
- Can hang Multiple key chain ( max 3 nos. ) on one hook if require
- 4 locking hooks outside to put locks
- **Weight** –  $\pm 650$  gms
- **Color** – Yellow,/Red or as per quantity required
- **KRM-K-LKS-MFY-15155-4 = 2 LAYERS**
- **KRM-K-LKS-MFR-15155-4 = 2 LAYERS**



**KRM-K-LKS-MFY-15155-4**



**KRM-K-LKS-MFY-15155-4**

GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)

GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)



## LOCKOUT/TAGOUT



**KRM LOTO**  
SAFETY PRODUCTS  
**safe loto**

### LOCKOUT KEY STATION- MESH FASCIA -15155-4

CE  
Certified



**KRM-K-LKS-MFY-15155-4**



**KRM-K-LKS-MFR-15155-4**

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side MESH Fascia with border frame.
- **Size** – 150 X 150 X 50 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 17 no's hooks)
- Max 2 layer of 7 hooks can put inside
- Can hang Multiple key chain (max 3 nos.) on one hook if require
- 4 locking hooks outside to put locks
- **Weight** – +650 gm
- **Color** – Yellow / Red or as per quantity required
- **KRM-K-LKS-MFY-15155-4 = 2 LAYERS**
- **KRM-K-LKS-MFR-15155-4 = 2 LAYERS**

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

**KM Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)



GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION -2251655

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side clear Fascia with border frame.
- **Size** – 225 X 165 X 50 mm
- Provision of pre drilled hole on back side to mount any other surface.
- 3 Metal J Type hook (1Layer having 7 No's hooks).
- Metal J hook - 7 nos.in one layer
- Maximum 3 layer of 7 hooks can fix inside the box
- Can hang Multiple key chain on one hook if require.
- One in-built Lock.
- **Weight** –  $\pm 1.2$ kg
- **Color** – Yellow,/Red or as per quantity required.
- **KRM-K-LLTKS-2251655 =3 Layers of Metal J hook=For Total 21no's keys.**



**KRM-K-LLTKS-2251655**

GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269

Email: [info@krmloto.com](mailto:info@krmloto.com), [info@krmcorporation.com](mailto:info@krmcorporation.com), [krmloto@gmail.com](mailto:krmloto@gmail.com)



[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

**LOCKOUT/TAGOUT****LOCKABLE LOCKOUT TAGOUT KEY STATION -2251655**

CE  
Certified



**KRM-K-LLTKS-2251655**

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side clear Fascia with border frame.
- **Size** – 225 X 165 X 50 mm
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 17 no's hooks)
- Maximum 3 layer of 7 hooks can fix inside the box
- Can hang Multiple key chain on one hook if require.
- One in-built Lock.
- **Weight** – +1.2kg
- **Color** – Yellow,/Red or as per quantity required.
- **KRM-K-LLTKS-2251655 = 3 Layers of Metal J hook=For Total 21no's keys.**

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

**KRM Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

✉ [info@krmcorporation.com](mailto:info@krmcorporation.com), [info@krmloto.com](mailto:info@krmloto.com), [krmloto@gmail.com](mailto:krmloto@gmail.com), [wadhwarajinder@gmail.com](mailto:wadhwarajinder@gmail.com)

[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)



GSTIN No.: 06AAVPW8746Q126,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1ZI  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOTO KEY HAMMER BOX-2251655

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side clear Fascia with border frame.
- **Size** – 225 X 165 X 50 mm
- Provision of pre drilled hole on back side to mount any other surface.
- 2 Layer of Metal J Type hook (1Layer having 7 No's hooks).
- Maximum 3 layer of 7 hooks can fix inside the box
- Can hang Multiple key chain on one hook if require.
- One in-built Lock.
- **Weight** –  $\pm 1.2$ kg
- **Standard Color** – Red / Yellow or as per quantity required.



KRM-K-LKHB-2251655

GSTIN No.: 06AAPPW8746Q126,  
PAN No.: AAPPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKOUT KEY STATION-MESH FASCIA-225155-4

### LOCKOUT/TAGOUT

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side MESH Fascia with border frame.
- **Size** – 225X 150 X 50MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook - (1 Layer having 17 no's hooks)
- Max 3 layer of 7 hooks can put inside
- Can hang Multiple key chain ( max 3 ) on one hook if require
- 4 locking hooks outside to put locks
- **Weight** –  $\pm 1$  Kg
- **Color** – Yellow,/Red or as per quantity required
- KRM-K-LKS-MFR-225155-4= 3 LAYERS
- KRM-K-LKS-MFY-225155-4 = 3 LAYERS



KRM-K-LKS-MFR-225155-4



KRM-K-LKS-MFY-225155-4



GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269

[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



**KRM LOTO**  
SAFETY PRODUCTS  
**safe loto**

### LOCKOUT KEY STATION-MESH FASCIA- 225155-4

CE  
Certified



**KRM-K-LKS-MFY-225155-4**



**KRM-K-LKS-MFR-225155-4**

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side MESH Fascia with border frame.
- **Size** – 225X 150 X 50 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 17 no's hooks)
- Max 3 layer of 7 hooks can put inside
- Can hang Multiple key chain (max 3) on one hook if require
- 4 locking hooks outside to put locks
- **Weight** – +1 Kg
- **Color** – Yellow / Red or as per quantity required
- **KRM-K-LKS-MFR-225155-4 = 3 LAYERS**
- **KRM-K-LKS-MFY-225155-4 = 3 LAYERS**

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381  
www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com





GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



**KRM LOTO**  
SAFETY PRODUCTS  
**safe loto**

### LOCKOUT TAGOUT KEY STATION-CLEAR FASCIA-48362

CE  
Certified



KRM-K-LTKS-CF-48362



- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 36" X 48" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key-chain on one hook if require
- One / two in-built Lock and a knob to hold.
- **Weight** – +24 kg
- **Color** – Yellow or as per Volume requirement.
- **KRM-K-LTKS-CF-48362 = 30 Layer having 17 hooks and 15 Layer having 7 hooks.**
- **Total separate key capacity – 615**

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKOUT TAGOUT KEY STATION-CLEAR FASCIA-36362

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 36" X 36" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 22 layer of Metal J hook – (1 layer having 17no's hooks) and other 11 layer having 7 no's hook.
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- Two in-built Lock and a knob to hold.
- **Weight** –  $\pm 20$  kg
- **Color** – Yellow or as per Volume requirement.
- **KRM-K-LTKS-CF-36362= (11+11)= 22 Layer having 17 hooks and 11 Layer having 7 hooks.**
- **Total separate key capacity – 451**



**KRM-K-LTKS-CF-36362**



GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



**KRM-K-LTKS-CF-36362**

### LOCKOUT TAGOUT KEY STATION-CLEAR FASCIA-36362

CE  
Certified

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 36" X 36" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 22 layer of Metal J hook – (1 layer having 17no's hooks) and other 11 layer having 7 no's hook.
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require.
- Two in-built Lock and a knob to hold.
- **Weight** – +20 kg
- **Color** – Yellow or as per Volume requirement.
- **KRM-K-LTKS-CF-36362=(11+11)= 22 Layer having 17 hooks and 11 Layer having 7 hooks.**
- **Total separate key capacity** – 451



GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – TRANSPARENT KEY STATION -AL

- **Material** – Aluminium Border section.
- Resistant to corrosion.
- Front side transparent acrylic cover (Clear Fascia).  
Provision of pre drilled hole on back side to mount any other surface.
- **KRM-K-TKS30** – Thirty J Type hook to place the keys on the station, can accommodate 30 keys overall.
- **KRM-K-TKS50** – Fifty J Type hook to place the keys on the station, can accommodate 50 keys overall.
- **KRM-K-TKS100** – Hundred J Type hook to place the keys on the station, can accommodate 100 keys overall.
- With Locking arrangement.
- **Weight** -  $\pm 5$  kg for 30, 10 Kg for 50 and 15 kg for 100 nos. key
- **Color** – Grey or as per quantity required.



**KRM-K-TKS30**



**KRM-K-TKS50**



**KRM-K-TKS100**





GSTIN No.: 06AAPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 0682132889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



**KRM LOTO**  
SAFETY PRODUCTS  
safe loto

CE  
Certified

### TRANSPARENT KEY STATION -AL



**KRM-K-TKS30**



**KRM-K-TKS50**



**KRM-K-TKS100**

- **Material** – Aluminium Border section.
- Resistant to corrosion.
- Front side transparent acrylic cover (Clear Fascia). Provision of pre drilled hole on back side to mount any other surface.
- **KRM-K-TKS30** – Thirty J Type hook to place the keys on the station, can accommodate 30 keys overall.
- **KRM-K-TKS50** – Fifty J Type hook to place the keys on the station, can accommodate 50 keys overall.
- **KRM-K-TKS100** – Hundred J Type hook to place the keys on the station, can accommodate 100 keys overall.
- With Locking arrangement.
- **Weight** – +5 kg for 30, 10 Kg for 50 and 15 kg for 100 nos. key
- **Color** – Grey or as per quantity required.

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381  
www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com





OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lockouttagouts.com

Email: info@krmlo.com, info@krmcorporation.com, krmlo@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



**OTHER PADLOCK STATION**





GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## Notes:

- Lock & Tag should be used with all loto products.
- For group locking on particular energy hasp should be used.
- Group lockout box should be used for group lockout tagout.
- Scissor Cable or Round cable lockout can be used to lock multiple hazardous energies instead putting individual locks & tags.

