



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



# KRM LOTO – LOCKOUT TAGOUT STATION

LOCKOUT TAGOUT

**KRM Corporation  
Lockout Tagout**

**KRM Corporation  
Electrical Safety  
Products**

**KRM Corporation  
TRAINING**



**KRM Corporation  
Parking & Road  
Safety Products**

**KRM Corporation  
Signage & Tapes**

**KRM Corporation  
Other Products**



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



**NOTE - STANDARD COLOR: YELLOW/RED, , Can make other color against requirement**

**KRM LOTO – LOCKOUT TAGOUT STATION - INDEX****Index Page No:-3**

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	WEIGHT (kg)	TECHNICAL PAGE NO.
1	KRM-K-PLTS-2S1J2P	KRM LOTO – PORTABLE LOCKOUT TAGOUT STATION-18152	4.5	5-6
2	KRM-K-PLTS-6BL1J2P	KRM LOTO – PORTABLE LOCKOUT TAGOUT STATION-BL-18152	4.5	7-8
3	KRM-K-LLTPS-37590	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-37590	4.5	9-10
4	KRM-K-OLLTS-J2P-37590	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-37590	4.6	11-12
5	KRM-K-PCLS-S-Y16146	KRM LOTO-LOCKOUT TAGOUT STATION -16146	6.5	13-14
6	KRM-K-PCLS-S-R16146	KRM LOTO-LOCKOUT TAGOUT STATION -16146	6.5	13-14
7	KRM-K-Y-PCLS-P	KRM LOTO – LOCKOUT TAGOUT STATION-Opaque fascia-16146	7	15-16
8	KRM-K-LCGS-Y	KRM LOTO – LOCKOUT TAGOUT STATION with group loto box	7.5	17-18
9	KRM-K-LLTS-CF-30156	KRM LOTO – LOCKABLE LOCKOUT TAGOUT STATION-CLEAR FASCIA -30156	10	19-20
10	KRM-K-LLTS-MF-30156	KRM LOTO – LOCKABLE LOCKOUT TAGOUT STATION-MESH FASCIA -30156	12	21-22



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lockouttagouts.com

Email: info@krmlo.com, info@krmcorporation.com, krmlo@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



**KRM LOTO – LOCKOUT TAGOUT STATION - INDEX**

**Index Page No:-4**

11	KRM-K-LLTS-CF-30159	KRM LOTO – LOCKABLE LOCKOUT TAGOUT STATION-CLEAR FASCIA -30159	12	23-24
12	KRM-K-LLTS-242210	KRM LOTO – LOCKABLE LOCKOUT TAGOUT STATION-242210	13	25.26
13	KRM-K-LTS-CF-483612	KRM LOTO –LOCKOUT TAGOUT STATION-clear fascia-483612	40	27-28
14	KRM-K-MLTS-244812	KRM LOTO – MULTIPURPOSE LOCKOUT TAGOUT STATION-244812	26	29-30
15	KRM-K-LTS-CFG-15155-1	KRM LOTO – LOCKOUT TAGOUT STATION- CLEAR FASCIA- GREY-15155-1	0.650	31-32
16	KRM-K-LTS-CFY-151555-4	KRM LOTO – LOCKOUT TAGOUT STATION- CLEAR FASCIA- YELLOW -15155-4	0.650	33-34
17	KRM-K-LTST-PCF-Y15156-5	KRM LOTO – LOCKOUT TAGOUT STATION- POLYCARBONATE CLEAR FASCIA	0.225	35.36
18	KRM-K-LTST-PCF-R15156-5	KRM LOTO – LOCKOUT TAGOUT STATION- POLYCARBONATE CLEAR FASCIA	0.225	35-36
19	KRM-K-LTS-MFY-15155-4	KRM LOTO – LOCKOUT TAGOUT STATION-MESH FASCIA-15155-4	0.650	37-38
20	KRM-K-LTS-MFR-15155-4	KRM LOTO – LOCKOUT TAGOUT STATION-MESH FASCIA-15155-4	0.650	37-38
21	KRM-K-LTS-MFR-225155-4	KRM LOTO – LOCKOUT STATION-MESH FASCIA-225155-4	1	39-40
22	KRM-K-LTS-MFY-225155-4	KRM LOTO – LOCKOUT STATION-MESH FASCIA-225155-4	1	39-40

GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – PORTABLE LOCKOUT TAGOUT STATION-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- 2 ABS Slotted layer to keep loto items, can hang 15 locks in a single layer.
- 1 Metal J hook layer - 7 nos.in one layer for provision lock /hasp
- 2 ABS Pocket keep loto tag and pen.
- One in-built Lock and a knob to hold.
- **Weight** –  $\pm 4.5$  Kg
- **Color** – Yellow,/Grey/Red/Green or as per quantity required
- **KRM-K-PLTS-2S1J2P**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note: material design to be supply as per stock inventory.**



**KRM-K-PLTS-2S1J2P**

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)

Email: [info@krmloto.com](mailto:info@krmloto.com), [info@krmcorporation.com](mailto:info@krmcorporation.com), [krmloto@gmail.com](mailto:krmloto@gmail.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT/TAGOUT



**KRM-LOTO**  
SAFETY PRODUCTS  
safe loto



**KRM-K-PLTS-2S1J2P**



## PORTABLE LOCKOUT TAGOUT STATION-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- 2 ABS Slotted layer to keep loto items, can hang 15 locks in a single layer.
- 1 Metal J hook layer – 7 nos. in one layer for provision lock / hasp
- 2 ABS Pocket keep loto tag and pen.
- One in-built Lock and a knob to hold.
- **Weight** – ±4.5 Kg
- **Color** – Yellow,/Grey/Red/Green or as per quantity required.
- **KRM-K-PLTS-2S1J2P**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note** – Material design to be supply as per stock inventory.

CE  
Certified

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)

GSTIN No.: 06AAPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – PORTABLE LOCKOUT TAGOUT STATION-BL-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Yellow ABS hook With 6 small layers, consisting of 7 holes in a single layer to hang padlock/ other items.
- Can hang 4 Padlock in one layer to keep proper gap in between 2 locks
- Metal J hook - 7 nos.in one layer, for provision lock /hasp
- One in-built Lock and a knob to hold.
- 2 ABS Pocket keep loto tag and pen.
- **Weight** –  $\pm 4.5$  Kg
- **Color** – Yellow,/Grey/Red/Green or as per quantity required
- **KRM-K-PLTS-6BL1J2P**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement



**KRM-K-PLTS-6BL1J2P**

GSTIN No.: 06AAVPW8746Q126,  
PAN No.: AAVPW8746Q  
TIN No.: 0682132889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com)

[www.lockouttagouts.com](http://www.lockouttagouts.com)

[www.krmloto.com](http://www.krmloto.com)

[www.locktagindia.com](http://www.locktagindia.com)

[www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

[www.lotoappliances.com](http://www.lotoappliances.com)

Email: [info@krmloto.com](mailto:info@krmloto.com), [info@krmcorporation.com](mailto:info@krmcorporation.com), [krmloto@gmail.com](mailto:krmloto@gmail.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



**KRM-LOTO**  
SAFETY PRODUCTS  
safe loto



**KRM-K-PLTS-6BL1J2P**

## PORTABLE LOCKOUT TAGOUT STATION-BL-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Yellow ABS hook With 6 small layers, consisting of 7 holes in a single layer to hang padlock / other items.
- Can hang 4 Padlock in one layer to keep proper gap in between 2 locks
- Metal J hook – 7 nos. in one layer, for provision lock / hasp
- One in-built Lock and a knob to hold.
- 2 ABS Pocket keep loto tag and pen.
- **Weight** – ±4.5 Kg
- **Color** – Yellow,/Grey/Red/Green or as per quantity required
- **KRM-K-PLTS-6BL1J2P**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement

CE  
Certified

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)



GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKABLE LOCKOUT TAGOUT STATION-37590 (to keep multipurpose loto items)

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size in mm** – 375 X 375 X 92.5 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 3 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- **Weight** –  $\pm 4.5$  kg
- **Color** – Yellow or Red as per volume required.
- **KRM-K-LLTS-37590**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note: material design to be supply as per stock inventory.**



KRM-K-LLTS-37590

GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 0682132889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



KRM-LOTO  
SAFETY PRODUCTS  
safe loto

CE  
Certified

## LOCKABLE LOCKOUT TAGOUT STATION-37590 (to keep multipurpose loto items)

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 375mm X 375mm X 92.5mm
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 3 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- **Weight** – ±4.5 kg
- **Color** – Yellow, Red or as per volume required.
- **KRM-K-LLTS-37590**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note** – Material design to be supply as per stock inventory.



**KRM-K-LLTS-37590**

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381  
www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKABLE LOCKOUT TAGOUT STATION- 37590 (to keep multipurpose loto items)

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size in mm** – 375 X 375 X 92.5 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 3 3 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 7 no's hook. One lock & key / key chain separately can place / hang on alternate hook
- 9 & 4 padlock can hang individually in one metal layer of 17 & 7 hooks.
- 2 ABS Pocket keep loto tag and pen.
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- **Weight** –  $\pm 4.5$  kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTS-J2P-37590**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note: material design to be supply as per stock inventory.**



KRM-K-LLTS-J2P-37590

GSTIN No.: 06AAPVW8746Q126,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)

Email: [info@krmloto.com](mailto:info@krmloto.com), [info@krmcorporation.com](mailto:info@krmcorporation.com), [krmloto@gmail.com](mailto:krmloto@gmail.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



**KRM-LOTO**  
SAFETY PRODUCTS  
safe loto

CE  
Certified

## LOCKABLE LOCKOUT TAGOUT STATION- 37590 (to keep multipurpose loto items)

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 375mm X 375mm X 92.5mm
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 3 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 7 no's hook. One lock & key / key chain separately can place / hang on alternate hook.
- 9 & 4 padlock can hang individually in one metal layer of 17 & 7 hooks.
- 2 ABS Pocket keep loto tag and pen.
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- **Weight** – ±4.5 kg
- **Color** – Yellow, Red or as per volume required.
- **KRM-K-LLTS-J2P-37590**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note** – Material design to be supply as per stock inventory.



**KRM-K-LLTS-J2P-37590**

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

**KM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwrajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)



## KRM LOTO - LOCKOUT TAGOUT STATION CLEAR FASCIA -16146

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** –16" X 14 X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 1 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement .
- One Adjustable shelves for placing the loto items
- One in-built Lock and a knob to hold.
- **Weight** – ±6.5 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-PCLS-S-Y16146**
- **KRM-K-PCLS-S-R16146**
- **Note** - Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note: Material design to be supply as per stock inventory.**



KRM-K-PCLS-R



KRM-K-PCLS-Y



GSTIN No.: 06AAPVW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



CE  
Certified

## LOCKOUT TAGOUT STATION CLEAR FASCIA -16146

- Material – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- Size – 16" X 14 X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 1 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place / hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement .
- One Adjustable shelves for placing the items
- One in-built Lock and a knob to hold.
- Weight – +6.5 kg
- Color – Red ,Yellow or as per quantity required.
- KRM-K-PCLS-S-Y16146
- KRM-K-PCLS-S-R16146
- Note – Can also make combination of metal j hook 7/12/17 as per requirement.
- Note – Material design to be supply as per stock inventory.



KRM-K-PCLS-Y

KRM-K-PCLS-R

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AACPW8746Q1Z6,  
PAN No.: AACPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKOUT TAGOUT STATION-OPAQUE FASCIA-16146

### LOCKOUT/TAGOUT

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** –16" X 14 X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 1 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement .
- One Adjustable shelves for placing the items
- One in-built Lock and a knob to hold.
- **Weight** –  $\pm 7$  kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-Y-PCLS-P/KRM-K-R-PCLS-P**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KRM-K-Y-PCLS-P



KRM-K-G-PCLS-P KRM-K-R-PCLS-P



GSTIN No.: 06AAPVW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



KRM-LOTO  
SAFETY PRODUCTS  
safe loto

CE  
Certified

## LOCKOUT TAGOUT STATION-OPAQUE FASCIA-16146

- Material – Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- Size – 16" X 14 X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 1 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place / hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement .
- One Adjustable shelves for placing the items
- One in-built Lock and a knob to hold.
- Weight –  $\pm 7$  kg
- Color – Red ,Yellow or as per quantity required.
- KRM-K-Y-PCLS-P / KRM-K-R-PCLS-P / KRM-K-G-PCLS-P
- Note – Can also make combination of metal j hook 7/12/17 as per requirement.



KRM-K-Y-PCLS-P



KRM-K-G-PCLS-P



KRM-K-R-PCLS-P

**KRM CORPORATION**  
OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwrajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com



GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAMPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

## KRM LOTO – LOCKOUT TAGOUT STATION WITH GROUP LOTO BOX

- **Material-** Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 16" X 14" X 6" + 4" X 14" X 6"
- Having provision of slots on the top layer to drop key or document after locking.
- Provision of optional handle which make it portable so that can be carried any where.
- Provision of pre drilled hole on back side to mount any other surface.
- Three Adjustable shelves for placing the items. Shelves can be adjusted either ways up or down.
- One slider covered block as an additional advantage to the station that can be used to store LOTO items as well as can be used for group locking.
- One in-built Lock and a knob to hold.
- **Weight** – ± 7.5kg
- **KRM-K-LCGS-Y**
- **Color** – Yellow, Red or as per quantity required.



**KRM-K-LCGS-Y**

GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 0682132889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



**KRM-LOTO**  
SAFETY PRODUCTS  
safe loto

## LOCKOUT TAGOUT STATION WITH GROUP LOTO BOX

CE  
Certified



**KRM-K-LCGS-Y**

- **Material** – Mild steel with duly phosphate powder coated.
- **Front side** Clear Fascia with border frame.
- **Size** – 16" X 14" X 6" + 4" X 14" X 6"
- Having provision of slots on the top layer to drop key or document after locking.
- Provision of optional handle which make it portable so that can be carried any where.
- Provision of pre drilled hole on back side to mount any other surface.
- Three Adjustable shelves for placing the items. Shelves can be adjusted either ways up or down.
- One slider covered block as an additional advantage to the station that can be used to store LOTO items as well as can be used for group locking.
- One in-built Lock and a knob to hold.
- **Weight** – ±7.5 kg
- **KRM-K-LCGS-Y**
- **Color** – Yellow, Red or as per quantity required.

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)

GSTIN No.: 06AAMPW8746Q126,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)

Email: [info@krmloto.com](mailto:info@krmloto.com), [info@krmcorporation.com](mailto:info@krmcorporation.com), [krmloto@gmail.com](mailto:krmloto@gmail.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO – LOCKABLE LOCKOUT TAGOUT STATION-CLEAR FASCIA -30156

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 30" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 2 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One adjustable shelf
- One / two in-built Lock and a knob to hold.
- **Weight** –  $\pm 10$  kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTS-CF-30156**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



**KRM-K-LLTS-CF-30156**

GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



**KRM-LOTO**  
SAFETY PRODUCTS  
safe loto



**KRM-K-LLTS-CF-30156**

## LOCKABLE LOCKOUT TAGOUT STATION-CLEAR FASCIA-30156

CE  
Certified

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 30" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 2 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place / hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One adjustable shelf
- One / two in-built Lock and a knob to hold.
- **Weight** – ±10 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTS-CF-30156**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note** – Material design to be supply as per stock inventory.

GSTIN No.: 06AAPW8746Q126,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lockoutappliances.com



GSTIN No.: 06AAECK2831L12I  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKABLE LOCKOUT TAGOUT STATION- MESH FASCIA -30156

- **Material** – Mild steel with duly phosphate powder coated.
- Front side mesh Fascia with border frame.
- **Size** – 30" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 2 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One adjustable shelf
- One / two in-built Lock and a knob to hold.
- **Weight** –  $\pm 10$  kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTS-MF-30156**
- **Note** - Can also make combination of metal j hook 7/12/17 as per requirement.



KRM-K-LLTS-MF-30156

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com)

[www.lockouttagouts.com](http://www.lockouttagouts.com)

[www.krmloto.com](http://www.krmloto.com)

[www.locktagindia.com](http://www.locktagindia.com)

[www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



### LOCKABLE LOCKOUT TAGOUT STATION-MESH FASCIA -30156

CE  
Certified



**KRM-K-LLTS-MF-30156**

- **Material** – Mild steel with duly phosphate powder coated.
- **Front side** mesh Fascia with border frame.
- **Size** – 30" X 15" X 6"
- Provision of pre drilled hole on back side to mount any other surface.
- **Metal J Type hook / slots** to hang padlocks in the station.
- **2 Layers of Metal J Type hook** (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.
- **9 padlock** can hang individually in one metal layer of 17 hooks.
- **2 lock** can put / hag on one hook as per requirement
- **One adjustable shelf**
- **One / two in-built Lock** and a knob to hold.
- **Weight** – ±10 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTS-MF-30156**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T, Faridabad-121001 Haryana - NCR (INDIA)

**KRM Safetech Private Limited**

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381  
info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)

GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

## KRM LOTO – LOCKABLE LOCKOUT TAGOUT STATION-CLEAR FASCIA -30159

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 30" X 15" X 9"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 2 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One adjustable shelf
- One / Two in-built Lock and a knob to hold.
- **Weight** –  $\pm 13$  kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-LLTS-CF-30159**
- **Note** - Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note: Material design to be supply as per stock inventory.**



**KRM-K-LLTS-CF-30159**

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



CE  
Certified

## LOCKABLE LOCKOUT TAGOUT STATION-CLEAR FASCIA -30159

- Material – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- Size – 30" X 15" X 9"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 2 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One adjustable shelf.
- One / Two in-built Lock and a knob to hold.
- Weight – ±13 kg
- Color – Yellow or as per quantity required.
- KRM-K-LLTS-CF-30159
- Note – Can also make combination of metal j hook 7/12/17 as per requirement.
- Note – Material design to be supply as per stock inventory.



KRM-K-LLTS- CF-30159

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com



GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKABLE LOCKOUT TAGOUT STATION-242210

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 24" X 22 X 10"
- Provision of pre drilled hole on back side to mount any other surface.
- 2 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 7 no's hook. One lock & key / key chain separately can place /hang on alternate hook
- 13 padlocks can hang individually in one layer combination of 17+7 hooks
- 2 lock can hang on one hook as if requirement .
- 2 Adjustable shelves for placing the items
- One in-built Lock and a knob to hold.
- **Weight** –  $\pm 13$  kg
- **Color** – Yellow , red or as per quantity required.
- **KRM LOTO PART NO : KRM-K-LLTS-242210**
- **Note: Material design to be supply as per stock inventory.**



KRM-K-LLTS-242210

GSTIN No.: 06AACPW8746Q1Z6,  
 PAN No.: AAVPW8746Q  
 TIN No.: 0682132889,  
 TAN no.: RTKKO3359G  
 IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1  
 PAN No.: AAECK2831L  
 TIN No.: 06824000112  
 CIN No.: U31903HR2011PTC042508  
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)


## LOCKOUT/TAGOUT



CE  
 Certified

**LOCKABLE LOCKOUT TAGOUT STATION-242210**

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 24" X 22 X 10"
- Provision of pre drilled hole on back side to mount any other surface.
- 2 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 7 no's hook. One lock & key / key chain separately can place /hang on alternate hook
- 13 padlocks can hang individually in one layer combination of 17+7 hooks
- 2 lock can hang on one hook as if requirement .
- 2 Adjustable shelves for placing the items
- One in-built Lock and a knob to hold.
- Weight – ±13 kg
- **Color** – Yellow , red or as per quantity required.
- **KRM-K-LLTS-242210**
- **Note** – Material design to be supply as per stock inventory.



**KRM-K-LLTS-242210**

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
 to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

Postal Add: 615, Sector-15A, Faridabad-121007  
 Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
 www.lotoappliances.com, www.lockouttagouts.com

OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Productsto meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO – LOCKOUT TAGOUT STATION-CLEAR FASCIA-483612

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 36" X 48" X 12"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 10 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 7 no's hook. One lock & key / key chain separately can place /hang on alternate hook
- 9 & 4 padlock can hang individually in one metal layer of 17 & 7 hooks.
- One/two adjustable shelf on additional requirement
- 2 lock can put / hag on one hook as per requirement
- One / two in-built Lock and a knob to hold.
- **Weight** –  $\pm 40$  kg
- **Color** – Yellow or as per Volume requirement.
- **KRM-K-LTS-CF-483612**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



**KRM-K-LTS-CF-483612**



GSTIN No.: 06AAPVW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 0682132889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



**KRM-LOTO**  
SAFETY PRODUCTS  
safe loto



**KRM-K-LTS-CF-483612**

**LOCKOUT TAGOUT STATION-CLEAR FASCIA-483612**

- Material – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- Size – 36" X 48" X 12"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 7 no's hook. One lock & key / key chain separately can place /hang on alternate hook
- 9 & 4 padlock can hang individually in one metal layer of 17 & 7 hooks.
- One/two adjustable shelf on additional requirement
- 2 lock can put / hag on one hook as per requirement
- One / two in-built Lock and a knob to hold.
- Weight – +40 kg
- Color – Yellow or as per Volume requirement.
- KRM-K-LTS-CF-483612
- Note - Can also make combination of metal j hook 7/12/17 as per requirement.

CE  
Certified

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381  
www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com



## KRM LOTO – MULTIPURPOSE LOCKOUT TAGOUT STATION-244812

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 24" X 48" X 12"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 12 no's hook. One lock & key / key chain separately can place /hang on alternate hook
- 9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks.
- 2 lock can put / hag on one hook as per requirement
- One adjustable shelf
- 1/2/3 in-built Lock and a knob to hold.
- **Weight** –  $\pm 35$  kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-MLTS-244812**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



**KRM-K-MLTS-244812**

GSTIN No.: 06AAPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 0682132889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)

Email: [info@krmloto.com](mailto:info@krmloto.com), [info@krmcorporation.com](mailto:info@krmcorporation.com), [krmloto@gmail.com](mailto:krmloto@gmail.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



CE  
Certified

**MULTIPURPOSE LOCKOUT TAGOUT STATION-244812**

**KRM-K-MTLS-244812**

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 24" X 48" X 12"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 12 no's hook. One lock & key / key chain separately can place / hang on alternate hook.
- 9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks.
- 2 lock can put / hag on one hook as per requirement
- One adjustable shelf
- 1/2/3 in-built Lock and a knob to hold.
- **Weight** – +35 kg
- **Color** – Yellow or as per quantity required.
- **KRM-K-MTLS-244812**
- **Note** – Can also make combination of metal j hook 7/12/17 as per requirement.

GSTIN No.: 06AAVPW8746Q126,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L12I  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKOUT TAGOUT STATION- CLEAR FASCIA- GREY-15155-1

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 150X 150 X 50MM
- Provision of pre drilled hole on back side to mount any other surface.
- 1 Layer of Metal J Type hook (1 layer having 7 no's hook)  
One lock & key separately can place /hang on alternate hook.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- 2 lock can put / hag on one hook as per requirement
- 1 locking hooks outside to put locks
- **Weight** –  $\pm 650$  grams
- **Color** – Grey or as per quantity required
- **KRM-K-LTS-CFG-15155-1 = 1 LAYER**



**KRM-K-LTS-CFG-15155-1**

GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 0682132889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com)

[www.lockouttagouts.com](http://www.lockouttagouts.com)

[www.krmloto.com](http://www.krmloto.com)

[www.locktagindia.com](http://www.locktagindia.com)

[www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



LOCKOUT/TAGOUT  
**KRM-LOTO**  
SAFETY PRODUCTS

safe loto

CE  
Certified

## LOCKOUT TAGOUT STATION-CLEAR FASCIA -GREY-15155-1



**KRM-K-LTS-CFG-15155-1**

- Material – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- Size – 150X 150 X 50MM
- Provision of pre drilled hole on back side to mount any other surface.
- 1 Layer of Metal J Type hook (1 layer having 7 no's hook) One lock & key separately can place / hang on alternate hook.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- 2 lock can put / hag on one hook as per requirement
- 1 locking hooks outside to put locks
- Weight – +650 gms
- Color – Grey or as per quantity required
- KRM-K-LTS-CFG-15155-1 = 1 LAYER

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)



GSTIN No.: 06AAPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKOUT TAGOUT STATION- CLEAR FASCIA- YELLOW -15155-4

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Clear Fascia with border frame.
- **Size** – 150X 150 X 50MM
- Provision of pre drilled hole on back side to mount any other surface.
- 1 Layer of Metal J Type hook (1 layer having 7 no's hook) One lock & key / key chain separately can place /hang on alternate hook.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- 2 lock can put / hag on one hook as per requirement
- 4 locking hooks outside to put locks
- **Weight** – ±650 grams
- **Color** – Yellow,/Red or as per quantity required
- **KRM-K-LTS-CFY-151555-4 = 1 LAYER**



**KRM-K-LTS-CFY-151555-4**

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## LOCKOUT/TAGOUT



**KRM-LOTO**  
SAFETY PRODUCTS

**safe loto**



**KRM-K-LTS-CFY-15155-4**

### LOCKOUT TAGOUT STATION-CLEAR FASCIA -YELLOW-15155-4

CE  
Certified

- **Material** – Mild steel with duly phosphate powder coated.
- **Front side** Clear Fascia with border frame.
- **Size** – 150X 150 X 50MM
- Provision of pre drilled hole on back side to mount any other surface.
- 1 Layer of Metal J Type hook (1 layer having 7 no's hook) One lock & key / key chain separately can place /hang on alternate hook.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- 2 lock can put / hag on one hook as per requirement
- 4 locking hooks outside to put locks
- **Weight** – +650 gms
- **Color** – Yellow,/Red or as per quantity required
- **KRM-K-LTS-CFY-15155-4 = 1 LAYER**

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKOUT TAGOUT STATION- POLYCARBONATE CLEAR FASCIA

- **Material** – Made from ABS +Polycarbonate compositions material. It is moulded piece.
- Front side Polycarbonate Clear Fascia with border frame.
- **Size** – 156X 156 X 64MM
- Provision of pre drilled hole on back side to mount any other surface.
- 1 Layer of Metal J Type hook (1 layer having 7 no's hook) One lock & key / key chain separately can place /hang on alternate hook.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- 5 locking hooks outside to put locks
- **Weight** – +225 grams
- **Color** – Yellow,/Red or as per quantity required
- **KRM-K-LTST-PCF-Y15156-5 = 1 LAYER**
- **KRM-K-LTST-PCF-R15156-5 = 1 LAYER**



**KRM-K-LTST-PCF-  
Y15156-5**

**KRM-K-LTST-PCF-  
R15156-5**

**KRM CORPORATION**  
 GSTIN No.: 06AAVPW8746Q1Z6,  
 PAN No.: AAVPW8746Q  
 TIN No.: 06821328889,  
 TAN no.: RTKKO3359G  
 IEC: 0509006116



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



**KRM Safetech Private Limited**  
 QUALITY MANAGEMENT SYSTEM ISO 9001:2015  
 GSTIN No.: 06AAECK2831L1Z1  
 PAN No.: AAECK2831L  
 TIN No.: 06824000112  
 CIN No.: U31903HR2011PTC042508  
 IEC: AAECK2831L

M: 00 91 9810 291 381, 8800 544 881

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**LOCKOUT/TAGOUT**



**KRM-LOTO**  
 SAFETY PRODUCTS  
**safe loto**

CE  
 Certified

**LOCKOUT TAGOUT STATION- POLYCARBONATE  
 CLEAR FASCIA**



**KRM-K-LTST-PCF-Y15156-5**



**KRM-K-LTST-PCF-R15156-5**

- **Material** – Made from ABS +Polycarbonate compositions material. It is moulded piece.
- Front side Polycarbonate Clear Fascia with border frame.
- **Size** – 156 x 156 x 64mm
- Provision of pre drilled hole on back side to mount any other surface.
- 1 Layer of Metal J Type hook (1 layer having 7 no's hook) One lock & key / key chain separately can place /hang on alternate hook.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- 5 locking hooks outside to put locks
- **Weight** – +225 gms
- **Color** – Yellow,/Red or as per quantity required
- **KRM-K-LTST-PCF-Y15156-5 = 1 LAYER**
- **KRM-K-LTST-PCF-R15156-5 = 1 LAYER**

**KRM CORPORATION**  
 OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
 to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

**KRM Safetech Private Limited** M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381  
 info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

Postal Add: 615, Sector-15A, Faridabad-121007 Haryana - NCR (INDIA)  
 Regd. Office: 1H/31A, N.I.T, Faridabad-121001

www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
 www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q126,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1ZI  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKOUT TAGOUT STATION-MESH FASCIA-15155-4

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side MESH Fascia with border frame.
- **Size** – 150X 150 X 50MM
- Provision of pre drilled hole on back side to mount any other surface.
- 1 Layer of Metal J Type hook (1 layer having 7 no's hook) One lock & key / key chain separately can place /hang on alternate hook.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- 2 lock can put / hag on one hook as per requirement
- 4 locking hooks outside to put locks
- **Weight** –  $\pm 650$  grams
- **Color** – Yellow,/Red or as per quantity required
- **KRM-K-LTS-MFY-15155-4 = 1 LAYER**
- **KRM-K-LTS-MFR-15155-4 = 1 LAYER**



**KRM-K-LTS-MFY-15155-4**



**KRM-K-LTS-MFR-15155-4**

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



CE  
Certified

**LOCKOUT TAGOUT STATION-MESH FASCIA-15155-4**

- Material – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side MESH Fascia with border frame.
- Size – 150X 150 X 50MM
- Provision of pre drilled hole on back side to mount any other surface.
- 1 Layer of Metal J Type hook (1 layer having 7 no's hook) One lock & key / key chain separately can place /hang on alternate hook.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- 2 lock can put / hag on one hook as per requirement
- 4 locking hooks outside to put locks
- Weight – +650 gms
- Color – Yellow, /Red or as per quantity required
- KRM-K-LTS-MFY-15155-4 = 1 LAYER
- KRM-K-LTS-MFR-15155-4 = 1 LAYER



**KRM-K-LTS-MFY-15155-4**



**KRM-K-LTS-MFR-15155-4**

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)

GSTIN No.: 06AACPW8746Q1Z6,  
PAN No.: AACPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lockoutappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – LOCKOUT STATION-MESH FASCIA-225155-4

- **Material** – Mild steel with duly phosphate powder coated.
- Front side MESH Fascia with border frame.
- **Size** – 225X 150 X 50MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 2 Layer of Metal J Type hook (1 layer having 7 no's hook) One lock & key / key chain separately can place /hang on alternate hook.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- 2 lock can put / hag on one hook as per requirement
- 4 locking hooks outside to put locks
- **Weight** –  $\pm 1$  Kg
- **Color** – Yellow, /Red or as per quantity required
- KRM-K-LTS-MFR-225155-4= 2 LAYERS
- KRM-K-LTS-MFY-225155-4 = 2 LAYERS



KRM-K-LTS-MFR  
-225155-4



KRM-K-LTS-MFR  
-225155-4

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



**KRM-LOTO**  
SAFETY PRODUCTS

safe loto

CE  
Certified

**LOCKOUT TAGOUT STATION-MESH FASCIA-225155-4**

KRM-K-LTS-MFY-225155-4



KRM-K-LTS-MFR-225155-4

- Material – Mild steel with duly phosphate powder coated.
- Front side MESH Fascia with border frame.
- Size – 225X 150 X 50MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 2 Layer of Metal J Type hook (1 layer having 7 no's hook) One lock & key / key chain separately can place /hang on alternate hook.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- 2 lock can put / hag on one hook as per requirement
- 4 locking hooks outside to put locks
- Weight –  $\pm 1$  Kg
- Color – Yellow,/Red or as per quantity required
- KRM-K-LTS-MFR-225155-4 = 2 LAYERS
- KRM-K-LTS-MFY-225155-4 = 2 LAYERS

**KRM CORPORATION**

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

**KRM Safetech Private Limited**

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)



GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## Notes:

- Lock & Tag should be used with all loto products.
- For group locking on particular energy hasp should be used.
- Group lockout box should be used for group lockout tagout.
- Scissor Cable or Round cable lockout can be used to lock multiple hazardous energies instead putting individual locks & tags.

