

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM - LED SEARCH LIGHT

MICROELECTRONICS CONTROL SYSTEM OF LED PORTABLE RECHARGEABLE SEARCHLIGHT

- Life of up to 100.000 hours
- Large capacity 800 MAH power
- Range waterproof function.

Charge parameters

- Rated input voltage : AC110-220v
- Voltage frequency: 50hz-60hz
- Output: DC.4v
- Environment humidity: : $\leq 90\%$
- Working time : low light about 9 hours max
light about 5hours
- Charging time : 8hrs – 10hrs
- Battery spec : 4v1500mAH – 6000mAH



- **IS SUITABLE THE FUNCTION:**
- Maritime shore patrol, first aid field work.
- The criminal investigation captures.
- Cut power emergency
- Patrol captured search lighting.
- The mine does an inspection .
- Disaster relief emergency , camping

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM - LED RECHARGEABLE SEARCH LIGHT

FEATURES

- In-built battery charger.
- ABS Rubberised body.
- Spot light work light(tail lamp) multi mode operations.
- Handle is integral part of the body water resistant.
- Adjustable shoulder strap soft touch switches.
- LED: 5W(front)
- Tail lamp LEDs: 3 no's.
- Body /color : ABS Rubberised /black
- Dimensions (approx.): L-210mm X w-110mm X H-120mm
- Weight (Approx.) 1450gms(with batter) 740gms without battery
- Range : up to 500m approx.
- Battery : Rechargeable SMF lead acid
- Battery charger : inbuilt
- Charging : input voltage 220+10% AC single phase 50cycle
- Operation : 3step mode, strong - Super strong - powerful
- Operation Time : up to 12hrs
- Charging Time (approx.) : up to 14hrs



KRM-K-RSL-07



Tail Lamp

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM – HAND HELD RECHARGEABLE SEARCH LIGHT

Rechargeable Halogen Lantern made of weather proof construction material & equipped with high capacity sealed lead acid battery and on AC / DC battery

Technical Specifications

- Product : Light Weight Hand Held LED Search Light
LED : 15 W CREE LED
Range : up to 1000 meters
Material : ABS
Battery : 4.0V, 400 MAH
Function : Dimmer, Flash ON/OFF
Beam : Spot Light
Charger : Adaptor type
Dimensions: 22cm (L) X 14cm (W) X 12cm (H) Appox
Front Dia (inner) : 10cm Approx.
Front Dia (outer) : 12cm Approx.
LED Indicator : Charging, Charging done and battery
Weight : 1 kg
Operating temp : -10 c to 60 c
Humidity : up to 95%
Shoulder strap : Yes



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM - LED HAND SEARCH LIGHT - GUNLITE / BRITLITE (1900mtr range, with usb charges)

- Material : Aircraft aluminum alloy case.
- High quality LED flashlight
- High luminance LED and 100000 hours life.
- Battery type : Ni-cad battery 2.4v 2000mah
- Adaptor : AC110V-240V, 50/60hz, 3v, 500mah
- Charging hours: 8 hours
- Round pin charging for Longer durability
- Night glow switch / rubber sleeve, range 1900meter.
- Switch -100% brightness/30% brightness off /high/low/and multi function switch.
- Lamps: CREE LED 3w,
- Weight : 220 grams (including Batter and Excluding adaptor)



KKRM-K-LHSL-19

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM - HALOGEN / LED COMBO HANDS FREE LIGHT

- Led Head Lamp with Adjustable Head Strap-Powerful Halogen / LED combo hands free light certified product.
- The body is tough ABS resin that's corrosion proof and resistant to extreme temperatures.
- The 90° pivoting head allows you to aim light right where you need it.
- The light weight battery pack houses 4a alkaline cells (included) Can fix it on helmet or can directly wear it on head. .
- Weight - 300gms.



KRM-K-PHLL-03

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM - LED BASE HAND FREE LIGHT

- This 3 AAA dual-function headlamp is cETLus, ATEX, INMETRO, and IECEx listed Intrinsically Safe.
- This headlamp features a multi-position tilt head design and includes an elastic head strap with a non-slip lining and a heavy-duty rubber head strap for use on a hard hat.
- A heavy duty rare-earth magnetic base is securely mounted on the bottom to provide 360 degrees of hands-free rotation for proper light placement on any job site.

Specifications

- Spotlight Lumens: 90 / 50
- Beam Distance: 80 m / 65 m
- Spotlight Runtime: 13.5 / 22.75



KKRM-K-LHL-02

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM - HANDY BRIGHT LED FLASH LIGHT

- HANDY, unbelievably bright LED flashlight that's powered by 3 alkaline cells (included).
- The light weight slim profile design fits neatly in your pocket and comfortably in your hand.
- Avail button switch provides quick on/off or momentary activation.
- The clip is virtually unbreakable because it is molded to the Xenon body as one unit. And because it is molded out of polycarbonate resin, it won't cause sparks and is safe to use in electrical environments. Length -15.7 cm.
- Battery burn time : 50hours



KRM-LFL-07



KRM - FLAME RESISTANT TORCH

- Powerful flashlight was designed with one thing in mind: SAFETY.
- It carries more approvals than any other flashlight on the market today, making it safe for any hazardous environment or condition.
- It is o ring sealed with a twist-on shroud and comes with a polarity battery guard tray that safeguards against dangerous "outgassing" of hydrogen from an accidentally reversed cell.
- It is powered by 3 C alkaline cells, submersible to 500 feet, and has an ABS resin body which resists chemicals, corrosion, and extreme temperatures. Unlike ordinary flashlights that produce a yellow beam, the Sabre Lite's incredibly bright Xenon lamp produces a powerful collimated white beam.

**KRM-K- PEL-2**