



KRM LOTO – ADJUSTABLE – UNIVERSAL BUTTERFLY VALVE LOCKOUT

- Butterfly valve lockout is used to lock hydraulic, pneumatic and chemical energies efficiently. Made of dielectric material and doesn't effected by any chemical, low in cost with high performance.
- Material – Poly Propylene
- KRM LOTO ADJUSTABLE – Universal Butterfly Valve Lockout is used to block the valve lever with trigger. Body of lockout is divided in two parts, the butterfly valve lockout is a simple, effective way to secure your butterfly valves to prevent unauthorized operation working with low and High temperature variation – 45°C to 200°C.
- Recommended to use with cable Lockout device for stronger strength and lesser possibilities for accidents.
- Size Applicable – Suitable for 8 mm to 45 mm valves
- Color – Red Or any color make as per the required quantity

KRM-K-UBF-A



INSTALLATION PATTERN



to compliance
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269

Lock Tag!!



www.lotoappliances.com

safe loto



KRM LOTO – ADJUSTABLE – UNIVERSAL BUTTERFLY VALVE LOCKOUT

- Butterfly valve lockout is used to lock hydraulic, pneumatic and chemical energies efficiently. Made of dielectric material and doesn't effected by any chemical, low in cost with high performance.
- **Material** – Poly Propylene
- KRM LOTO ADJUSTABLE – Universal Butterfly Valve Lockout is used to block the valve lever with trigger. Body of lockout is divided in two parts, the butterfly valve lockout is a simple, effective way to secure your butterfly valves to prevent unauthorized operation working with low and High temperature variation – 45°C to 200°C.
- Recommended to use with cable Lockout device for stronger strength and lesser possibilities for accidents.
- **Size Applicable** – Suitable for 8 mm to 45 mm valves
- **Color** – Red Or any color make as per the required quantity
- Can be provided with different options or combination:
 - KRM-K-UBF-RMCLT – Universal Butterfly Valve Lockout with Round Multipurpose Cable Lockout
 - KRM-K-UBF-MPS – Universal Butterfly Valve Lockout with Multipurpose Scissor Cable Lockout
 - KRM-K-UBF-MCLT – Universal Butterfly Valve Lockout with Metal Cable Lockout





KRM LOTO – ADJUSTABLE – UNIVERSAL BUTTERFLY VALVE LOCKOUT

- Butterfly valve lockout is used to lock hydraulic, pneumatic and chemical energies efficiently. Made of dielectric material and doesn't effected by any chemical, low in cost with high performance.
- Material – Poly Propylene & ABS
- KRM LOTO ADJUSTABLE – Universal Butterfly Valve Lockout is used to block the valve lever with trigger. Body of lockout is divided in two parts, the butterfly valve lockout is a simple, effective way to secure your butterfly valves to prevent unauthorized operation working with low and High temperature variation – 45°C to 200°C.
- Recommended to use with cable Lockout device for stronger strength and lesser possibilities for accidents.
- Size Applicable – Suitable for 8 mm to 45 mm valves
- Color – Red Or any color make as per the required quantity
- Can be provided with different options or combination:
- **KRM-K-UBF+UMICL** – Universal Butterfly Valve Lockout with MULTIPURPOSE PVC INSULATED COATING STEEL CABLE.



KRM-K-UBF+UMICL

GSTIN No.: 06AAPPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA
www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



to compliance
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO – ADJUSTABLE – BALL VALVE LOCKOUT

- KRM LOTO Ball valve lockout's body in two parts, these are simple, easy to use lockouts that clamp over the valve lever, that resistant to cracking and abrasion preventing the valve from operating, and lock in place by using catalog. Resistant to low and high temperature variation 45 degree Celsius to 200 degree Celsius.
- It is very indestructible finger friendly valve covers whose inner side can be used for gripping the valve handle sleeves inside the cover, after locking they prevent valve from handle being turned.
- Material - Poly Propylene
- Its specialty is that its very flexible lockout arrangement that fits on valves of different dimensions, also very compact and easy carrying.
- Color - Red or any color make as per volume.



KRM-K-ABVL