



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



# PLUG CHORD LOCKOUT

LOCKOUT/TAGOUT



KRM-K-PLC-2





## KRM LOTO – PLUG CHORD LOCKOUT DEVICES

Index Page No:-2

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	UNIT	WEIGHT (kg)	TECHNICAL PAGE NO.
1	KRM-K-MPCL R	RED - Mini Plug Chord	NO	0.050	3-4
2	KRM-K-MPCL Y	Yellow - Mini Plug Chord	NO	0.050	3-4
3	KRM-K-PLC-2	Dual Large Plug Chord lockout Devices	NO	0.290	5-6
4	KRM-K-UMDL-EL- Y	Universal Multi device Lockout Non conductive-Yellow	NO	0.113	7-8
5	KRM-K-UMDL-EL-R	Universal Multi device Lockout Non conductive-Red	NO	0.113	7-8
6	KRM-K-UDLPCL-2 R	UNIVERSAL Dual Large Plug Chord lockout Devices	NO	0.380	9-10
12	KRM-K-AFLBD-1	ADJUSTABLE FLEXIBLE LOCKOUT BAG SMALL	NO	0.250	11-12
13	KRM-K-AFLBD-2	ADJUSTABLE FLEXIBLE LOCKOUT BAG BIG	NO	0.300	11-12
7	KRM-K-PSL-1	PIN AND SLEEVE LOCKOUT DEVICE FOR SOCKET 40mm DIA	NO	0.80	13-14
8	KRM-K-PSL-2	PIN AND SLEEVE LOCKOUT DEVICE FOR SOCKET 44mm DIA	NO	0.110	13-14
9	KRM-K-PSL-3	PIN AND SLEEVE LOCKOUT DEVICE FOR SOCKET 50mm DIA	NO	0.150	13-14
10	KRM-K-PSL-4	PIN AND SLEEVE LOCKOUT DEVICE FOR SOCKET 63mm DIA	NO	0.150	13-14
11	KRM-K-PSL-5	PIN AND SLEEVE LOCKOUT DEVICE FOR SOCKET 73mm DIA	NO	0.150	13-14
12	KRM-K-MCPL	MALE CHORD PLUG LOCKOUT	NO	0.50	15-16
13	KRM-K-INPCLD-R	IN PUT power cable supply lockout device Red COLOR	NO	0.100	17-18
14	KRM-K-AFLYB-1	ADJUSTABLE FLEXIBLE LOCKOUT YELLOW BAG	No	0.350	19
15	KRM-K-AFLYB-2	ADJUSTABLE FLEXIBLE LOCKOUT YELLOW BAG	No	0.450	19

GSTIN No.: 06AACPW8746Q1Z6,  
PAN No.: AACPW8746Q  
TIN No.: 0682132889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

## MINI PLUG CHORD LOCKOUT DEVICE

- KRM Mini Plug Chord construct in two parts that Completely encloses electrical plugs of mini size to prevent accidental reconnecting.
- **Material** – ABS with printed label
- **Locking slots** – Three hole to place the Lock
- **Size** – length 90 mm, width 50mm, diameter 25 mm excluding hinge and locking arrangement
- Diameter for Power chord that is different for both side - One side 14 mm, Another side 19 mm
- **Color** – Red, Yellow Or any color make as per required quantity
- **Weight** – 80 gms



KRM-K-MPCL-R



KRM-K-MPCL-Y

MODELS	OUTER LENGTH	OUTER WIDTH	HOLE DIA	NUMBER OF HOLE	WEIGHT
KRM-K-MPCL-R	90mm	50mm	09mm	03	80gm
KRM-K-MPCL-Y	90mm	50mm	09mm	03	80gm



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lockoutappliances.com



**LOCKOUT/TAGOUT**



**MINI PLUG CHORD LOCKOUT DEVICES**

CE Certified



- KRM Mini Plug Chord construct in two parts that Completely encloses electrical plugs of mini size to prevent accidental reconnecting.
- **Material** – ABS with printed label
- **Locking slots** – Three hole to place the Lock
- **Size** – length 90 mm, width 50mm, diameter 25 mm excluding hinge and locking arrangement
- **Diameter for Power chord** that is different for both side - One side 14 mm, Another side 19 mm
- **Color** – Red, Yellow Or any color make as per required quantity
- **Weight** – 50 gms



KRM-K-MPCL-R



KRM-K-MPCL-Y

MODELS	WIDTH	HEIGHT	LENGTH OF HANDLE	LOCK HOLE	NUMBER OF HOLES
KRM-K-MPCL-R	90mm	50mm	09mm	03	50gm
KRM-K-MPCL-Y	90mm	50mm	09mm	03	50gm



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**KRM LOTO - LARGE PLUG CHORD LOCKOUT**

- KRM Large Plug Lockout isolates potentially hazardous energy without costly tool modifications or inconvenient in-line valves.

**Material** - Poly Propylene.

- **Holes for Chord** - One hole of 25 mm diameter on both sides.
- **Locking Slots** - 4 holes to latch with lock for group isolation.
- **Complete Outer Size** - Length - 194 mm and width 64 mm. Inner Size - Length 184 mm and width - 60 mm.
- **Color** - Red or can make any color as per volume required.
- **Weight** - 270 gms



MODEL	COMPLETE OUTER LENGTH/HEIGHT	COMPLETE OUTER WIDTH	INNER LENGTH	INNER WIDTH	NUMBER OF HOLE	HOLE DIA	WEIGHT
KRM-K-PLC-2	LENTGH-194 HEIGHT-96mm	Center 94mm Bottom 64mm	LENTGH-186mm HEIGHT-88mm	Center-86mm Bottom 52mm	04hole	8.5mm	270gm

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 0682132889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## LOCKOUT/TAGOUT



LOCKOUT/TAGOUT  
KRM-LOTO  
SAFETY PRODUCTS  
safe loto

## LARGE PLUG CHORD LOCKOUT

KRM LOTO  
EXPERT

CE  
Certified



KRM-K-PLC-2

- KRM Large Plug Lockout isolates potentially hazardous energy without costly tool modifications or inconvenient in-line valves.
- **Material** – Poly Propylene.
- **Holes for Chord** – One hole of 25 mm diameter on both sides.
- **Locking Slots** – 4 holes to latch with lock for group isolation.
- **Complete Outer Size** – Length - 194 mm and width 64 mm. Inner Size - Length 184 mm and width - 60 mm.
- **Color** – Red or can make any color as per volume required.
- **Weight** – 290 gm



KRM-K-PLC-2

MODELS	COMPLETE OUTER LENGTH/HEIGHT	COMPLETE OUTER WIDTH	INNER LENGTH	INNER WIDTH	NUMBER OF HOLES	HOLE DIA	WEIGHT
KRM-K-PLC-2	LENGTH-194mm	CENTER 94mm	LENGTH-186mm	CENTER 86mm	04	8.5mm	290gm
	HEIGHT-96mm	BOTTOM 64mm	HEIGHT-88mm	BOTTOM 52mm			

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com | www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com



OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269



GSTIN No.: 06AAECK2831L1Z1, PAN No.: AAECK2831L, TIN No.: 06824000112, CIN No.: U31903HR2011PTC042508, IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

# UNIVERSAL MULTIDEVICE LOCKOUT CYLINDRICAL SHAPE (ELECTRICAL)

- **Material** – Poly Propylene with printed label
- KRM Universal Multi Device Lockout made by joining two parts that are designed to be used on high and low pressure gas cylinders and control the cylinder by locking the regulator attachment, also useful for plug or chord lockout
- **Locking slots** – One hole to place the Lock
- **Upper plates** – Two or Three slots are attached with round rivet
- **Outer Size** – diameter 88 mm (3.45”), length 155 mm (6.10”)
- Can lockout equipment of size – 3.4” width x 6” Length
- **Color** – Yellow , Red Or any color make as per required quantity
- **Weight** – 120gms



KRM-K-UMDL-EL-Y    KRM-K-UMDL-EL-R

MODELS	(A)	(B)	(C)	(D)	(E)	(F)
KRM-K-UMDL-EL-Y	88mm	120mm	14mm	9mm	155mm	13mm
KRM-K-UMDL-EL-R	88mm	120mm	14mm	9mm	155mm	13mm



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com


**LOCKOUT/TAGOUT**



**UNIVERSAL MULTIDevice LOCKOUT CYLINDRICAL SHAPE (ELECTRICAL)**

CE Certified

- Material – Poly Propylene with printed label
- KRM Universal Multi Device Lockout made by joining two parts that are designed to be used on high and low pressure gas cylinders and control the cylinder by locking the regulator attachment, also useful for plug or chord lockout
- Locking slots – One hole to place the Lock
- Upper plates – Two or Three slots are attached with round rivet
- Outer Size – diameter 88 mm (3.45"), length 155 mm (6.10")
- Can lockout equipment of size – 3.4" width x 6" Length
- Color – Yellow , Red Or any color make as per required quantity
- Weight – 113 gm



KRM-K-UMDL-EL-Y KRM-K-UMDL-EL-R

MODELS	A	B	C	D	E	F
KRM-K-UMDL-EL-Y	88mm	120mm	14mm	09mm	155mm	13mm
KRM-K-UMDL-EL-R	88mm	120mm	14mm	09mm	155mm	13mm

**KRM CORPORATION**

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

**KM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

Postal Add: 615, Sector-15A, Faridabad-121007 Haryana - NCR (INDIA)  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001

www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Productsto meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)

## UNIVERSAL Dual Large Plug Chord lockout Devices-KRM-K-UDLPCL-2 R

- KRM Dual Large Plug Chord or Pneumatic Lockout isolates potentially hazardous pneumatic energy without costly tool modifications or inconvenient in-line valves.
- **Material** – Poly Propylene
- **Holes for chord** – One hole of different diameter on both sides
- **Isolate Large Plugs of Size** – diameter 118 mm, length – 250 mm
- **Locking slots** – 11 hole to latch with Lock for group isolation.
- **Complete Outer Size** – length 256 mm, width 124 mm
- **Inner Size** – length 250 mm, width 118 mm
- **Color** – Yellow, Red or any color make as per the quantity
- **Weight** – 380 gms

**KRM-K-UDLPCL-2 R**

MODEL	OUTER LENGTH	OUTER WIDTH	HOLE DIA	NUMBER OF HOLE	WEIGHT
KRM-K-UDLPCL-2 R	256mm	124mm	10mm	11hole	380gm

GSTIN No.: 06AACPW8746Q1Z6,  
PAN No.: AACPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



### UNIVERSAL DUAL LARGE PLUG CHORD LOCKOUT DEVICE

CE  
Certified



KRM-K-UDLPCL-2 R

- KRM Dual Large Plug Chord or Pneumatic Lockout isolates potentially hazardous pneumatic energy without costly tool modifications or inconvenient in-line valves.
- Material – Poly Propylene
- Holes for chord – One hole of different diameter on both sides
- Isolate Large Plugs of Size – diameter 118 mm, length – 250 mm
- Locking slots – 11 hole to latch with Lock for group isolation.
- Complete Outer Size – length 256 mm, width 124 mm
- Inner Size – length 250 mm, width 118 mm
- Color – Yellow, Red or any color make as per the quantity
- Weight – 380 gm

MODELS	OUTER LENGTH	OUTER WIDTH	HOLE DIA	NUMBER OF HOLE	WEIGHT
KRM-K-UDLPCL-2R	256mm	124mm	10mm	11	380gm



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



**ADJUSTABLE FLEXIBLE LOCKOUT BAG**

- KRM Adjustable Lockout Bag used for plug, connector, Hoist control button, liver, cylinder, pneumatic etc. which is basically a hollow tube, PVC can be insert and can make a tight lockout.
- **Material** –Thick fabric Bag with insert PVC / FOAM strip.
- **Slots** – 6 holes to put the padlocks.
- **Color** – Red
- **Hole Dia** – 9 mm
- **KRM-AFLBD-1** – 458x242mm
- **KRM-AFLBD-2** – 635x300mm
- **Weight** – 190gms & 240gms



**KRM-K-AFLBD-1      KRM-K-AFLBD-2**

MODELS	OUTER LENGTH	OUTER WIDTH	HOLE DIA	NUMBER OF HOLE	WEIGHT
KRM-K-AFLBD-1	458mm	242mm	09mm	06	190gm
KRM-K-AFLBD-2	635mm	300mm	09mm	06	240gm



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**LOCKOUT/TAGOUT**



**ADJUSTABLE FLEXIBLE LOCKOUT BAG**



- KRM Adjustable Lockout Bag used for plug, connector, Hoist control button, liver, cylinder, pneumatic etc. which is basically a hollow tube, PVC can be insert and can make a tight lockout.
- **Material** –Thick fabric Bag with insert PVC / FOAM strip.
- **Slots** – 4 or 8 holes to put the padlocks. as per stock Availability.
- **Color** – Red
- **Hole Dia** – 9 mm
- **KRM-AFLBD-1** – 458x242mm
- **KRM-AFLBD-2** – 635x300mm
- **Weight** – 250gm & 300gm



KRM-K-AFLBD-1



KRM-K-AFLBD-2

MODELS	OUTER LENGTH	OUTER WIDTH	HOLE DIA	NUMBER OF HOLE	WEIGHT
KRM-K-AFLBD-1	458mm	242mm	9mm	04	250gm
KRM-K-AFLBD-2	635mm	300mm	9mm	04	300gm



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



## PIN AND SLEEVE LOCKOUT DEVICE FOR SOCKET

- **Material** – Made of Polypropylene
- Lockout is inserted into the FEMALE SOCKET, bring over the socket flap to hold it and lockout with suitable padlock & hasp.
- Simple design and easy to use at workplace for lockout.
- Size **(KRM-K-PSL-1)** – Lockout body diameter 40mm, which is suitable for mini size industrial socket.
- Size **(KRM-K-PSL-2)** – Lockout body diameter 44mm, which is suitable for mini size industrial socket.
- Size **(KRM-K-PSL-3)** – Lockout body diameter 50mm, which is suitable for mini size industrial socket.
- Size **(KRM-K-PSL-4)** – Lockout body diameter 63mm, which is suitable for mini size industrial socket.
- Size **(KRM-K-PSL-5)** – Lockout body diameter 73mm, which is suitable for mini size industrial socket.
- Applicable to all kinds of large, middle and mini industrial socket.
- Can make customized LOGO depending on the quantity required.
- **Color** – Red or any color make as per the quantity
- **Weight** – 40/50/65/80/110/ grams.



**KRM-K-PSL**



KRM-K-PSL-1 DIA	KRM-K-PSL-2 DIA	KRM-K-PSL-3 DIA	KRM-K-PSL-4 DIA	KRM-K-PSL-5 DIA
40mm	44mm	50mm	63mm	73mm

GSTIN No.: 06AACPW8746Q1Z6,  
PAN No.: AACPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

[www.lotoappliances.com](http://www.lotoappliances.com)



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## LOCKOUT/TAGOUT



**KRM-LOTO**  
SAFETY PRODUCTS  
safe loto

### PIN AND SLEEVE LOCKOUT DEVICE FOR SOCKET

CE  
Certified



**KRM-K-PSL**

- Material – Made of Polypropylene
- Lockout is inserted into the FEMALE SOCKET, bring over the socket flap to hold it and lockout with suitable padlock & hasp.
- Simple design and easy to use at workplace for lockout.
- Size (KRM-K-PSL-1) – Lockout body diameter 40mm, which is suitable for mini size industrial socket.
- Size (KRM-K-PSL-2) – Lockout body diameter 44mm, which is suitable for mini size industrial socket.
- Size (KRM-K-PSL-3) – Lockout body diameter 50mm, which is suitable for mini size industrial socket.
- Size (KRM-K-PSL-4) – Lockout body diameter 63mm, which is suitable for mini size industrial socket.
- Size (KRM-K-PSL-5) – Lockout body diameter 73mm, which is suitable for mini size industrial socket.
- Applicable to all kinds of large, middle and mini industrial socket.
- Can make customized LOGO depending on the quantity required.
- Color – Yellow or any color make as per the quantity
- Weight – 50 gm

PSL -1 DIA	PSL -2 DIA	PSL -3 DIA	PSL -4 DIA	PSL -5 DIA
40mm	44mm	50mm	63mm	73mm

**KRM CORPORATION**

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

**KM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2015

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

Postal Add: 615, Sector-15A, Faridabad-121007  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

[www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com), [www.safetyloto.com](http://www.safetyloto.com)  
[www.lotoappliances.com](http://www.lotoappliances.com), [www.lockouttagouts.com](http://www.lockouttagouts.com)

GSTIN No.: 06AACPW8746Q126,  
PAN No.: AACPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## MALE CHORD PLUG LOCKOUT

- **Material** – Made of Polypropylene
- lockout is connected to the outer (circular) of the male plug. It holds the outer
- Simple design and easy to use at workplace for lockout.
- **Size** – Length of overall device (hole at end) – 54mm, length of top end – 40mm Width – 37mm and Thickness – 25mm
- Covers wide usage as applicable to many kinds of industrial waterproof plugs.
- Can make customized LOGO depending on the quantity required.
- **Color** – Yellow or any color make as per the quantity
- **Weight** – 50 gms



**KRM-K-MCPL**

OVERALL LENGTH	LENGTH OF TOP	WIDTH	DEPTH	WEIGHT
54mm	40mm	37mm	25mm	50gm



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



**LOCKOUT/TAGOUT**



KRM LOTO  
EXPERT

CE  
Certified

**MALE PLUG CHORD LOCKOUT**



- **Material** – Made of PolyPropylene
- lockout is connected to the outer (circular) of the male plug. It holds the outer
- Simple design and easy to use at workplace for lockout.
- **Size** – Length of overall device (hole at end) – 54mm, length of top end – 40mm  
Width – 37mm and Thickness – 25mm
- Covers wide usage as applicable to many kinds of industrial waterproof plugs.
- Can make customized LOGO depending on the quantity required.
- **Color** – Yellow or any color make as per the quantity
- **Weight** – 50 gm



KRM-K-MPCL

OVERALL LENGTH	LENGTH OF TOP	WIDTH	DEPTH	WEIGHT
54mm	40mm	37mm	25mm	50gm

**KRM CORPORATION**

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018  
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

**KM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwrajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

Postal Add: 615, Sector-15A, Faridabad-121007 Haryana - NCR (INDIA)  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001

www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com





## INPUT POWER CABLE SUPPLY LOCKOUT DEVICE-KRM-K-INPCLD-R

- For providing protection to different energy sources for group isolation when multiple authorized employees need to lockout the same energy source at a time to meet Osha's Lockout / Tagout Standard. KRM Input Power Cable Supply Lockout.
- Material – Nylon, Elastomeric and Bolt.
- **Model** – Elastomeric nose that strongly grip to the inner part of the connector hosing.
- **Advantage** – No screw driver need to lock this device.
- **Use** - Can use with IEC60320 type input connect power fitted equipment's.
- **Suitable** - For device having removable power chord fo computer, multi laboratory instruments, power supplies devices etc.
- **Holes for chord** – 9 mm hole dia.
- **Color** – Red & Black.
- **Weight** – 100 gms



KRM-K-INPCLD-R



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**LOCKOUT/TAGOUT**



CE Certified

**INPUT POWER CABLE SUPPLY LOCKOUT DEVICES**



- For providing protection to different energy sources for group isolation when multiple authorized employees need to lockout the same energy source at a time to meet Osha's Lockout / Tagout Standard. KRM Input Power Cable Supply Lockout.
- **Material** – Nylon, Elastomeric and Bolt.
- **Model** – Elastomeric nose that strongly grip to the inner part of the connector hosing.
- **Advantage** – No screw driver need to lock this device.
- **Use** - Can use with IEC60320 type input connect power fitted equipments.
- **Suitable** - For device having removable power chord for computer, multi laboratory instruments, power supplies devices etc.
- **Holes for chord** – 9 mm hole dia.
- **Color** – Red & Black.
- **Weight** – 100 gms



**KRM-K-INCLD-R**

**KRM CORPORATION**

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

**KRM Safetech Private Limited**

QUALITY MANAGEMENT SYSTEM ISO 9001:2015

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

Postal Add: 615, Sector-15A, Faridabad-121007 Haryana - NCR (INDIA)  
Regd. Office: 1H/31A, N.I.T. Faridabad-121001

www.krmloto.com www.krmcorporation.com, www.safetyloto.com  
www.lotoappliances.com, www.lockouttagouts.com



## ADJUSTABLE FLEXIBLE LOCKOUT YELLOW BAG

- KRM Adjustable Flexible Lockout Bag used for plug, connector, Hoist control button, liver, cylinder, pneumatic etc. which is basically a hollow bag, PVC Pipe can be inserted as per requirement
- **Material** – Thick Vinyl bag with metal wire closing chord with ABS device
- **Slots** – Max 6 holes to put the padlocks
- **Color** – yellow, red as stock
- **Hole Dia** – 9 mm
- **KRM-AFLYB-1** – 458x242mm
- **KRM-AFLYB-2** – 635x300mm

### KRM-K-AFLYB-1



### KRM-K-AFLYB-2



MODELS	OUTER LENGTH	OUTER WIDTH	HOLE DIA	NUMBER OF HOLE	WEIGHT
KRM-K-AFLYB-1	458 mm	242 mm	09mm	06	190gm
KRM-K-AFLYB-2	635 mm	300 mm	09mm	06	240gm