

**KRM CORPORATION**ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAPPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)**Lock Tag!!**to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269[www.lotoappliances.com](http://www.lotoappliances.com)**safe loto****KRM Safetech Private Limited**  
QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

**KRM LOTO – PORTABLE SAFETY FLOOR STAND – DO NOT REMOVE LOCKS**

- Portable Display Floor stand foldable type. Easy to carry
- Specific message for different works
- **Material** – Engineering Plastic
- **Size** –Width-top/ bottom-208mm/295 mm ,Height-610mm
- **Printing** : Both side same matter ( can make different on both side on volume only )
- **Weight** – 710 grams
- Product will be charged on volumetric weight
- **Color** – Yellow
- Easy in storage – flat one by one
- Customized design/text/language can also be made

**KRM-K-LPHS-01**

**KRM CORPORATION**ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)**Lock Tag!!**to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269[www.lotoappliances.com](http://www.lotoappliances.com)**safe loto****KRM Safetech Private Limited**  
QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

**KRM LOTO PORTABLE SAFETY FLOOR STAND –LIVE TESTING IN PROGRESS**

- Portable Display Floor stand foldable type. Easy to carry
- Specific message for different works
- **Material** – Engineering Plastic
- **Size** –Width-top/ bottom-208mm/295 mm ,Height-610mm
- **Printing** : Both side same matter ( can make different on both side on volume only )
- **Weight** – 710 grams
- Product will be charged on volumetric weight
- **Color** – Yellow
- Easy in storage – flat one by one
- Customized design/text/language can also be made

**KRM-K-LPHS-02**

**KRM CORPORATION**ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAPPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)**Lock Tag!!**to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269[www.lotoappliances.com](http://www.lotoappliances.com)**safe loto****KRM Safetech Private Limited**  
QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

**KRM LOTO PORTABLE SAFETY FLOOR STAND –DO NOT OPERATE**

- Portable Display Floor stand foldable type. Easy to carry
- Specific message for different works
- **Material** – Engineering Plastic
- **Size** –Width-top/ bottom-208mm/295 mm ,Height-610mm
- **Printing** : Both side same matter ( can make different on both side on volume only )
- **Weight** – 710 grams
- Product will be charged on volumetric weight
- **Color** – Yellow
- Easy in storage – flat one by one
- Customized design/text/language can also be made

**KRM-K-LPHS-03**

**KRM CORPORATION**ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAPPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)**Lock Tag!!**to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269[www.lotoappliances.com](http://www.lotoappliances.com)**safe loto****KRM Safetech Private Limited**  
QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

**KRM LOTO PORTABLE SAFETY FLOOR STAND –WORK IN PROGRESS**


- Portable Display Floor stand foldable type. Easy to carry
- Specific message for different works
- **Material** – Engineering Plastic
- **Size** –Width-top/ bottom-208mm/295 mm ,Height-610mm
- **Printing** : Both side same matter ( can make different on both side on volume only )
- **Weight** – 710 grams
- Product will be charged on volumetric weight
- **Color** – Yellow
- Easy in storage – flat one by one
- Customized design/text/language can also be made

**KRM-K-LPHS-04**

**KRM CORPORATION**ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)**Lock Tag!!**to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269[www.lotoappliances.com](http://www.lotoappliances.com)**safe loto****KRM Safetech Private Limited**  
QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

**KRM LOTO PORTABLE SAFETY FLOOR STAND –HEIGHT WORK IN PROGRESS**

- Portable Display Floor stand foldable type. Easy to carry
- Specific message for different works
- **Material** – Engineering Plastic
- **Size** –Width-top/ bottom-208mm/295 mm ,Height-610mm
- **Printing** : Both side same matter ( can make different on both side on volume only )
- **Weight** – 710 grams
- Product will be charged on volumetric weight
- **Color** – Yellow
- Easy in storage – flat one by one
- Customized design/text/language can also be made

**KRM-K-LPHS-05**

**KRM CORPORATION**ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269GSTIN No.: 06AAPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)**Lock Tag!!**to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269[www.lotoappliances.com](http://www.lotoappliances.com)**safe loto****KRM Safetech Private Limited**  
QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

**KRM LOTO PORTABLE SAFETY FLOOR STAND –HOT WORK IN PROGRESS**

- Portable Display Floor stand foldable type. Easy to carry
- Specific message for different works
- **Material** – Engineering Plastic
- **Size** –Width-top/ bottom-208mm/295 mm ,Height-610mm
- **Printing** : Both side same matter ( can make different on both side on volume only )
- **Weight** – 710 grams
- Product will be charged on volumetric weight
- **Color** – Yellow
- Easy in storage – flat one by one
- Customized design/text/language can also be made

**KRM-K-LPHS-06**

**KRM CORPORATION**ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAPPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)**Lock Tag!!**to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269[www.lotoappliances.com](http://www.lotoappliances.com)**safe loto****KRM Safetech Private Limited**  
QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

**KRM LOTO PORTABLE SAFETY FLOOR STAND –WET FLOOR TAKE CARE**

- Portable Display Floor stand foldable type. Easy to carry
- Specific message for different works
- **Material** – Engineering Plastic
- **Size** –Width-top/ bottom-208mm/295 mm ,Height-610mm
- **Printing** : Both side same matter ( can make different on both side on volume only )
- **Weight** – 710 grams
- Product will be charged on volumetric weight
- **Color** – Yellow
- Easy in storage – flat one by one
- Customized design/text/language can also be made

**KRM-K-LPHS-07**

**KRM CORPORATION**ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAPPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**Lock Tag!!**to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

www.lotoappliances.com

safe loto

**KRM Safetech Private Limited**  
QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

**KRM LOTO PORTABLE SAFETY FLOOR STAND –NO ENTRY (CLEANING UNDER PROGRESS)**

- Portable Display Floor stand foldable type. Easy to carry
- Specific message for different works
- **Material** – Engineering Plastic
- **Size** –Width-top/ bottom-208mm/295 mm ,Height-610mm
- **Printing** : Both side same matter ( can make different on both side on volume only )
- **Weight** – 710 grams
- Product will be charged on volumetric weight
- **Color** – Yellow
- Easy in storage – flat one by one
- Customized design/text/language can also be made

**KRM-K-LPHS-08**



**KRM CORPORATION**ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAPPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)**Lock Tag!!**to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269[www.lotoappliances.com](http://www.lotoappliances.com)**safe loto****KRM Safetech Private Limited**  
QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

**KRM LOTO PORTABLE SAFETY FLOOR STAND –ACCESS PROHIBITED**

- Portable Display Floor stand foldable type. Easy to carry
- Specific message for different works
- **Material** – Engineering Plastic
- **Size** –Width-top/ bottom-208mm/295 mm ,Height-610mm
- **Printing** : Both side same matter ( can make different on both side on volume only )
- **Weight** – 710 grams
- Product will be charged on volumetric weight
- **Color** – Yellow
- Easy in storage – flat one by one
- Customized design/text/language can also be made

**KRM-K-LPHS-09**

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)

**Lock Tag!!**

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)

safe loto

**KRM Safetech Private Limited**  
QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO PORTABLE SAFETY FLOOR STAND –FALLING OBJECTS

- Portable Display Floor stand foldable type. Easy to carry
- Specific message for different works
- **Material** – Engineering Plastic
- **Size** –Width-top/ bottom-208mm/295 mm ,Height-610mm
- **Printing** : Both side same matter ( can make different on both side on volume only )
- **Weight** – 710 grams
- Product will be charged on volumetric weight
- **Color** – Yellow
- Easy in storage – flat one by one
- Customized design/text/language can also be made



**KRM-K-LPHS-10**

**KRM CORPORATION**ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018  
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAPPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**Lock Tag!!**to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

www.lotoappliances.com

safe loto

**KRM Safetech Private Limited**  
QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

**KRM LOTO PORTABLE SAFETY FLOOR STAND –HAZARDOUS SPILLS**

- Portable Display Floor stand foldable type. Easy to carry
- Specific message for different works
- **Material** – Engineering Plastic
- **Size** –Width-top/ bottom-208mm/295 mm ,Height-610mm
- **Printing** : Both side same matter ( can make different on both side on volume only )
- **Weight** – 710 grams
- Product will be charged on volumetric weight
- **Color** – Yellow
- Easy in storage – flat one by one
- Customized design/text/language can also be made

**KRM-K-LPHS-11**

GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAPPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com) | [www.lockouttagouts.com](http://www.lockouttagouts.com) | [www.krmloto.com](http://www.krmloto.com) | [www.locktagindia.com](http://www.locktagindia.com) | [www.lotoappliances.com](http://www.lotoappliances.com)

**Lock Tag!!**

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)

safe loto



**KRM Safetech Private Limited**  
QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## Notes:

- Lock & Tag should be used with all loto products.
- For group locking on particular energy hasp should be used.
- Group lockout box should be used for group lockout tagout.
- Scissor Cable or Round cable lockout can be used to lock multiple hazardous energies instead putting individual locks & tags.