

**KRM LOTO – LOCKOUT TAGOUT DOJO BOARD- INDEX****Index Page No:-1**

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	WEIGHT (kg)	TECHNICAL PAGE NO.
1	K KRM-K-OLTEDTCK-8046	KRM LOTO - OSHA LOCKOUT TAGOUT ELECTRICAL DISPLAY TRAINING CABINET KIT -8046	8	4-5
2	KKRM-K-OLTDTCCK-8027Y	KRM LOTO - OSHA LOCKOUT TAGOUT DISPLAY TRAINING CABINET KIT - 8027 YELLOW	10	6
3	KKRM-K-OLTDTCCK-8027G	KRM LOTO - OSHA LOCKOUT TAGOUT DISPLAY TRAINING CABINET KIT - 8027 GREY	10	7
	KKRM-K-OLTDTCCK-8026	KRM LOTO - OSHA LOCKOUT TAGOUT DISPLAY TRAINING CABINET KIT - 8026	8	8
4	KKRM-K-MEI-8	KRM LOTO – MECHANICAL ENERGY ISOLATION	-	9
5	KKRM-K-OLTEDTCK-MT-8046	KRM LOTO - OSHA LOCKOUT TAGOUT ELECTRICAL DISPLAY TRAINING CABINET KIT WITH MOVABLE TROLLEY -8046	2.5	10-11
6	KKRM-K-OLTDTCCK-MT-8026	KRM LOTO - OSHA LOCKOUT TAGOUT MECHANICAL DISPLAY TRAINING CABINET KIT WITH MOVABLE TROLLEY -8026	3.2	12-13
7	KKRM-K-MIDB-88	KRM LOTO – MECHANICAL ISOLATION DISPLAY BOARD	-	14-15
8	KKRM-K-LTDBS-5050	KRM LOTO – DOJO BOARD LOCKOUT TAGOUT SYSTEM WITH MATERIAL	32	16
10	KKRM-K-LTDBS-64	KRM LOTO – DOJO BOARD LOCKOUT TAGOUT SYSTEM WITHOUT MATERIAL	15	17
11	KKRM-K-LTDBS-4047	KRM LOTO – DOJO BOARD LOCKOUT TAGOUT SYSTEM	32	18
12	KKRM-K-LTDBS-7248	KRM LOTO – DOJO BOARD LOCKOUT TAGOUT SYSTEM	32	19
13	KKRM-K-LTDBS-VMS-4160	KRM LOTO – DOJO BOARD LOCKOUT TAGOUT SYSTEM WITH VERTICAL MOVABLE STAND	45	20

**KRM LOTO – LOCKOUT TAGOUT DOJO BOARD- INDEX****Index Page No:-2**


SR.NO	KRM LOTO PART CODE	PRODUCT NAME	WEIGHT (kg)	TECHNICAL PAGE NO.
14	KKRM-K-LTDBS-VMS-4160-WM	KRM LOTO – DOJO BOARD LOCKOUT TAGOUT SYSTEM WITH VERTICAL MOVABLE STAND WITHOUT MATERIAL	45	21
15	KKRM-K-LTDBS-VMS-5050	KRM LOTO – DOJO BOARD LOCKOUT TAGOUT SYSTEM WITH VERTICAL MOVABLE STAND	45	22
16	KKRM-K-LTDBS-VNMS-5050	KRM LOTO – DOJO BOARD LOCKOUT TAGOUT SYSTEM WITH VERTICAL NON MOVABLE STAND WITH HIGH QUALITY FLEX	35	23
17	KKRM-K-LTDBS-VNMS-5050	KRM LOTO – DOJO BOARD LOCKOUT TAGOUT SYSTEM WITH VERTICAL NON MOVABLE STAND WITH SELF ADHESIVE VINYL	35	24
18	KKRM-K-HPDK	KRM LOTO - HEAD PROTECTION DEMONSTRATION KIT	-	25
19	KKRM-K-FPDK	KRM LOTO - FALL PROTECTION DEMONSTRATION KIT	-	26
20	KKRM-K-MANNEQUIN	MALE PLASTIC SAFETY PPE FULL BODY MANNEQUIN DISPLAY WITH SAFETY ITEMS	-	27
21	KKRM-K-FTPDK	KRM LOTO - FOOT PROTECTION DEMONSTRATION KIT	-	28
22	KKRM-K-SMLM	KRM LOTO - SAFE MATERIAL LIFTING MODEL	-	29
23	KKRM-K-ESSCLB	KRM LOTO - ELECTRIC SHOCK /SHORT CIRCUIT LEARNING BOARD	-	30
24	KKRM-K-HPWMB	KRM LOTO-HAND PROTECTION WORKING MODEL BOARD	-	31
25	KKRM-K-PPEDB	KRM LOTO - PPE DISPLAY BOARD	-	32

**KRM LOTO – LOCKOUT TAGOUT DOJO BOARD- INDEX****Index Page No:-2**

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	WEIGHT (kg)	TECHNICAL PAGE NO.
27	KKRM-K-FSLM	KRM LOTO-FIRE SAFETY LEARNING MODEL	-	33
28	KKCRM-K-VMS-FSLM	KRM LOTO-FIRE SAFETY LEARNING MODEL WITH VERTICAL MOVABLE STAND	-	34
29	KKRM-K-NPLB	KRM LOTO-NOISE POLLUTION LEARNING BOARD	-	35


Lock Tag!!

safe loto





# KRM LOTO – ELECTRICAL & MECHANICAL ENERGY ISOLATION DISPLAY TRAINING



## MECHANICAL ENERGY ISOLATION



GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO - OSHA LOCKOUT TAGOUT ELECTRICAL DISPLAY TRAINING CABINET KIT -8046

S No	Item code	Breif Description	Unit	Qty.
1	KKRM-K-DS	KRM loto-Display station Size – 18 " X 15" X 2"	No	1
2	KKRM-K-PIN OUT CBL	Pin out Circuit Breaker Lockout	NO	1
3	KKRM-K-MCBL-Y-SS	Mini Circuit Breaker Lockout with special foldable screw - yellow	No	1
4	KKRM-K-DMCBL	Multi function Circuit Breaker Lockout	No	1
5	KKRM-K-UCBL-R-P-1	Universal Circuit Breaker Lockout with plain screw	No	1
6	KKRM-K-MIESLD-3	Multipurpose Industrial Electrical Safety Lockout Device	No	1
7	KKRM-K-GVL-02	Gate Valve Lockout - 25 to 63.5 mm	No	1
8	KKRM-K-TEPBL-23	KRM LOTO - Emergency Push Button Lockout	No	1
9	KKRM-K- EPL-S	KRM LOTO - Multi devices- EMERGENCY push button Lockout- outer square	No	1
10	KKRM-K-RSDEL	Round Shape Di Electric Lockout	No	1
11	KKRM-K-OSLTP-MDK	OSHA Safety Lock Tag Padlocks / Locks - With differ key - 38 mm Height - Metal Shackle - with curve at top	No	3
12	KKRM-K-OSLTP-NDK	OSHA Safety Lock Tag Padlocks / Locks - With differ key - 38 mm Height - Nylon Shackle - with curve at top	No	3
13	KKRM-K-LT-2C	Do Not Operate Tags (Set of 10 pcs)	Set	1
14	KKRM-K-VCH-R-S25	Vinyl Molded coated Hasp - Small - jaw dia -25 mm – RED	No	1
15	KKRM-K-MTH	KRM LOTO Multipurpose TAG HOLDER (WITHOUT MATERIAL)	No	1
16	KKRM-K-LTMGB	Lockout Tagout Manual Information guide / book	No	1



Model no. : K KRM-K-OLTEDTCK-8046

Quantity : 1kit

Weight : 8Kg

GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO - OSHA LOCKOUT TAGOUT DISPLAY TRAINING CABINET KIT - 8027 YELLOW

S No	Item code	Breif Description	Unit	Qty.
1	KKRM-K-DS	KRM Loto-Display station yellow Size – 18 “ X 15” X 2”	No	1
2	KKRM-K-MCBL-C3	COMBO - Pin Type Circuit Breaker Lockout	NO	1
3	KKRM-K-MCBL-Y –SS	Mini Circuit Breaker Lockout with special foldable screw - yellow	No	1
4	KKRM-K-CBL-B –SS	Circuit Breaker Lockout with special foldable screw – blue	No	1
5	KKRM-K-DMCBL	Multi function Circuit Breaker Lockout	No	1
6	KKRM-K-UCBL-R-P-1	Universal Circuit Breaker Lockout with plain screw	No	1
7	KKRM-K-UCBL-R-N-1	Universal Circuit Breaker Lockout with Nose	No	1
8	KKRM-K-3ESSPBL-T	Emergency Push Button Lockout – Transparent	No	1
9	KKRM-K-GVL-02	Gate Valve Lockout - 25 to 63.5 mm	No	1
10	KKRM-K-GVL-06= KRM-K-NMDLA-R	Gate Valve Lockout - RED - Adjustable type BIG SIZE - 25 MM to 190 mm	No	1
11	KKRM-K-BV-01-ST	Ball Valve Lockout for Valves upto 9.5 mm to 31.5 mm	No	1
12	KKRM-K-ULD-WLA- 1- 15	Universal Valve lockout devices + One Long Arm with lower bottom jaw grip - 15mm	No	1
13	KKRM-K-MPS+2C	Multipurpose Cable Lockout with 2 mtrs cable	No	1
14	KKRM-K-TEPBL-23	KRM LOTO - Emergency Push Button Lockout	No	1
15	KKRM-K- EPL-S	KRM LOTO - Multi devices- EMERGENECY push button Lockout- outer square	No	1
16	KKRM-K-RSDEL	Round Shape Di Electric Lockout	No	1
17	KKRM-K-OSLTP-MDK	OSHA Safety Lock Tag Padlock - Metal Shackle - Differ Key	No	3
18	KKRM-K-OSLTP-NDK	OSHA Safety Lock Tag Padlock - Nylon Shackle - Differ Key	No	3
19	KKRM-K-LT-2C	Do Not Operate Tags (Set of 10 pcs)	Set	1
20	KKRM-K-LTMGB	Lockout Tagout Manual Information guide / book	No	1
21	KKRM-K-CD	Lockout Tagout CD Having presentation data / movie	No	1
22	KKRM-K-MTH	KRM LOTO Multipurpose TAG HOLDER	No	1
23	KKRM-K-LTSS 15	Lockout Tagout Safety Labels signs.Size : 100 x 150MM	No	1



Model no. : KKRM-K-OLTDTC-8027Y

Quantity : 1kit

Weight : 10 Kg

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO - OSHA LOCKOUT TAGOUT DISPLAY TRAINING CABINET KIT - 8027 GREY

S No	Item code	Breif Description	Unit	Qty.
1	KKRM-K-DS	KRM loto-Display station Grey SIZE – 18"X 15" X 2"	No	1
2	KKRM-K-MCBL-C3	COMBO - Pin Type Circuit Breaker Lockout	NO	1
3	KKRM-K-MCBL-Y –SS	Mini Circuit Breaker Lockout with special foldable screw - yellow	No	1
4	KKRM-K-CBL-B –SS	Circuit Breaker Lockout with special foldable screw – blue	No	1
5	KKRM-K-DMCBL	Multi function Circuit Breaker Lockout	No	1
6	KKRM-K-UCBL-R-P-1	Universal Circuit Breaker Lockout with plain screw	No	1
7	KKRM-K-UCBL-R-N-1	Universal Circuit Breaker Lockout with Nose	No	1
8	KKRM-K-3ESSPBL-T	Emergency Push Button Lockout – Transparent	No	1
9	KKRM-K-GVL-02	Gate Valve Lockout - 25 to 63.5 mm	No	1
10	KKRM-K-GVL-06= KKRM-K-NMDLA-R	Gate Valve Lockout - RED - Adjustable type BIG SIZE - 25 MM to 190 mm	No	1
11	KKRM-K-BV-01-ST	Ball Valve Lockout for Valves upto 9.5 mm to 31.5 mm	No	1
12	KKRM-K-ULD-WLA-1- 15	Universal Valve lockout devices + One Long Arm with lower bottom jaw grip - 15mm	No	1
13	KKRM-K-MPS+2C	Multipurpose Cable Lockout with 2 mtrs cable	No	1
14	KKRM-K-TEPBL-23	KRM LOTO - Emergency Push Button Lockout	No	1
15	KKRM-K- EPL-S	KRM LOTO - Multi devices- EMERGENCY push button Lockout- outer square	No	1
16	KKRM-K-RSDEL	Round Shape Di Electric Lockout	No	1
17	KKRM-K-OSLTP-MDK	OSHA Safety Lock Tag Padlock - Metal Shackle - Differ Key	No	3
18	KKRM-K-OSLTP-NDK	OSHA Safety Lock Tag Padlock - Nylon Shackle - Differ Key	No	3
19	KKRM-K-LT-2C	Do Not Operate Tags (Set of 10 pcs)	Set	1
20	KKRM-K-LTMGB	Lockout Tagout Manual Information guide / book	No	1
21	KKRM-K-CD	Lockout Tagout CD Having presentation data / movie	No	1
22	KKRM-K-MTH	KRM LOTO Multipurpose TAG HOLDER	No	1
23	KKRM-K-LTSS 15	Lockout Tagout Safety Labels signs.Size : 100 x 150MM	No	1



Model no. : KKRM-K-OLDTCK-8027G  
Quantity : 1kit  
Weight : 10 Kg

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO - OSHA LOCKOUT TAGOUT DISPLAY TRAINING CABINET KIT - 8026

S No	Item code	Breif Description	Unit	Qty.
1	KKRM-K-DS	KRM loto-Display station Size – 18 " X 15" X 2"	No	1
2	KKRM-K-DMCBL	Multi function Circuit Breaker Lockout	NO	1
3	KKRM-K-UCBL-R-P-SS	Universal Circuit Breaker Lockout with special foldable screw – Red	NO	1
4	KKRM-K-PIN IN CBL	Pin in Circuit Breaker Lockout	NO	1
5	KKRM-K-OSLTP-C-MDK	OSHA Safety Lock Tag Padlocks / Locks - With differ key	NO	2
6	KKRM-K-OSLTP-C-NDK	OSHA Safety Lock Tag Padlocks / Locks - With differ key	No	1
7	KKRM-K-OSLTP-DLC-MDK	OSHA Safety Lock Tag Padlocks / Locks - With differ key - 76 mm Height - Metal Shackle - with curve at top	No	1
8	KKRM-K-GVL-04	Gate Valve Lockout size - 63.5 to 130 mm	No	1
9	KKRM-K-BV-01-DL-LL	Ball Valve Lockout - Double Leg with long open length for valves up to 2-1/2" ( 63.5 MM )	No	1
10	KKRM-K-LT#10002	Do Not Operate Tags - Lockout Tags - 2 colors printing (set of 10)	Set	1
11	KKRM-K-LTMGB	Lockout Tagout Manual Information guide / book	No	1
12	KKRM-K-TEPBL-23	KRM LOTO - Emergency Push Button Lockout	No	1
13	KKRM-K- EPL-S	KRM LOTO - Multi devices- EMENRGECY push button Lockout- outer square	No	1




**Model no. : KKRM-K-OLTDCK-8026**  
**Quantity : 1kit**  
**Weight : 8 Kg**

**Note : kit having loto devices with equipment's**



## KRM LOTO – MECHANICAL ENERGY ISOLATION

S No	Item code	Breif Description	Unit	Qty.
1	KRM-K-ULD-WLA-2- 15	Universal Valve lockout devices with lower bottom jaw grip - 15mm + 2 Large ARM	NO	1
2	KRM-K-BV-02 L	Ball Valve Lockout for valves from 2"- 8" (50.8 MM TO 203.20MM )	NO	1
3	KRM-K-BV-03-BF	Butterfly Valve Lockout	NO	1
4	KRM-K-ULD-WSA-2-15	Universal Valve lockout devices + One Short Arm-made of Multiple composition ABS+ METAL part+Spring+ PU -- WITH LOWER BOTTOM JAW GRIP -15 MM- WITH 2 ARMS	NO	1
5	KRM-K-GVL-02	GATE VALVE LOCKOUT WITH ONE HOLE - 25 TO 63.5 MM	NO	1
6	KRM-K-MPS+2C	Multi Purpose Cable Lockout in Scissor shape + 2 mtr.Steel cable with insulated cable	NO	1
7	KRM-K-GVL-06= KRM-K-NMDLA-R	Gate Valve Lockout - RED - Adjustable type BIG SIZE - 25 MM to 190 mm	NO	1
8	KRM-K-ULD-V15	Universal Valve lockout device with lower bottom jaw grip - 15mm	NO	1



**KKRM-K-MEI-8**



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

# KRM LOTO – ELECTRICAL ENERGY ISOLATION DISPLAY TRAINING



**KRM LOTO - OSHA LOCKOUT TAGOUT ELECTRICAL DISPLAY TRAINING CABINET KIT WITH MOVABLE TROLLEY - 8046**

S No	Item code	Breif Description	Unit	Qty.
1	KRM-K-DS	KRM loto-Display station Size – 18 " X 15" X 2" fix on mild steel sheet powder coated and movable trolley	No	1
2	KRM-K-PIN OUT CBL	Pin out Circuit Breaker Lockout	NO	1
3	KRM-K-MCBL-Y - SS	Mini Circuit Breaker Lockout with special foldable screw - yellow	No	1
4	KRM-K-DMCBL	Multi function Circuit Breaker Lockout	No	1
5	KRM-K-UCBL-R-P-1	Universal Circuit Breaker Lockout with plain screw	No	1
6	KRM-K-MIESLD-3	Multipurpose Industrial Electrical Safety Lockout Device	No	1
7	KRM-K-GVL-02	Gate Valve Lockout - 25 to 63.5 mm	No	1
8	KRM-K-TEPBL-23	KRM LOTO - Emergency Push Button Lockout	No	1
9	KRM-K- EPL-S	KRM LOTO - Multi devices- EMERGENCY push button Lockout- outer square	No	1
10	KRM-K-RSDEL	Round Shape Di Electric Lockout	No	1
11	KRM-K-OSLTP-MDK	OSHA Safety Lock Tag Padlocks / Locks - With differ key - 38 mm Height - Metal Shackle - with curve at top	No	3
12	KRM-K-OSLTP-NDK	OSHA Safety Lock Tag Padlocks / Locks - With differ key - 38 mm Height - Nylon Shackle - with curve at top	No	3
13	KRM-K-LT-2C	Do Not Operate Tags (Set of 10 pcs)	Set	1
14	KRM-K-VCH-R-S25	Vinyl Molded coated Hasp - Small - jaw dia -25 mm – RED	No	1
15	KRM-K-MTH	KRM LOTO Multipurpose TAG HOLDER (WITHOUT MATERIAL)	No	1
16	KRM-K-LTMGB	Lockout Tagout Manual Information guide / book	No	1



**Model no. : KCRM-K-OLTEDTCK-MT-8046**  
**Quantity : 1kit**  
**Weight : 8Kg**



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA


www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**KRM LOTO –MECHANICAL ENERGY ISOLATION WITH MOVABLE STAND**



**KRM LOTO - MECHANICAL ISOLATION**  
www.krmloto.com | www.krmcorporation.com

Sl No	Part code	Product name	Qty	Part code	Product name
1	KRM-KL2D-00A-2-25	Universal Valve lockout device with lower bottom jaw 25	1	KRM-KL2D-02	SAFETY WIRE CABLE WITH ONE HOLE
2	KRM-KL2D-02-L	Ball Valve Lockout for valves from	5	KRM-KL2D-02C	Ball Valve Cable lockout to lower flow - 1 inch ball valve with handle with
3	KRM-KL2D-02-RP	Butterfly Valve Lockout	5	KRM-KL2D-02C-1	Ball Valve Cable lockout to lower flow - 1 inch ball valve with handle with
4	KRM-KL2D-02A-2-25	Universal Valve lockout device - One Sheet with one set of Multiple components WITH LOWER BOTTOM JAW 25 With 1 LABEL	5	KRM-KL2D-02C-2	Gate Valve Lockout 400 Multi-Block type
					Shutring valve lockout device with lower bottom jaw 25



**MECHANICAL ENERGY ISOLATION**



**KRM LOTO - OSHA LOCKOUT TAGOUT MECHANICAL DISPLAY TRAINING CABINET KIT WITH MOVABLE TROLLEY - 8026**

S No	Item code	Breif Description	Unit	Qty.
1	KKRM-K-PIPILINE	Pipeline with different types of valve fix on mild steel sheet powder coated and movable trolley	No	1
2	KKRM-K-ULD-WLA-2- 15	Universal Valve lockout devices with lower bottom jaw grip - 15mm + 2 Large ARM	No	1
3	KKRM-K-BV-02 L	Ball Valve Lockout for valves from 2" - 8" (50.8 MM TO 203.20MM )For use on ball valve sizes from 2" to 8"	No	1
4	KKRM-K-BV-03-BF	Butterfly Valve Lockout Suitable for valve handle from 8mm to 45mm (0.3"-1.8") Outer edge to edge Length – 295 mm (11.61")	No	1
5	KKRM-K-ULD-WLA-2- 15	Universal Valve lockout devices with lower bottom jaw grip - 15mm + 2 Small ARM	No	1
6	KKRM-K-3 GVL-02	Gate Valve lockout with three hole - Size 25 mm to 63.5 mm APPLICABLE FOR VALVE HANDLE - OUTER WHEEL DIAMETER NOT VALVE SIZE	No	1
7	KKRM-K-MPS+2C	Multi Purpose Cable Lockout in Scissor shape + 2 mtr.metal cable with insulated	No	1
8	KKRM-K-GVL-06	Gate Valve Lockout - RED - Adjustable type BIG SIZE - 25 MM to 190 mm APPLICABLE FOR VALVE HANDLE - OUTER WHEEL DIAMETER NOT VALVE SIZE	No	1
9	KKRM-K-ULD-V15	Universal Valve lockout device with lower bottom jaw grip - 15mm	No	1



**Model no. : KKRM-K-OLTDCK-MT-8026**  
**Quantity : 1kit**  
**Weight : 8Kg**



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269




www.lotoappliances.com



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

# KRM LOTO – ELECTRICAL MECHANICAL ISOLATION DISPLAY



**KRM LOTO – MECHANICAL ISOLATION DISPLAY BOARD**

S No	Item code	Breif Description	Unit	Qty.
1	KRM-K-ULD-WLA-2- 15	Universal Valve lockout devices with lower bottom jaw grip - 15mm + 2 Large ARM	NO	1
2	KRM-K-BV-02 L	Ball Valve Lockout for valves from 2" - 8" (50.8 MM TO 203.20MM )	NO	1
3	KRM-K-BV-03-BF	Butterfly Valve Lockout	NO	1
4	KRM-K-ULD-WSA-2-15	Universal Valve lockout devices + One Short Arm-made of Multiple composition ABS+ METAL part Spring+ PU -- WITH LOWER BOTTOM JAW GRIP -15 MM- WITH 2 ARMS	NO	1
5	KRM-K-GVL-02	GATE VALVE LOCKOUT WITH ONE HOLE - 25 TO 63.5 MM	NO	1
6	KRM-K-MPS+2C	Multi Purpose Cable Lockout in Scissor shape + 2 mtr.Steel cable with insulated cable	NO	1
7	KRM-K-GVL-06= KRM-K-NMDLA-R	Gate Valve Lockout - RED - Adjustable type BIG SIZE - 25 MM to 190 mm	NO	1
8	KRM-K-ULD-V15	Universal Valve lockout device with lower bottom jaw grip - 15mm	NO	1

**KKRM-K-MIDB-88**



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**KRM LOTO – DOJO BOARD LOCKOUT TAGOUT SYSTEM WITH MATERIAL**

- **Material** – mild steel with duly phosphate powder coated
- There is 4 key hole on back side of base plate and can fix on wall.
- **Outer size** – 72x48 inch
- **Display size** – 36x24 inch
- Display material Made of multimedia pre adhesive vinyl pasted on thick ACP sheet (3 mm).
- All loto accessories hang metal j hook as shown on the picture
- Product Name also under display loto product name will we there
- Language as per your requirement Hindi or English.
- **PACKING**
- **One part** : base plate with all fitting marked with labels and display matter.
- **Second part** : having all loto accessories which to be hanged on specific position at your end as per image.
- It is modular pattern and easy to carry and install any where
- **KKRM-K-LTDBS050** with base and loto accessories to meet OSHA STANDARD REQUIREMENT.
- **we can make customized size.**



**KKRM-K-LTDBS-5050**

**NOTE : BASE PLATE & LOTO ITEM WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com




Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – DOJO BOARD LOCKOUT TAGOUT SYSTEM WITHOUT MATERIAL

- **Material** – mild steel with duly phosphate powder coated
- There is 4 key hole on back side of base plate and can fix on wall .
- **Outer size** – 72x48 inch
- **Display size** – 36x24 inch
- Display material Made of multimedia pre adhesive vinyl pasted on thick ACP sheet (3 mm).
- All loto accessories hang metal j hook as shown on the picture
- Product Name also under display loto product name will we there
- Language as per your requirement Hindi or English.
- **PACKING**
- **One part** : base plate with all fitting marked with labels and display matter .
- **Second part** : having all loto accessories which to be hanged on specific position at your end as per image .
- It is modular pattern and easy to carry and install any where
- we can make customized size.



**KKRM-K-LTDBS-64**

**NOTE : BASE PLATE & LOTO ITEM WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



# KRM LOTO – DOJO BOARD LOCKOUT TAGOUT SYSTEM

- **Material** – mild steel with duly phosphate powder coated
- There is 4 key hole on back side of base plate and can fix on wall.
- **Outer size** – 72x48 inch
- **Display size** – 36x24 inch
- **Display material** Made of multimedia pre adhesive vinyl pasted on thick ACP sheet (3 mm).
- All loto accessories hang metal j hook as shown on the picture
- Product Name also under display loto product name will we there
- Language as per your requirement Hindi or English.
- **PACKING**
- **One part** : base plate with all fitting marked with labels and display matter .
- **Second part** : having all loto accessories which to be hanged on specific position at your end as per image .
- It is modular pattern and easy to carry and install any where
- **KKRM-K-LTDBS4047** with base and loto accessories to meet OSHA STNADARD REQUIREMENT.
- we can make customized size



**KKRM-K-LTDBS-4047**

**NOTE : BASE PLATE & LOTO ITEM WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO – DOJO BOARD LOCKOUT TAGOUT SYSTEM

- **Material** – mild steel with duly phosphate powder coated
- There is 4 key hole on back side of base plate and can fix on wall.
- **Outer size** – 72x48 inch
- **Display size** – 36x24 inch
- Display material Made of multimedia pre adhesive vinyl pasted on thick ACP sheet (3 mm).
- All loto accessories hang metal j hook as shown on the picture
- Product Name also under display loto product name will we there
- Language as per your requirement Hindi or English.
- **PACKING**
- **One part** : base plate with all fitting marked with labels and display matter .
- **Second part** : having all loto accessories install images.
- It is modular pattern and easy to carry and install any where
- **KKRM-K-LTDBS-7248** with base and loto accessories to meet OSHA STNADARD REQUIREMENT.
- we can make customized size

**NOTE : BASE PLATE & LOTO ITEM WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

### KRM LOTO DISPLAY TRAINING BOARD

www.krmloto.com  
www.krmcorporation.com

WHAT IS SAFE LOTO ?

ELECTRICAL / MECHANICAL LOTO PRODUCTS

**WHAT IS LOTO?**  
Specific practice and procedures to safeguard employees from the release of hazardous energy during service or maintenance activity.

**WHY IS LOTO IMPORTANT?**  
Unexpected startup of equipment/instruments during service, maintenance work can result in severe injury or even death. Studies have shown that 10% of injuries occurring during service work are the result of someone else starting up the equipment. Don't be responsible for injuring a fellow employee.

**WHO IS LOTO AUTHORIZED EMPLOYEE?**  
A person who lockout or tagout machines or equipment in order to perform servicing or maintenance on that machine or equipment. An affected employee becomes an authorized employee when that employee's duties include performing servicing or maintenance covered under this section.

**TYPES OF LOTO APPLICATIONS:**  
1. ELECTRICAL 2. MECHANICAL 3. CHEMICAL 4. HYDRAULIC  
5. PNEUMATIC 6. THERMAL 7. OTHER SOURCES OF ENERGY

**LOCKOUT STEPS:**  
1. Determine responsibilities - Pre Job Plan  
2. Know the types and magnitude of hazardous energy  
3. Shut down the equipment  
4. Isolate the equipment from hazardous energy  
5. Apply the lockout - devices lockout tag  
6. Release stored energy  
7. Verify isolation - try to start the equipment

**RELEASE FROM LOCKOUT:**  
1. Release non-essential materials  
2. Make sure all employees are safely positioned and notified  
3. Remove locks and devices

**MULTIPLE ELECTRICAL ISOLATION**

**MULTIPLE MECHANICAL ISOLATION**

**LOTO DISPLAY TRAINING CABINET**

**MECHANICAL LINE DIAGRAM**

**KKRM-K-LTDBS-7248**

www.krmloto.com

www.krmcorporation.com

www.krmcorporation.com | www.krmloto.com | www.safetyloto.com | www.lockouttagouts.com | www.locktagindia.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com




Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – DOJO BOARD LOCKOUT TAGOUT SYSTEM WITH VERTICAL MOVABLE STAND

- **Material** – mild steel with duly phosphate powder coated
- There is 4 key hole on back side of base plate and can fix on wall .
- **Outer size** – 72x48 inch
- **Display size** – 36x24 inch
- Display material Made of multimedia pre adhesive vinyl pasted on thick ACP sheet (3 mm).
- All loto accessories hang metal j hook as shown on the picture
- Product Name also under display loto product name will we there
- Language as per your requirement Hindi or English.
- With a provision of vertical movable stand.
- **Stand** – Vertical display Legs made from heavy duty mild steel pipe duly powder coated with moveable heavy wheel with locking stopper arrangement.
- **PACKING**
- **One part** : base plate with all fitting marked with labels and display matter .
- **Second part** : having all loto accessories which to be hanged on specific position at your end as per image .
- It is modular pattern and easy to carry and install any where
- **Third part** : vertical movable stand.
- **KKRM-K-LTDBS-VMS-4160** with base and loto accessories to meet OSHA STNADARD REQUIREMENT.
- we can make customized size



**KKRM-K-LTDBS-VMS-4160**

**NOTE : BOX & BASE PLATE AND STAND WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO – DOJO BOARD LOCKOUT TAGOUT SYSTEM WITH VERTICAL MOVABLE STAND WITHOUT MATERIAL

- **Material** – mild steel with duly phosphate powder coated
- There is 4 key hole on back side of base plate and can fix on wall .
- **Outer size** – 72x48 inch
- **Display size** – 36x24 inch
- Display material Made of multimedia pre adhesive vinyl pasted on thick ACP sheet (3 mm).
- All loto accessories hang metal j hook as shown on the picture
- Product Name also under display loto product name will we there
- Language as per your requirement Hindi or English.
- With a provision of vertical movable stand.
- **Stand** – Vertical display Legs made from heavy duty mild steel pipe duly powder coated with moveable heavy wheel with locking stopper arrangement.
- **PACKING**
- **One part** : base plate with all fitting marked with labels and display matter .
- **Second part** : vertical movable stand.
- It is modular pattern and easy to carry and install any where
- **KKRM-K-LTDBS-VMS-4160-WM** with base and loto accessories to meet OSHA STANDARD REQUIREMENT.
- **we can make customized size**



**NOTE : BASE PLATE AND STAND WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

**KKRM-K-LTDBS-VMS-4160-WM**



## KRM LOTO – DOJO BOARD LOCKOUT TAGOUT SYSTEM WITH VERTICAL MOVABLE STAND

- **Material** – mild steel with duly phosphate powder coated
- There is 4 key hole on back side of base plate and can fix on wall .
- **Outer size** – 72x48 inch
- **Display size** – 36x24 inch
- Display material Made of multimedia pre adhesive vinyl pasted on thick ACP sheet (3 mm).
- All loto accessories hang metal j hook as shown on the picture
- Product Name also under display loto product name will be there
- Language as per your requirement Hindi or English.
- With a provision of vertical movable stand.
- **Stand** – Vertical display Legs made from heavy duty mild steel pipe duly powder coated with moveable heavy wheel with locking stopper arrangement
- **PACKING**
- **One part** : base plate with all fitting marked with labels and display matter .
- **Second part** : having all loto accessories which to be hanged on specific position at your end as per image .
- It is modular pattern and easy to carry and install any where
- Third part : vertical movable stand
- **KKRM-K-LTDBS-VMS-5050** with base and loto accessories to meet OSHA STANDARD REQUIREMENT.
- **we can make customized size**

**NOTE : BOX & BASE PLATE AND STAND WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**



**KKRM-K-LTDBS-VMS-5050**



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com




Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**KRM LOTO – DOJO BOARD LOCKOUT TAGOUT SYSTEM WITH VERTICAL NON MOVABLE STAND**

**DOJO BOARD WITH FLEXIBLE MEDIA PRINTING MATTER ON ACP SHEET**

- **Material** – Print on High Quality Flex with fix on thick ACP sheet (3 mm).
- There is 6 rivet can fix on ACP Sheet.
- **Outer size** – 72x48 inch
- All loto accessories hang metal j hook as shown on the picture
- Product Name also under display loto product name will we there
- Language as per your requirement Hindi or English.
- With a provision of vertical movable stand.
- **Stand** – Vertical display Legs made from heavy duty mild steel pipe duly powder coated
- **PACKING** -Having all loto accessories which to be hanged on specific position at your end as per image .
- It is modular pattern and easy to carry and install any where
- Third part : vertical non movable stand
- **KKRM-K-LTDBS-VNMS-5050** with base and loto accessories
- **we can make customized size**



**KKRM-K-LTDBS-VNMS-5050**

**NOTE : PLATE AND STAND WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

**KRM CORPORATION**  
 ISO 9001 : 2015, ISO EMS : 14001 : 2015, ISO 45001 : 2018  
 To meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147 & 1910.269

GSTIN No.: 06AAPPW8746Q1Z6,  
 PAN No.: AAVPW8746Q  
 TIN No.: 06821328889,  
 TAN no.: RTKKO3359G  
 IEC: 0509006116



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147 & 1910.269



**KRM Safetech Private Limited**  
 QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1  
 PAN No.: AAECK2831L  
 TIN No.: 06824000112  
 CIN No.: U31903HR2011PTC042508  
 IEC: AAECK2831L

M: 00 91 9810 291 381, 8800 544 881  
 Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com  
 Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA  
 www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**KRM LOTO – DOJO BOARD LOCKOUT TAGOUT SYSTEM WITH VERTICAL NON MOVABLE STAND**

**DOJO BOARD WITH Multimedia VINYL PRINTING MATTER ON ACP SHEET**

- **Material** – Print on multimedia vinyl stuck on thick ACP sheet (3 mm).
- **Outer size** – 72x48 inch
- All loto accessories hang metal j hook as shown on the picture
- Product Name also under display loto product name will we there
- Language as per your requirement Hindi or English.
- With a provision of vertical movable stand.
- **Stand** – Vertical display Legs made from heavy duty mild steel pipe duly powder coated

**PACKING**

- Having all loto accessories which to be hanged on specific position at your end as per image
- It is modular pattern and easy to carry and install any where
- Third part : vertical non movable stand
- **KKRM-K-LTDBS-VNMS-5050** with base and loto accessories
- we can make customized size



**KKRM-K-LTDBS-VNMS-5050**

**NOTE : PLATE AND STAND WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRMLOTO - HEAD PROTECTION DEMONSTRATION KIT

- We can demonstrate our head with helmet or without helmet. How safety helmet protect our head.
- Aluminum powder coated frame box type - 1 nos
- Three side covered with aluminum coating ACP sheet
- A small particle fall on our head though pipe line and see the impact on head with helmet or without helmet  
Instruction given on digital vinyl print. one half dummy with helmet or florescent jacket This board stay on 4 wheel balancing (2 lock wheel & 2 without lock)
- **SIZE - L 24" \*H 72" \*W 24"**



**KKRM-K-HPDK**

OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Productsto meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

www.lotoappliances.com



## KRMLOTO - FALL PROTECTION DEMONSTRATION KIT

- MS pipe frame box type - 1 no's
- MS Frame cover by aluminum coating ACP sheet
- full dummy set with all PPE - 1nos
- we can demonstrate the effective use of harness. We require harness anchoring arrangement in your training room. How human weight dummy fall from height and use the safety belt mild steel body with powder coated finished this kiosk system teach the safety training one by one ppt slide. our trainee at first teach this type training program.
- **SIZE - 30x30x100**



KKRM-K-FPDK

GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com)

[www.lockouttagouts.com](http://www.lockouttagouts.com)

[www.krmloto.com](http://www.krmloto.com)

[www.locktagindia.com](http://www.locktagindia.com)

[www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

Email: [info@krmloto.com](mailto:info@krmloto.com), [info@krmcorporation.com](mailto:info@krmcorporation.com), [krmloto@gmail.com](mailto:krmloto@gmail.com)



[www.lotoappliances.com](http://www.lotoappliances.com)



K31 Safetech Private Limited  
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## MALE PLASTIC SAFETY PPE FULL BODY MANNEQUIN DISPLAY WITH SAFETY ITEMS

- **Product Description**
- Dummy along with General safety gears(PPE) like Dummy (mannequin), Safety Shoes, Safety Belt, Dangri (Blue), Helmet, Mask, Goggles, Gloves. Aluminum cabinet with light arrangement.
- **Size:** 24x 24 x 96 inch (l x w x h)



**KKRM-K-MANNEQUIN**

GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRMLOTO - FOOT PROTECTION DEMONSTRATION KIT

- **Material-** Aluminum With ACP Sheet
- **Dimensions-** 24"x24"x72x" (LxWxH) Inch.
- Practical learning about foot protection and sensitize towards use of safety shoes.
- We can demonstrate difference between ordinary shoes and Safety Shoes.
- How safety shoes protect our finger & feet's?



KKRM-K-FTPDK

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRMLOTO - SAFE MATERIAL LIFTING MODEL

Safe ergonomic posture while lifting material learning model Through this board we can train our staff safe lifting techniques.

1. Type of Safe material lifting description on front board.
2. Digital Print on ACP sheet size, Size 4' x 5' x 4"
3. Green/Red Light display board with right and wrong working posture, size 4 x 4 x 0.6 feet



KKRM-K-SMLM

GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRMLOTO - ELECTRIC SHOCK /SHORT CIRCUIT LEARNING BOARD

- **SIZE-** 60X48 INCH
- Aluminum powder coated frame -1 no's
- Both side Aluminum coated ACP sheet covered - 1 no's
- Digital vinyl print with lamination -1 no's
- Wrong practice & Right practice both are shown in board
- In wrong practice we try to understand that majorly fire accident occur with short circuit and overloaded problem. Live short circuit animation - 1 no's , Live Overload problem animation - 1 no's , Electric wooden plate - 1 no's , 100 watt bulb - 5 no's , double pole MCB box with MCB - 1 set , modular plate with switch - 1 set , industrial wire jointer - 1 set , industrial plug - 1 set



**KKRM-K-ESSCLB**

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRMLOTO-HAND PROTECTION WORKING MODEL BOARD

- Hand Protection Working Model Board How to protect your Hand while working on machine. Motorized Machine moving part simulator . Hand protection description with digital print Type Mechanical Simulator
- **Material-** Aluminum board with digital print
- **Usage/Application-** Training/ Display/ Simulation
- **Size-** 36" X30" X 60"



KKRM-K-HPWMB



## KRMLOTO - PPE DISPLAY BOARD

- We can learn about Personal Protective Equipment (PPE), Effective use and effective adherence at work place
- Size-** 6 x 4 x 1 feet depth
- Items-** safety helmet - 1 no's ear muff - 1 no's safety belt - 1 no's cotton dangri - 1 no's Safety shoes - 1 pair Hand gloves - 1 pair Florescent jacket - 1 no's

**KKRM-K-PPEDB**



**KRMLOTO-FIRE SAFETY LEARNING MODEL**

- Aluminum Frame covered with ACP sheet box type Board size 48" x 72" x 12"
- Digital Print and Marking on Board (4 x 6 feet)
- Fire Safety Equipment to be displayed on Board – Extinguisher – 1 no, Bucket – 1no, Fire Hock – 1 no, Sprinkler – 1 no's, Branch Pipe – 1 no's, Landing valve- 1 nos. Hose pipe with M/F coupling– 1nos etc.
- Live Fire Detection System working model including – Fire Panel, MCB, Hooter, Smoke detector and Heat detector etc. .



**KKRM-K-FSLM**



## KRMLOTO-FIRE SAFETY LEARNING MODEL WITH VERTICAL MOVABLE STAND

- Aluminum Frame covered with ACP sheet box type Board size 48" x 72" x 12"
- Digital Print and Marking on Board (4 x 6 feet)
- Fire Safety Equipment to be displayed on Board – Extinguisher – 1 no, Bucket – 1no, Fire Hock – 1 no, Sprinkler – 1 no's, Branch Pipe – 1 no's, Landing valve- 1 nos. Hose pipe with M/F coupling– 1nos etc.
- Live Fire Detection System working model including – Fire Panel, MCB, Hooter, Smoke detector and Heat detector etc.
- Stand** – Vertical display Legs made from heavy duty mild steel pipe duly powder coated with moveable heavy wheel with locking stopper arrangement.



KKKRM-K-VMS-FSLM

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

[www.krmcorporation.com](http://www.krmcorporation.com)

[www.lockouttagouts.com](http://www.lockouttagouts.com)

[www.krmloto.com](http://www.krmloto.com)

[www.locktagindia.com](http://www.locktagindia.com)

[www.lotoappliances.com](http://www.lotoappliances.com)



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



[www.lotoappliances.com](http://www.lotoappliances.com)



**K&M Safetech Private Limited**  
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRMLOTO-NOISE POLLUTION LEARNING BOARD

- Practical learning about workplace noise and encourage use of ear plug & earmuff. We can
- explain different sound levels and impacts on hearing ability.
- **Usage** - DEMONSTRATION / TRAINING/ DISPLAY
- **Type** - SOUND EMITTING SYSTEM
- **Material** - ALUMINUM COVERED WITH ACP SHEET
- **Automation Grade** - Semi Automatic
- **Size** - 48" X 72" X 4"
- **Color** - MULTICOLOUR

**KRM-LOTO NOISE POLLUTION LEARNING BOARD** [www.krmloto.com](http://www.krmloto.com) [www.krmcorporation.com](http://www.krmcorporation.com)

**WHAT IS NOISE POLLUTION ?**  
Noise pollution, also known as environmental noise, is the excessive or unwanted sound that interferes with normal activities and can cause hearing loss and other health problems.

**WHAT IS INDUSTRIAL NOISE ?**  
It is sound that is produced by machinery, equipment, or processes in an industrial setting. It is a major source of noise pollution in many areas.

**HOW TO MEASURE NOISE POLLUTION ?**  
The most common measurement in environmental noise is the dBA (decibels A-weighted) scale. It measures the sound pressure level (SPL) in decibels (dB) and is weighted to reflect the human ear's response to different frequencies.

**EQUIPMENT TO MEASURE NOISE ?**  
NOISE LEVEL METER

**SOUND LEVEL IN NOISE POLLUTION**

Sound Level (dB)	Source
120-130	Jet engine, rock concert
100-110	Truck, lawnmower
70-80	Normal conversation, vacuum cleaner
40-50	Whisper, quiet office

**SAFETY MEASURE OF NOISE POLLUTION**

**SAFETY EQUIPMENTS FOR NOISE POLLUTION**

1. ROLLING DOWN FOAM EAR PLUGS
2. THREAD EAR PLUG
2. SAFETY EAR MUFF

**HOW TO USE ROLLING DOWN FOAM EAR PLUGS**

**HOW TO USE THREAD EAR PLUGS**

**HOW TO USE SAFETY EAR MUFF**

**KKRM-K-NPLB**