



KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM Safetech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products



LOCKOUT TAGOUT

Audit - Training - Survey - Services

Authorized Associates

M : + 91 9810 291 381, 8800 544 881
 Telefax: + 91 129 402 1381, 413 1381

info@krmcorporation.com
 info@krmloto.com
 krmloto@gmail.com
 rajinderwadhwa

 www.krmcorporation.com | www.krmloto.com
 www.locktagindia.com | www.lotoappliances.com

Postal Add.: 615, Sector-15A, Faridabad - 121007
 Regd. Office : 1H/31A, N.I.T. Faridabad - 121001, Haryana - NCR (INDIA)

We reserve the right to change dimensions, color and specifications without giving any prior notice



OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products
 to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

AUDIT ▶▶ TRAINING ▶▶ SURVEY ▶▶ SERVICES

A COMPLETE RANGE OF
LOCKOUT TAGOUT
Safety Products

Mini Catalogue
 MORE THAN
1.5K SKU
available

Accident Prevention Is Costless Accident Investigation Is Costly



Go Digital www.krmcorporation.com www.krmloto.com Buy Online

31A, H Block, N.I.T. 1,
 Faridabad, Haryana 121001

info@krmcorporation.com
 krm@krmcorporation.com
 lockout@krmcorporation.com

www.krmcorporation.com
 www.krmloto.com
 www.lockoutstagouts.com

 +919810291381, 8800544881, +911294021381

 rajinderwadhwa



KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

LOCKOUT HASP
 CE

to meet OSHA's Lockout Tagout standard 29 CFR, 1910.147 & 1910.269

KRM-LOFO
 SAFETY PRODUCTS
Lock Tag!!
 safe 

VINYL / MOLDED COATED LOCKOUT HASP




KRM-K-VCH-S25 (jaw dia -25 mm) **KRM-K-VCH-P38/39** (jaw dia - 38/39 mm)

- Red
- Green
- Blue
- Yellow

LOCKOUT HASP WITH SINGLE / DOUBLE HOOK

Double hook



KRM-K-VCH-SH-S25 **KRM-K-VCH-DH-P38/39**

- Red
- Green
- Blue
- Yellow

ALUMINUM LOCKOUT HASP



KRM-K-AMCH-S25 **KRM-K-AMCH-P 38/39**

- Red
- Green
- Blue
- yellow

ALUMINUM GROUP LOCKOUT HASP



KRM-AGLH-S-25 **KRM-AGLH-P-38**

- Red
- Green
- Blue
- Yellow

ELECTROPLATED / POWDER COATED HASP



KRM-K-EPH-P38/39 **KRM-K-PCH-P-38/39**

- Red
- Green
- Blue
- yellow

DUAL JAW LOCKOUT / HASP



KRM-K-MDJH8

- Red
- Green
- Blue
- Yellow

LABELED LOCKOUT HASP



KRM-K-LTLH-M-6/8/10/12/16 HOLES

- Red
- Green
- Blue
- yellow

DUAL JAW POWDER COATED HASP



KRM-K-UDJLH

- Red
- Green
- Blue
- Yellow

POWDER COATED LOCKOUT HASP



KRM-K-PCH-S25-R10/12/20/24

POWDER COATED HASP



KRM-K-LHPC28 **KRM-K-LHPC48**

KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

LOCKOUT HASP
 CE

to meet OSHA's Lockout Tagout standard 29 CFR, 1910.147 & 1910.269

KRM-LOFO
 SAFETY PRODUCTS
Lock Tag!!
 safe 

MULTIPURPOSE LOCKOUT HASP - MADE OF ABS & HARDENED METAL



KRM-K-PMLD

- Red
- Green
- Blue
- Yellow

OCTAGONAL (SHOCK STOP) LOCKOUT HASP / LOCKOUT TOGGLE HASP



KRM-K-LHOCQ-8 HOLE **KRM-K-LTGH**

METAL LOCKOUT HASP




KRM-K-SST-Y5

STAINLESS STEEL HASP / HEAVY DUTY STEEL LOCKOUT HASP



KRM-K-SSH **KRM-K-HDH-S** **KRM-K-HDH-P**

DI ELECTRIC LOCKOUT HASP WITH 12 HOLES



KRM-K-DEH-RB12 **KRM-K-DEH-YB12**

DIMENSIONS									
BODY HEIGHT	BODY WIDTH	SOLE HOLE DIA	SOLE HOLE DIA	SOLE DIA	CLOSE HEIGHT	THICKNESS OF PLATE	OVERALL WIDTH	OVERALL HEIGHT	WEIGHT
78mm	55mm	7.5mm	49mm	5mm	132mm	30mm	39mm	50mm	50gm

ECONOMY DI-ELECTRIC LOCKOUT HASP



KRM-K-EDLH

- Red
- Green
- Blue
- Yellow


DI-ELECTRIC LOCKOUT HASP (8 HOLES)



KRM-K-NH8

- Red
- Green
- Blue
- Yellow

DI-ELECTRIC LOCKOUT HASP (4 HOLES)



KRM-K-NH4


- Red
- Green
- Blue
- Yellow

DI-ELECTRIC LOCKOUT HASP



KRM-K-DEH-33 THICKNESS ← 3 MM

DI-ELECTRIC LOCKOUT HASP



KRM-K-DEH-43 THICKNESS ← 4 MM

KRM-K-DEH-63 THICKNESS ← 6 MM

DI-ELECTRIC LOCKOUT HASP (DEH-64)



KRM-K-DEH-64

- Red
- Green
- Blue
- Yellow

DI-ELECTRIC LOCKOUT HASP (DUAL JAW)



KRM-K-DJCH-8

KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

SAFETY PADLOCKS



to meet OSHA'a Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



OSHA SAFETY LOCK TAG PADLOCKS (METAL & NYLON 38 MM SHACKLE)

KRM-K-OSLTP-C-MDK/NDK

WITH ONE KEY

WITH TWO KEYS

Red
Green
Blue
Yellow
Black
Orange
White
Purple
Pink

DIMENSIONS					
BODY HEIGHT (A)	BODY WIDTH (B)	BODY DEPTH (C)	SHACKLE HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
45mm	40mm	20mm	38mm	20mm	6mm
45mm	40mm	20mm	38mm	20mm	6mm

OSHA SAFETY LOCK TAG PADLOCKS (METAL & NYLON 76 MM SHACKLE)

KRM-K-OSLTP-DLC-MDK/NDK

WITH ONE KEY

WITH TWO KEYS

Red
Green
Blue
Yellow
Black
Orange
White
Purple
Pink

DIMENSIONS					
BODY HEIGHT (A)	BODY WIDTH (B)	BODY DEPTH (C)	SHACKLE HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
45mm	40mm	20mm	76mm	20mm	6mm
45mm	40mm	20mm	76mm	20mm	6mm

OSHA SAFETY LOCK TAG PADLOCKS (DOUBLE BODY 38 / 76 MM METAL SHACKLE)

KRM-K-DB-OSLTP-MSDK KRM-K-DB-OSLTP-MLDK

WITH ONE KEY

WITH TWO KEYS

Red
Green
Blue
Yellow
Black
Orange
White
Purple
Pink

DIMENSIONS					
BODY HEIGHT (A)	BODY WIDTH (B)	BODY DEPTH (C)	SHACKLE HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
75mm	38mm	20mm	38mm	20mm	6mm
75mm	38mm	20mm	76mm	20mm	6mm

KEY MECHANISM FOR METAL AS WELL AS NYLON SHACKLE

KEY ALIKE (KRM-K-OSLTP-C-MDK+KA)

DIFFER KEY (KRM-K-OSLTP-C-MDK)

MASTER KEY (KRM-K-OSLTP-C-MDK+M)

WEATHER / WATER PROOF LOCKS 38 MM METAL/NYLON SHACKLE

KRM-K-3BWP-OSLTP-MDK/NDK

WITH ONE KEY

WITH TWO KEYS

Red
Green
Blue
Yellow
Black
Orange
White
Purple
Pink

DIMENSIONS					
BODY HEIGHT (A)	BODY WIDTH (B)	BODY DEPTH (C)	SHACKLE HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
46-58mm	39mm	20-21mm	38mm	20mm	6mm
46-58mm	39mm	20-21mm	38mm	20mm	6mm

OSHA SAFETY ISOLATION LOCKOUT PADLOCK- 38 / 76 MM METAL & NYLON SHACKLE

KRM-K-OSLTP-IC

WITH ONE KEY

WITH TWO KEYS

DIMENSIONS					
BODY HEIGHT (A)	BODY WIDTH (B)	BODY DEPTH (C)	SHACKLE HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
45mm	40mm	20mm	25mm	20mm	6mm
45mm	40mm	20mm	25mm	20mm	6mm

OSHA SAFETY LOCK TAG PADLOCKS (STEEL SHACKLE)

KRM-K-OSLTP-SSDK-47

DIMENSIONS					
BODY HEIGHT (A)	BODY WIDTH (B)	BODY DEPTH (C)	SHACKLE HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
45mm	40mm	20mm	25mm	20mm	4.7mm

KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

SAFETY PADLOCKS



to meet OSHA'a Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



INSULATED STEEL CABLE PADLOCK

KRM-K-CASPL-C KRM-K-CASPL-P

OSHA SAFETY LOCK TAG PADLOCKS (METAL & NYLON SHACKLE)

KRM-K-LSPL-DK KRM-K-LSPL-DE

OSHA SAFETY LOCK TAG PADLOCKS - WITH STAINLESS STEEL 25 MM SHACKLE

KRM-K-OSLTP-SSDK

DIMENSIONS					
BODY HEIGHT (A)	BODY WIDTH (B)	BODY DEPTH (C)	SHACKLE HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
45mm	40mm	20mm	25mm	20mm	4mm

OSHA SAFETY LOCK TAG PADLOCKS - WITH STAINLESS STEEL 38 MM SHACKLE

KRM-K-OSLTP-SSDK

DIMENSIONS					
BODY HEIGHT (A)	BODY WIDTH (B)	BODY DEPTH (C)	SHACKLE HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
45mm	40mm	20mm	38mm	20mm	4mm

WATERPROOF METAL PADLOCKS

KRM-K-WPP

DIMENSIONS					
BODY HEIGHT (A)	BODY WIDTH (B)	BODY DEPTH (C)	SHACKLE HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
40mm	49mm	20mm	46mm	20mm	7mm

LAMINATED SHORT / LONG SHACKLE PADLOCK

KRM-K-LPDWC-S/L

DIMENSIONS					
BODY HEIGHT (A)	BODY WIDTH (B)	BODY DEPTH (C)	SHACKLE HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
40mm	33mm	21mm	26/53mm	20mm	5mm

(ALUMINIUM PADLOCK)

KRM-K-ASP

DIMENSIONS					
BODY WIDTH (A)	SHACKLE HEIGHT (B)	BODY DEPTH (C)	BODY HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
39mm	38mm	40.5mm	19mm	6.3mm	

(STAINLESS STEEL SAFETY PADLOCK)

KRM-K-SSP

DIMENSIONS					
BODY WIDTH (A)	SHACKLE HEIGHT (B)	BODY DEPTH (C)	BODY HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
39mm	38mm	40.5mm	19mm	6.3mm	

(BRASS PADLOCK WITH PRINTED LABEL)

KRM-K-PDJW-S KRM-K-PDJW-L

DIMENSIONS					
BODY HEIGHT (A)	BODY WIDTH (B)	BODY DEPTH (C)	SHACKLE HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
16mm	20mm	5mm	12mm	11mm	2.5mm
22mm	32mm	7mm	17mm	16mm	4mm

(BRASS PADLOCK WITH BRASS AND STEEL SHACKLE)

KRM-K-PDL-S KRM-K-PDL-SS KRM-K-PDL-BF KRM-K-PDL-DF

DIMENSIONS					
BODY HEIGHT (A)	BODY WIDTH (B)	BODY DEPTH (C)	SHACKLE HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
39mm	38mm	40.5mm	19mm	6.3mm	
39mm	76mm	40.5mm	19mm	6.3mm	

COMBINATION SAFETY PADLOCK®

KRM-K-CSP

DIMENSIONS					
BODY HEIGHT (A)	BODY WIDTH (B)	BODY DEPTH (C)	SHACKLE HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
50mm	50mm	20mm	20mm	24mm	7.5mm

BRASS SAFETY PADLOCKS WITH NUMBER PATTERN

KRM-K-BSP-AP-4 KRM-K-BSP-AP-3

DIMENSIONS					
BODY HEIGHT (A)	BODY WIDTH (B)	BODY DEPTH (C)	SHACKLE HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
40mm	21mm	10mm	27mm	15mm	5mm
48mm	36mm	10mm	32mm	29mm	6mm

KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015


SAFETY PADLOCKS

CE

to meet OSHA'a Lockout Tagout standard 29 CFR, 1910.147 & 1910.269


KRM-LOFO
 SAFETY PRODUCTS
Lock Tag!!
 safe 

METAL ABS CLIP COVER PADLOCK



KRM-K-SPDH-L
KRM-K-SPDH-S


MOLDED INSULATED BODY PADLOCKS



KRM-K-PDLS-FCR-KR
KRM-K-PDLS-CR

DIMENSIONS					
BODY HEIGHT (A)	BODY WIDTH (B)	BODY DEPTH (C)	SHACKLE HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
26mm	32mm	13mm	22mm	14.5mm	5mm

ABS BODY PADLOCK SHORT SHACKLE



KRM-K-PSPL

DIMENSIONS					
BODY HEIGHT (A)	BODY WIDTH (B)	BODY DEPTH (C)	SHACKLE HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
34mm	35mm	16mm	15mm	20mm	4mm


GUN LOCK PADLOCK



KRM-K-GLP

DIMENSIONS					
BODY HEIGHT (A)	BODY WIDTH (B)	SHACKLE DEPTH (C)	SHACKLE HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
25mm	34mm	12mm	25mm	20mm	4mm

ABS BODY PADLOCK LONG SHACKLE



KRM-K-JPL-PD-LS

DIMENSIONS					
BODY HEIGHT (A)	BODY WIDTH (B)	BODY DEPTH (C)	SHACKLE HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
45mm	40mm	20mm	25mm	20mm	6mm

SLEEK PADLOCK



KRM-K-SSLP

DIMENSIONS					
BODY HEIGHT (A)	BODY WIDTH (B)	BODY DEPTH (C)	SHACKLE HEIGHT (D)	SHACKLE WIDTH (E)	SHACKLE THICKNESS (F)
25mm	34mm	12mm	25mm	20mm	4mm

ROUND LOCKOUT PADLOCK




KRM-K-RSIP-S
KRM-K-RSIP-L

(DUAL LARGE / LARGE LOCKOUT PADLOCK EYE)




KRM-K-PDE-A-DLZ **KRM-K-PDE-A-LT** **KRM-K-PDE-A-LAT** **KRM-K-PDE-B-DLZ** **KRM-K-PDE-B-LT** **KRM-K-PDE-B-LAT** **KRM-K-PDE-F-DLZ** **KRM-K-PDE-F-LT** **KRM-K-PDE-F-LAT**

TAPPER SHAPE LOCKOUT PADLOCK EYE



KRM-K-PDE-TF-S **KRM-K-PDE-TF-L**
KRM-K-PDE-TR-S **KRM-K-PDE-TR-L**

BUFFER



4 mm
10 mm
25 mm
1.5 mm Thick

BUFFER made of mild steel with 2holes to be used as a packing on back side of padlock eye

KRM-K-BF

LOCK NUMBERING / STANDARD PADLOCKS LABEL / PHOTO LABEL / CUSTOMIZED LABEL/ KEYS / BEND TAG/ PADLOCK KEY RINGS



FRONT **BACK** **STANDARD LABEL** **PHOTO LABEL** **CUSTOMIZED LABEL** **KEY** **BEND TAG** **KEY RINGS**

KRM-K-10378 KEY RINGS

KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015


PADLOCK ACCESSORIES

CE

to meet OSHA'a Lockout Tagout standard 29 CFR, 1910.147 & 1910.269

KRM-LOFO
 SAFETY PRODUCTS
Lock Tag!!
 safe 

PADLOCK LABEL



KRM-K-PDSL

PLASTIC LOCKOUT NUMBERING



001 **002** **289** **103** **102** **101**

KRM-K-PIDN-R (25 MM)
KRM-K-PIDN-S (25 MM)
KRM-K-PIDN-H (25 MM)

STRETCHABLE LOCKOUT PLASTIC/METAL CHAIN




KRM-K-SPC **KRM-K-SMC**

METAL SS LOCKOUT FINISH CHAIN



KRM-K-MSSFC

METAL LOCKOUT KEY CHAIN



KRM-K-KCM

PLASTIC SECURITY/CAR SEAL



KRM-K-PSS225

CAR LOCK SEAL SELF LOCKING



KRM-K-CLSSL-315 **KRM-K-CLSSL-32** **KRM-K-CLSSL-325**

BOLT SEAL/METAL LOCK SEAL/METAL WIRE LOCK SEAL



KRM-K-BS **KRM-K-MLS** **KRM-K-MLWS**

RIVETING MACHINE / NUT BOLT




KRM-K-RT **KRM-K-REHO** **KRM-K-NB**

DRILL MACHINE




KRM-K-DM

SCREW DRIVERS / CABLE CUTTER



KRM-K-SDR-1 **KRM-K-SDR-2** **KRM-K-SDR-3** **KRM-K-CC-1**

MECHANICAL ISOLATION DIFFERENT LOCKOUT DEVICES



GATE VALVE LOCKOUT

KRM-K-GVL-02
 KRM-K-GVL-04
 KRM-K-GVL-06
 KRM-K-GVL-08
 KRM-K-GVL-10

MODELS	INSIDE DIAMETER (A)	INSIDE HEIGHT (B)	OUTSIDE DIAMETER (C)	OUTSIDE HEIGHT (D)	LOCK HOLE (E)	VALVE HANDLE (SIZE)	NUMBER OF HOLES
KRM-K-GVL-02	68 mm	36 mm	80 mm	41 mm	9 mm	25-53.5 mm	3
KRM-K-GVL-04	132 mm	43 mm	148 mm	49 mm	9 mm	25-53.5 mm	3
KRM-K-GVL-06 NMDLA-R	190 mm Extended 155 mm close	45 mm	250 mm	48 mm	9 mm	25-190 mm	5
KRM-K-GVL-08	280 mm	51 mm	290 mm	64 mm	9 mm	25-280 mm	3
KRM-K-GVL-10	381 mm	61 mm	392 mm	73 mm	9 mm	25-381 mm	3

ADJUSTABLE GATE VALVE LOCKOUT

(Yellow) (Red)

KRM-K-GVL-06 = NMDLA

MODELS	INSIDE DIAMETER (A)	INSIDE HEIGHT (B)	OUTSIDE DIAMETER (C)	OUTSIDE HEIGHT (D)	LOCK HOLE (E)	VALVE HANDLE (SIZE)	NUMBER OF HOLES
KRM-K-GVL-06 NMDLA-R	190 mm Extended 155 mm close	45 mm	250 mm	48 mm	9 mm	17-75 25-190 mm	5

BALL VALVE LOCKOUT



MODELS	WIDTH (A)	HEIGHT (B)	LENGTH OF HANDLE (C)	LOCK HOLE (D)	NUMBER OF HOLES (E)
KRM-K-BV-01-ST	75mm	77mm	135mm-230mm	9mm	7 Holes Upper side 6 Holes lower side
KRM-K-BV-01-DL	75mm	77mm	190mm-268mm	9mm	6 Holes Upper side 10 Holes lower side
KRM-K-BV-01-LL	75mm	77mm	190mm-268mm	9mm	6 Holes Upper side 10 Holes lower side
KRM-K-BV-01-DL-LL	75mm	77mm	190mm-268mm	9mm	6 Holes Upper side 10 Holes lower side
KRM-K-BV-02 L	100mm	180mm	290mm-515mm	9mm	13 Holes Upper side 6 Holes lower side
KRM-K-MTRBVL	300-385mm	64mm	100mm	9mm	4
KRM-K-LTRBVL	300-385mm	64mm	100mm	9mm	6



BUTTERFLY VALVE LOCKOUT

KRM-K-BV-03

MODELS	WIDTH (A)	HEIGHT (B)	LENGTH OF HANDLE (C)	LOCK HOLE (D)	NUMBER OF HOLES (E)
KRM-K-BV-03	300 - 385 mm	64 mm	100 mm	9 mm	Upper Part: 6 Lower Part: 10

METAL BALL VALVE LOCKOUT

KRM-K-MBVL KRM-K-MBVS

UNIVERSAL VALVE (WITH / WITHOUT) CABLE

KRM-K-ULD-WC 25 KRM-K-ULD-V15

UNIVERSAL VALVE WITH ARM

KRM-K-LA KRM-K-SA
 KRM-K-ULD-WLA-1-15
 KRM-K-ULD-WLA-1-25
 KRM-K-ULD-WSA-2-15
 KRM-K-ULD-WSA-2-25

UNIVERSAL VALVE LOCKOUT

ADJUSTABLE BUTTERFLY VALVE LOCKOUT

KRM-K-UBF KRM-K-UBF-MPS KRM-K-UBF-RMCLT KRM-K-UBF-MCLT+RS

(A)	(B)	(C)	(D)	(E)	(F)
47mm	27mm	20mm	32mm	55mm	5mm

ADJUSTABLE BALL VALVE LOCKOUT

KRM-K-ABVL

PLUG VALVE LOCKOUT

DIAMETER
 KRM-K-PVL-01 KRM-K-PVL-02 KRM-K-PVL-03 KRM-K-PVL-04
 22mm 23-34mm 44-53mm 55-63mm

CIRCUIT BREAKER LOCKOUT



to meet OSHA'a Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



PIN IN / PIN OUT / PIN WIDE CIRCUIT BREAKER LOCKOUT

(WITH LABEL) (WITHOUT LABEL)

KRM-K-PIN-OUT-CBL, KRM-K-PIN-IN-CBL, KRM-K-PIN-OUT-W-CBL, KRM-K-PIN-IN-W-CBL, KRM-K-PIN-IN-CBL-1, KRM-K-PIN-OUT-CBL-1

DIMENSIONS					
(A)	(B)	(C)	(D)	(E)	(F)
41mm	20mm	23mm	18mm	1mm	
41mm	20mm	23mm	18mm	1mm	
41mm	20mm	23mm	18mm	1mm	

PIN SLIDE TYPE CIRCUIT BREAKER LOCKOUT (SLIDE)

KRM-K-PCBL-83 KRM-K-PCBL-G3 KRM-K-PCBL-Y3

DIMENSIONS					
OUTER LENGTH	WIDTH	HEIGHT	SOLE DIAMETER	WEIGHT	
63.3mm	23.3mm	14mm	9mm	9mm	20gm

PIN OUT MINIAURE CIRCUIT BREAKER LOCKOUT (PUSH)

KRM-K-MMP-CBL-R1 KRM-K-MMP-CBL-Y1 KRM-K-MMP-CBL-B1 KRM-K-MMP-CBL-G1

DIMENSIONS					
OUTER LENGTH	WIDTH	HEIGHT	SOLE DIAMETER	WEIGHT	
63.3mm	23.3mm	14mm	9mm	9mm	20gm

MULTIPOLE UNIVERSAL CIRCUIT BREAKER LOCKOUT

KRM-K-MPUCBL

MCB PIN LOTO DEVICE

KRM-K-MILD

CIRCUIT BREAKER LOCKOUT-3

KRM-K-CBL-3 (FOR SINGLE POLE)

MCB TOGGLE LOTO DEVICE

KRM-K-MTLD

TIE BLOCK / BAR CIRCUIT BREAKER LOCKOUT

KRM-K-CBLTB-NT

DIMENSIONS					
OUTER LENGTH	WIDTH	HEIGHT	SOLE DIAMETER	WEIGHT	
57mm	24mm	13mm	7.5mm	30gm	

CIRCUIT BREAKER LOCKOUT

KRM-K-CBL-B-SS KRM-K-CBL-B-NS KRM-K-CBL-B-N1 KRM-K-CBL-B-1

(A)	(B)	(C)	(D)	(E)	(F)
55mm	40mm	26mm	9mm	11mm	19mm
55mm	40mm	26mm	9mm	11mm	19mm
49mm	40mm	26mm	9mm	11mm	19mm
49mm	40mm	26mm	9mm	11mm	19mm

UNIVERSAL CIRCUIT BREAKER LOCKOUT

KRM-K-CBL-AP-SS KRM-K-CBL-AP-1 KRM-K-CBL-AP-NS KRM-K-CBL-AP-NS-1

(A)	(B)	(C)	(D)	(E)	(F)
56mm	40mm	26mm	9mm	11mm	19mm
56mm	40mm	26mm	9mm	11mm	19mm
56mm	40mm	26mm	9mm	11mm	19mm
56mm	40mm	26mm	9mm	11mm	19mm

MINIATURE CIRCUIT BREAKER LOCKOUT (YELLOW)

KRM-K-MCBL-Y-SS KRM-K-MCBL-Y-NS KRM-K-MCBL-Y-1

DIMENSIONS					
(A)	(B)	(C)	(D)	(E)	(F)
58mm	35mm	24.5mm	10mm	15mm	19mm
58mm	35mm	24.5mm	10mm	15mm	90mm
49mm	30mm	24mm	9mm	12mm	10mm

CIRCUIT BREAKER LOCKOUT



to meet OSHA'a Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



MULTIFUNCTION CIRCUIT BREAKER LOCKOUT

1 Hole for locking arrangement

KRM-K-DMCBL (DUAL SIZE)

DIMENSIONS					
(A)	(B)	(C)	(D)	(E)	(F)
57mm	45mm	12mm	8mm	37mm	30mm

UNIVERSAL FUSE / CIRCUIT BREAKER LOCKOUT

KRM-K-UFLD-SS KRM-K-UFLD-1

(A)	(B)	(C)	(D)	(E)	(F)
72mm	50mm	33mm	9mm	8mm	15mm
72mm	50mm	33mm	9mm	8mm	15mm

PIN IN / PIN OUT / PIN WIDE CIRCUIT BREAKER LOCKOUT

KRM-K-LCBL-T-R1 KRM-K-LCBL-T-AS1 KRM-K-LCBL-T-NS1

(A)	(B)	(C)	(D)	(E)	(F)	(G)
90mm	45mm	74mm	24mm	58mm	9mm	75mm
90mm	45mm	74mm	24mm	58mm	9mm	
90mm	45mm	74mm	24mm	58mm	9mm	

UNIVERSAL MINI CIRCUIT BREAKER LOCKOUT

KRM-K-UMCBL

GRIP TIGHT- CIRCUIT BREAKER LOCKOUT

KRM-K-CBLM-102 KRM-K-CBL-101

CLAMP ON CIRCUIT BREAKER LOCKOUT

KRM-K-CBLS-105 KRM-K-CBLM-104 KRM-K-CBLL-103

MINI CIRCUIT BREAKER LOCKOUT (GREEN)

KRM-K-MCBL-G-1

DIMENSIONS					
(A)	(B)	(C)	(D)	(E)	(F)
43mm	25mm	25mm	9mm	6mm	15mm

CIRCUIT BREAKER LOCKOUT-2

KRM-K-CBL-2 (FOR SINGLE POLE)

CIRCUIT BREAKER LOCKOUT-1

KRM-K-CBL-1 (FOR MULTI POLE)

CIRCUIT BREAKER LOCKOUT-4

KRM-K-CBL-4 (FOR DOUBLE POLES)

KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

CIRCUIT BREAKER LOCKOUT

CE

to meet OSHA's Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



BREAKER LOCKOUT KIT

KRM-K-BLK

SNAP ON BREAKER LOCKOUT KIT

KRM-K-SOBLD

DIMENSIONS		
OVERALL HEIGHT	OVERALL WIDTH	WEIGHT
53.70mm	22mm	10mm

MULTIFUNCTIONAL CIRCUIT BREAKER LOCKOUT WITH FOLDABLE SCREW

KRM-K-MCBL-SS

WALL SWITCH LOCKOUT-1.2

KRM-K-WSLD-1 **KRM-K-WSLD-2**

UNIVERSAL LARGE CIRCUIT BREAKER LOCKOUT

KRM-K-ULCBL-N

COMBO - PIN TYPE - SET OF PIN TYPE INCLUDING PIN IN, PIN OUT, PIN OUT WIDE & TIE BAR - 4 PIECE

KRM-K-MCBL-C4

COMBO OF MINI & UNIVERSAL CIRCUIT BREAKER LOCKOUT HAVING - 8 NOS

KRM-K-CCBL-8

COMBINATION OF MULTIPURPOSE CIRCUIT BREAKER LOCKOUT DEVICES - 10 NOS

KRM-K-MCCBL-10

COMBO OF CIRCUIT BREAKER LOCKOUT DEVICES HAVING - 20 NOS

KRM-K-MCCBL-20

COMBO OF CIRCUIT BREAKER LOCKOUT DEVICES HAVING - 24 NOS

KRM-K-MCCBL-24

COMBO OF CIRCUIT BREAKER/ FUSE LOCKOUT DEVICES HAVING - 5 NOS

KRM-K- CBFL-NS-5

COMBO OF CIRCUIT BREAKER LOCKOUT DEVICES HAVING - 5 NOS

KRM-K- MCBFL-NS-5

KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

ELECTRICAL PANEL

CE

to meet OSHA's Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



TRANSPARENT MULTIPURPOSE ELECTRICAL PANEL LOCKOUT-ROUND

KRM-K-MEPL-R (WITH / WITHOUT CHAIN)

DIMENSIONS					
Lower Base	Hollow Portion	Upper Part	Outer Base	Inner Base	Weight
35mm	27.5mm	35x40mm	35mm	45.72mm	22gm

TRANSPARENT MULTIPURPOSE ELECTRICAL PANEL LOCKOUT-ROUND (MEDIUM)

KRM-K-MEPL-R65

DIMENSIONS					
Lower Base	Hollow Portion	Upper Part	Outer Base	Inner Base	Weight
35mm	27.5mm	35x40mm	35mm	45.72mm	22gm

TRANSPARENT MULTIPURPOSE ELECTRICAL PANEL LOCKOUT-ROUND (LARGE)

KRM-K-EPL-R-LARGE

DIMENSIONS						
(A)	(B)	(C)	(D/E)	(F)	CUTTING ANGLES	WEIGHT
84mm	69mm	82mm	95mm	78mm	PLAIN	87gm

TRANSPARENT MULTIPURPOSE ELECTRICAL PANEL LOCKOUT-ROUND (MEDIUM)

KRM-K-EPL-R-45

DIMENSIONS						
(A)	(B)	(C)	(D/E)	(F)	CUTTING ANGLES	WEIGHT
84mm	69mm	82mm	95mm	78mm	45°	87gm

ELECTRICAL ROUND PANEL LOCKOUT (PLAIN)

KRM-K-EPL-R-90

DIMENSIONS						
(A)	(B)	(C)	(D/E)	(F)	CUTTING ANGLES	WEIGHT
84mm	69mm	82mm	95mm	78mm	90°	87gm

ELECTRICAL ROUND PANEL LOCKOUT (45 DEGREE CUT)

KRM-K-EPL-R-45

DIMENSIONS						
(A)	(B)	(C)	(D/E)	(F)	CUTTING ANGLES	WEIGHT
84mm	69mm	82mm	95mm	78mm	45°	87gm

ELECTRICAL ROUND PANEL LOCKOUT (90 DEGREE CUT)

KRM-K-EPL-R-90

DIMENSIONS						
(A)	(B)	(C)	(D/E)	(F)	CUTTING ANGLES	WEIGHT
84mm	69mm	82mm	95mm	78mm	90°	87gm

MULTIPURPOSE ELECTRICAL PANEL LOCKOUT LOW DEPTH

KRM-K-MEPL (WITH / WITHOUT CHAIN)

DIMENSIONS					
(A)	(B)	(C)	(D)	(E)	WEIGHT
50mm	30/33mm	45mm	66mm	66mm	45gm


ELECTRICAL PANEL LOCKOUT

CE

to meet OSHA's Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



TRANSPARENT ELECTRICAL PANEL LOCKOUT - SQUARE SMALL



KRM-K-EPL-S (WITH / WITHOUT CHAIN)

DIMENSIONS					
(A)	(B)	(C)	(D)	(E)	WEIGHT
50mm	60mm	45mm	66mm	66mm	58gm

DOUBLE LARGE ELECTRICAL PANEL LOCKOUT (PLAIN)



KRM-K-DLEPL-P

DIMENSIONS					
OUTER LENGTH	OUTER WIDTH	CUTTING ANGLE	INNER LENGTH	INNER WIDTH	WEIGHT
104mm	95mm	PLAIN	82mm	80mm	100gm

DOUBLE LARGE ELECTRICAL PANEL LOCKOUT



KRM-K-DLEPL-90 KRM-K-DLEPL-45

DIMENSIONS					
OUTER LENGTH	OUTER WIDTH	CUTTING ANGLE	INNER LENGTH	INNER WIDTH	WEIGHT
104mm	95mm	45°/90°	82mm	80mm	100gm

ELECTRICAL PANEL LOCKOUT DOUBLE LARGE



KRM-K-DLEPL-P (EXTRA LARGE)

DIMENSIONS					
OUTER LENGTH	OUTER WIDTH	WEIGHT	INNER LENGTH	INNER WIDTH	WEIGHT
134mm	129mm	105mm	100mm	97mm	100gm

LOCKOUT K-EYE FOR TPN SWITCHES



KRM-K-EYE-B/W/R

BRASS FINISH PADLOCK LOCKOUT DEVICE



KRM-K-RCSPL

PANEL KNOB LOCKOUT DEVICE



KRM-K-EPKLD

LARGE ELECTRICAL PANEL LOCKOUT



KRM-K-LEPL-MSB-P10


EXTRA DOUBLE LARGE ELECTRICAL PANEL LOCKOUT (PLAIN)



KRM-K-EPL-M-P

DIMENSIONS		
OUTER SIZE	INNER SIZE	WEIGHT
139mm	109mm	325gm


EXTRA DOUBLE LARGE ELECTRICAL PANEL LOCKOUT (90 & 45 DEGREE CUTOUT)



KRM-K-EPL-M-45 KRM-K-EPL-M-90

DIMENSIONS		
OUTER SIZE	INNER SIZE	WEIGHT
139mm	109mm	325gm

ROUND SHAPE DI-ELECTRIC LOCKOUT



KRM-K-RSDEL

DIMENSIONS					
OUTER DIAMETER	INNER DIAMETER	CIRCLE SIDE THICKNESS	OVERALL THICKNESS	LOWER THICKNESS	WEIGHT
45mm	32mm	7mm	8mm	7mm	20gm

ROUND SHAPE METAL RACKING LOCKOUT



KRM-K-RSML

DIMENSIONS					
OUTER DIAMETER	INNER DIAMETER	CIRCLE SIDE THICKNESS	OVERALL THICKNESS	LOWER THICKNESS	WEIGHT
60mm	50mm	5mm	8mm	6mm	50gm


ELECTRICAL PANEL LOCKOUT

CE

to meet OSHA's Lockout Tagout standard 29 CFR, 1910.147 & 1910.269




MULTIPURPOSE ROUND SHAPE RACKING LOCKOUT METAL



KRM-K-MRSRLM

DIMENSIONS						
(A)	(B)	(C)	(D)	(E)	(F)	WEIGHT
65mm	110mm	37mm	25mm	9.5mm	4.5mm	110gm

UNIVERSAL CIRCUIT BREAKER LOCKOUT



KRM-K-EHLP (STEEL STRIP) KRM-K-DEHLP (PLASTIC DI ELECTRIC STRIP)

CABLE LOCKOUT WITH ELECTRICAL EQUIPMENT



KRM-K-MPS+C

DI-ELECTRIC MULTIPURPOSE PANEL LOCKOUT



KRM-K-DMEPB-Y KRM-K-DMEPB-G

DIMENSIONS					
WIDTH	HEIGHT	DEPTH	UPPER PART DEPTH	WEIGHT	
190mm	120mm	25mm	10mm	100gm	

DI-ELECTRIC MULTIPURPOSE PANEL LOCKOUT (TRANSPARENT)



KRM-K-DMEPB-T

DIMENSIONS					
WIDTH	HEIGHT	DEPTH	UPPER PART DEPTH	WEIGHT	
190mm	120mm	25mm	10mm	100gm	


ELECTRICAL PANEL LOCKOUT (METAL)



KRM-K-MEPB-57 KRM-K-MEPB-361 KRM-K-MEPB-381

WIDTH	HEIGHT	DEPTH	UPPER PART DEPTH	WEIGHT
203mm	140mm	30mm	10mm	575gm
160mm	176mm	30mm	10mm	500gm
180mm	110mm	30mm	10mm	410gm


LARGE MULTIPURPOSE ELECTRICAL PANEL LOCKOUT (METAL)



KRM-K-MEPB-G-612 KRM-K-MEPB-Y-612

DIMENSIONS					
HEIGHT	WIDTH	DEPTH	UPPER PART WIDTH	WEIGHT	
6 inch	12 inch	3 inch	0.5 inch	920 gm	


MULTIPURPOSE INDUSTRIAL ELECTRICAL SAFETY LOCKOUT DEVICE



KRM-K-MIESLD-I

DIMENSIONS						
(A)	(B)	(C)	(D)	(E)	(F)	WEIGHT
25mm	40mm	78.5mm	23mm	51mm	53mm	150gm


MULTIPURPOSE INDUSTRIAL ELECTRICAL SAFETY LOCKOUT DEVICE



KRM-K-MIESLD-II

DIMENSIONS						
(A)	(B)	(C)	(D)	(E)	(F)	WEIGHT
40mm	88mm	40mm	40mm	51mm	53mm	150gm


MULTIPURPOSE INDUSTRIAL ELECTRICAL SAFETY LOCKOUT DEVICE



KRM-K-MIESLD-III

DIMENSIONS						
(A)	(B)	(C)	(D)	(E)	(F)	WEIGHT
31mm	32mm	37mm	40mm	51mm	53mm	150gm

MULTIPURPOSE INDUSTRIAL ELECTRICAL SAFETY LOCKOUT DEVICE



KRM-K-MIESLD-IV

DIMENSIONS						
(A)	(B)	(C)	(D)	(E)	(F)	WEIGHT
80mm	30mm	25mm	40mm	51mm	53mm	150gm

MULTIPURPOSE INDUSTRIAL ELECTRICAL SAFETY LOCKOUT DEVICE



KRM-K-MIESLD-V

DIMENSIONS						
(A)	(B)	(C)	(D)	(E)	(F)	WEIGHT
52mm	21mm	25mm	40mm	51mm	53mm	150gm

KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

ELECTRICAL PANEL / EMERGENCY SWITCH/PUSH BOTTON LOCKOUT
 CE
 to meet OSHA'a Lockout Tagout standard 29 CFR, 1910.147 & 1910.269

KRM-LOFO
 SAFETY PRODUCTS
Lock Tag!!
 safe loto

TRANSPARENT ELECTRICAL PANEL LOCKOUT



KRM-K-EPL-22/30

DIMENSIONS					
OUTER SQUARE BASE	INNER SQUARE BASE	UPPER PART HEIGHT	LENGTH	WIDTH	HEIGHT
45mm	37mm	50mm	50mm	47.3mm	50mm

HOLES: 8mm

TRANSPARENT ELECTRICAL PANEL LOCKOUT




KRM-K-EPL-74

DIMENSIONS					
OUTER SQUARE BASE	INNER SQUARE BASE	UPPER PART HEIGHT	LENGTH	WIDTH	HEIGHT
95mm	92mm	92mm	95mm	95mm	63mm

HOLES: 7mm

ELECTRICAL AIR HOLE LOCKOUT DEVICE



KRM-K-EHL

EMERGENCY SWITCH/PUSH BOTTON LOCKOUT



KRM-K-MPBSL-MT KRM-K-MPBSL-R

DIMENSIONS					
INNER SQUARE BASE	INNER ROUND DIA	OUTSIDE SQUARE BASE	OUTSIDE ROUND DIA	LOCK HOLE DIA	SHAFT HANDLE DIA
66mm	36mm	80mm	41mm	9mm	12.5mm
66mm	36mm	80mm	41mm	9mm	12.5mm

NUMBER OF HOLES: 3

TRANSPARENT MULTIPURPOSE EMERGENCY PUSH BOTTON LOCKOUT-ROUND




KRM-K-MEPL-R (WITH / WITHOUT CHAIN)

DIMENSIONS				
Lower Base	Hollow Portion	Upper Part	Outer Base	Inner Base
35mm	27.5mm	35x40mm	35mm	45.72mm

WEIGHT: 22gm

EMERGENCY STOP SWITCH/PUSH BOTTON LOCKOUT WITH 3 HOLES




KRM-K-3ESSPBL-T KRM-K-3ESSPBL-R

DIMENSIONS					
INNER SQUARE BASE	INNER ROUND DIA	OUTSIDE SQUARE BASE	OUTSIDE ROUND DIA	LOCK HOLE DIA	SHAFT HANDLE DIA
66mm	36mm	80mm	41mm	9mm	12.5mm
66mm	36mm	80mm	41mm	9mm	12.5mm

NUMBER OF HOLES: 3

TRANSPARENT EMERGENCY LARGE SWITCH/PUSH BOTTON LOCKOUT (ROUND)




EPL-R-LARGE

DIMENSIONS					
(A)	(B)	(C)	(D/E)	(F)	CUTTING ANGLES
84mm	69mm	82mm	95mm	78mm	PLAIN

WEIGHT: 87gm

TRANSPARENT EMERGENCY SWITCH/PUSH BOTTON LOCKOUT




KRM-K-TEPBL 30 KRM-K-TEPBL 23

DIMENSIONS					
OVERALL HEIGHT	UPPER PART HEIGHT	LOWER PART HEIGHT	WIDTH	CUTOUT DIA (30MM)	CUTOUT DIA (23MM)
50mm	34mm	16mm	48mm	30mm	7.5mm
50mm	34mm	16mm	48mm	23mm	7.5mm

WEIGHT: 30 gm

MULTIPURPOSE ELECTRICAL PUSH BOTTON LOCKOUT LOW DEPTH



KRM-K-MEPL (WITH / WITHOUT CHAIN)

DIMENSIONS				
(A)	(B)	(C)	(D)	(E)
50mm	30/33mm	45mm	66mm	66mm

WEIGHT: 45gm

TRANSPARENT MULTIPURPOSE ELECTRICAL PUSH BOTTON LOCKOUT-ROUND (MEDIUM)



KRM-K-MEPL-R65

DIMENSIONS				
Lower Base	Hollow Portion	Upper Part	Outer Base	Inner Base
35mm	27.5mm	35x40mm	35mm	45.72mm


WEIGHT: 22gm

EMERGENCY STOP/ PUSH BOTTON COVER LOCKOUT (TRANSPARENT)



KRM-K-EPLCL-T

TRANSPARENT EMERGENCY LARGE SWITCH/PUSH BOTTON LOCKOUT (SQUARE)



KRM-K-EPL-S (WITH / WITHOUT CHAIN)

DIMENSIONS				
(A)	(B)	(C)	(D)	(E)
50mm	60mm	45mm	66mm	66mm

WEIGHT: 58gm


KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

CABLE LOCKOUT
 CE
 to meet OSHA'a Lockout Tagout standard 29 CFR, 1910.147 & 1910.269

KRM-LOFO
 SAFETY PRODUCTS
Lock Tag!!
 safe loto



MULTIPURPOSE SCISSOR CABLE LOCKOUT



KRM-K-MPS

DIMENSIONS				
LENGTH	WIDTH	DEPTH	NO. OF HOLES	WEIGHT
122mm	26.5mm	13mm	06	75gm

MULTIPURPOSE CABLE LOCKOUT



KRM-K-PLMD

DIMENSIONS				
(A)	(B)	(C)	NO. OF HOLES	WEIGHT
150mm	46mm	10mm	06	150gm

ROUND MULTIPURPOSE CABLE LOCKOUT WITHOUT TOOL (6HOLES)



KRM-K-RMCLT-6-R (WITHOUT CABLE) KRM-K-RMCLT-6C (CABLE WITH LOCK) KRM-K-RMCLT-6CL (CABLE WITH LOCK)

DIMENSIONS				
(A)	(B)	(C)	NO. OF HOLES	WEIGHT
40mm	15mm	7.5mm	06	40gm

KRM-K-RMCLT-6CL-Y/R/B/G

KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

CABLE LOCKOUT

CE

to meet OSHA'a Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



ROUND MULTIPURPOSE CABLE LOCKOUT WITH TOOL (8HOLES)

KRM-K-RMCLT-8CL (CABLE WITH LOOP) KRM-K-RMCLT-8C-R (CABLE WITHOUT LOOP) KRM-K-LTD-R/B/G/Y (LOCKING TOOL DEVICES)

KRM-K-RMCLT-8

DIMENSIONS				
(A)	(B)	(C)	NO. OF HOLES	WEIGHT
40mm	15mm	7.5mm	08	40gm

KRM-K-RMCLT-8CL-Y/R/B/G

METAL ALUMINUM ROUND MULTIPURPOSE CABLE LOCKOUT

KRM-K-SSC (with Loop) KRM-K-SSC-WL (without Loop) KRM-K-LTD-B KRM-K-MCLT-RS (LOCKING TOOL DEVICES)

DIMENSIONS				
(A)	(B)	(C)	NO. OF HOLES	WEIGHT
40mm	15mm	7.5mm	08	50gm

METAL ALUMINUM ROUND MULTIPURPOSE CABLE LOCKOUT

KRM-K-LMMMCD

DIMENSIONS				
(A)	(B)	(C)	NO. OF HOLES	WEIGHT
150mm	48mm	9mm	06	375gm

UNIVERSAL MULTIPURPOSE INSULATED CABLE LOCKOUT

KRM-K-UMICL

DIMENSIONS				
BODY LENGTH	BODY HEIGHT	BODY DEPTH	NO. OF HOLES	WEIGHT
70mm	70mm	25mm	04	150gm

STRAIGHT RAZOR CABLE LOCKOUT

KRM-K-SRCL

DIMENSIONS				
BODY LENGTH	BODY HEIGHT	BODY DEPTH	NO. OF HOLES	WEIGHT
25mm	125mm	15mm	04	55gm

ECONOMY DI ELECTRIC CABLE LOCKOUT HASP

KRM-K-EDCLH

DIMENSIONS				
HEIGHT	WIDTH	LOWER PART DIAMETER	WIDTH	NO. OF HOLES
147mm	10mm	8mm	13mm	06

UNIVERSAL CABLE LOCKOUT

KRM-K-UCL

DIMENSIONS				
HEIGHT	WIDTH	LOWER PART DIAMETER	WIDTH	NO. OF HOLES
175mm	75mm	8mm	60mm	01

SINGLE LOOP INSULATED CABLE

KRM-K-SSC (with Loop) KRM-K-SSC-WL (without Loop)

0.5 METER TO 300 METER

DOUBLE LOOP INSULATED CABLE

KRM-K-SSC (with Loop) KRM-K-SSC-WL (without Loop)

0.5 METER TO 300 METER

INSULATED METAL CABLE IN SS FINISHED

KRMLOTO CABLE PART NO. INSULATED SLEEVE METAL CABLE SS FINISH TOTAL THICKNESS

KRM-K-MC-4m	1 mm + 1 mm	2	4mm
KRM-K-MC-5m	1.25 mm + 1.25 mm	2.5	5mm

KRM-K-SSC KRM-K-MC-BLUE KRM-K-MC-RED KRM-K-MC-YELLOW KRM-K-MC-GREEN

KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

PLUG/POWER CHORD, CYLINDER, PNEUMATIC LOCKOUT

CE

to meet OSHA'a Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



MINI PLUG CHORD / PNEUMATIC LOCKOUT

Mini Plug Chord Electrical Pneumatic

KRM-K-MPCL-R KRM-K-MPCL-PN-R/Y

WIDTH	HEIGHT	LENGTH OF HANDLE	NUMBER OF HOLES	WEIGHT
90mm	50mm	09mm	03	50gm

LARGE PLUG CHORD/ PNEUMATIC/ CYLINDER LOCKOUT

Large Plug Chord Electrical Pneumatic

(ABOVE 5 AMP) KRM-K-PLC-2 KRM-K-PCL-PN-2

COMPLETE OUTER LENGTH/HEIGHT	COMPLETE OUTER WIDTH	INNER LENGTH	INNER WIDTH	NUMBER OF HOLES	HOLE DIA	WEIGHT
LENGTH-194mm	CENTER 94mm	LENGTH-186mm	CENTER 86mm	04	8.5mm	260gm
HEIGHT-96mm	BOTTOM 64mm	HEIGHT-88mm	BOTTOM 52mm			

DUAL LARGE PLUG CHORD / PNEUMATIC LOCKOUT

Dual Large Plug Chord Electrical Pneumatic Cylinder

KRM-K-UDLPL-2R KRM-K-UDLPL-PN KRM-K-UDLCLD

OUTER LENGTH	OUTER WIDTH	HOLE DIA	NUMBER OF HOLE	WEIGHT
256mm	124mm	10mm	11	375gm

UNIVERSAL MULTI DEVICE LOCKOUT (CYLINDRICAL SHAPE)

Pneumatic Mini Plug Chord Cylinder

KRM-K-UMDL-ELY KRM-K-UMCL-CEL-Y/R

(A)	(B)	(C)	(D)	(E)
88mm	36mm	14mm	09mm	163mm

VALVE CYLINDER LOCKOUT WITH ROUND CABLE LOCKOUT

KRM-K-VCERML

DIMENSIONS				
(A)	(B)	(C)	(D)	(E)
88mm	36mm	14mm	09mm	163mm

CYLINDER VALVE LOCKOUT

KRM-K-VCERML

DIMENSIONS				
INSIDE DIAMETER	INSIDE HEIGHT	OUTSIDE DIAMETER	OUTSIDE HEIGHT	LOCK HOLE
66 mm	36 mm	80 mm	41 mm	9 mm

PIN AND SLEEVE LOCKOUT FOR SOCKET

KRM-K-PSL-1/2/3/4/5

DIMENSIONS				
PSL -1 DIA	PSL -2 DIA	PSL -3 DIA	PSL -4 DIA	PSL -5 DIA
40mm	44mm	50mm	63mm	73mm

MALE CHORD PLUG LOCKOUT

KRM-K-MCPL

DIMENSIONS				
OVERALL LENGTH	LENGTH OF TOP	WIDTH	DEPTH	WEIGHT
54mm	40mm	37mm	25mm	50gm

KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

PLUG/POWER CHORD, CYLINDER, PNEUMATIC LOCKOUT
 CE
 to meet OSHA's Lockout Tagout standard 29 CFR, 1910.147 & 1910.269

KRM-LOFO
 SAFETY PRODUCTS
Lock Tag!!
 safe loto

ADJUSTABLE FLEXIBLE LOCKOUT BAG



KRM-K-AFLBD-1 KRM-K-AFLBD-2

DIMENSIONS			
OUTER LENGTH	OUTER WIDTH	SOLE DIA	NUMBER OF HOLES
458 mm	242 mm	09 mm	04
635 mm	300 mm	09 mm	04

WEIGHT: 250 gm (458 mm), 300 gm (635 mm)

INPUT POWER CABLE SUPPLY LOCKOUT DEVICE



KRM-K-INCLD-R

PNEUMATIC LOCKOUT MADE OF SS/DI-ELECTRIC PNEUMATIC LOCKOUT DEVICE



KRM-K-PNSL KRM-K-PEL3

CONFINED SPACE LOCKOUT



KRM-K-CS-L1 KRM-K-CS-L2

LOCKOUT TAGOUT BAGS & POUCHS

PERSONAL PHOTO POUCH AND ELECTRICIAN POUCH



KRM-K-OMP-R KRM-K-LEP-Y KRM-K-LEP-BL

HANDY BAG / POUCH TRANSPARENT



KRM-K-LEP-R KRM-K-LEP-TY

LOCKOUT WAIST POUCH (4 POCKET)



KRM-K-ORMP-LWB KRM-K-OBMP-LWB

LOCKOUT WAIST POUCH (2 & 3 POCKET)



KRM-K-LTP-B KRM-K-LTP-R KRM-K-BB

LOCKOUT TAGOUT WAIST POUCH



KRM-K-BBLT-R KRM-K-BBLT-BL

LOCKOUT TAGOUT BAG SMALL AND BIG AND TROLLEY



KRM-K-L-BG-S(SMALL) KRM-K-L-BG-Y(BIG) KRM-K-TBLTB(BIG)

LOCKOUT TAGOUT BAG MEDIUM 1 AND 2 POCKET



KRM-K-LEB-M-R KRM-K-LEB-M-BL KRM-K-LEB-M-R (WITH SHOULDER BELT)

LOCKOUT TAGOUT SHOULDER BAGS



KRM-K-LTSCB-BL KRM-K-LTSCB-R KRM-K-LTB-100-B

KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

MULTIPURPOSE LOCKOUT TAGS
 CE
 to meet OSHA's Lockout Tagout standard 29 CFR, 1910.147 & 1910.269

KRM-LOFO
 SAFETY PRODUCTS
Lock Tag!!
 safe loto

LOCKOUT TAG TWO COLOR (SIZE-76X138MM)



KRM LOTO#10300 KRM LOTO#10002 KRM LOTO#10009 KRM LOTO#10017

LOCKOUT TAG TWO COLOR (SIZE-76X144 MM)



KRM LOTO#10275 KRM LOTO#10040 KRM LOTO#10039 KRM LOTO#10398

PERMIT TAG / CAUTION TAG / LIVE TESTING TAG / MASTER TAG / PERSONAL TAG (SIZE-76X144 MM)




KRM LOTO#10048 KRM LOTO#10057 KRM-K-IT KRM-K-LI-DT

SINGLE COLOR TAGS (SIZE-76X144 MM)




KRM LOTO#10048 KRM LOTO#10057

INSPECTION TAGS (SIZE-25X100 MM)



KRM-K-IT

INSPECTION TAGS (SIZE-3X1 INCH) FOLDABLE SHAPE (SIZE-25X100MM)



KRM-K-IT KRM-K-FST

LOTO WORKING TAG (SIZE-76X144 MM)



KRM-K-LI-DT

KRM BARRICADE TAG (SIZE-76X138 MM, 76X144 MM)



KRM LOTO#10116 KRM LOTO#10117 KRM-K-BR

KRM OCTAGONAL (SIZE-76X100 MM)




KRM LOTO#10307 KRM LOTO#10308

KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

**LOCKOUT TAGS/MINI TAGS/
 SCAFFOLD TAGS & HOLDERS**
 CE

to meet OSHA's Lockout Tagout standard 29 CFR,
 1910.147 & 1910.269



KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

**DISPLAY TAGS & HOLDERS/FIRE TAGS/
 ALUMINIUM TAGS/PERMIT HOLDERS**
 CE

to meet OSHA's Lockout Tagout standard 29 CFR,
 1910.147 & 1910.269



PORTABLE GROUP LOCKOUT BOX (16 HOLES)



KRM-K-GPLB-R16 **KRM-K-GPLB-Y16**

DIMENSIONS				
WIDTH	DEPTH	HEIGHT	HOLE	WEIGHT
253mm	110mm	154mm	16	1700gm

PORTABLE GROUP LOCKOUT BOX WITH POCKET (16 HOLES)



KRM-K-GPLB-R12 **KRM-K-GPLB-Y12**

DIMENSIONS				
WIDTH	DEPTH	HEIGHT	HOLE	WEIGHT
253mm	110mm	154mm	16	1750gm

PORTABLE GROUP LOCKOUT BOX (12 HOLES)



KRM-K-GPLB-R12 **KRM-K-GPLB-Y12**

DIMENSIONS				
WIDTH	DEPTH	HEIGHT	HOLE	WEIGHT
210mm	110mm	154mm	12	1700gm

GROUP LOCKOUT BOX WITH TRANSPARENT ACRYLIC HOLLOW TUBE (16 HOLES)



KRM-K-GPLB-16 R+TDH

DIMENSIONS				
WIDTH	DEPTH	HEIGHT	HOLE	WEIGHT
253mm	110mm	154mm	12	1800gm

GROUP LOCKOUT BOX WITH TRANSPARENT CUT OUT AT BOTH SIDE / ONE SIDE



KRM-K-GPLB-TR16

DIMENSIONS				
WIDTH	DEPTH	HEIGHT	HOLE	WEIGHT
253mm	110mm	154mm	16	1450gm

PORTABLE GROUP LOCKOUT & STORAGE BOX



KRM-K-PGLSB-R

DIMENSIONS				
WIDTH	DEPTH	HEIGHT	HOLE	WEIGHT
253mm	110mm	154mm	17	1kg

PORTABLE GROUP LOCKOUT BOX(10 HOLE)



KRM-K-GPLB-R10 **KRM-K-GPLB-Y10**

DIMENSIONS				
WIDTH	DEPTH	HEIGHT	HOLE	WEIGHT
154mm	110mm	180mm	17	1700gm

MINI PORTABLE GROUP LOCKOUT BOX(8 HOLE)



KRM-K-MGPLB-R8 **KRM-K-MGPLB-Y8**

DIMENSIONS				
WIDTH	DEPTH	HEIGHT	HOLE	WEIGHT
154mm	110mm	180mm	17	1700gm

WALL MOUNTED/MINI PORTABLE GROUP LOCKOUT BOX(7,9 HOLE)



KRM-K-GLB-H7 **KRM-K-GLB-H9**

WIDTH	DEPTH	HEIGHT	HOLE	WEIGHT
101mm	76mm	152mm	7	500gm
116mm	76mm	152mm	12/13	850gm

WALL MOUNTED/MINI PORTABLE GROUP LOCKOUT BOX(12,26 HOLE)



KRM-K-GLB-H12 **KRM-K-GLB-H26**

WIDTH	DEPTH	HEIGHT	HOLE	WEIGHT
190mm	76mm	140mm	12	1.25kg
304mm	76mm	152mm	26	1.75kg

PORTABLE / WALL MOUNTED UNIQUE GROUP LOCKOUT BOX(24 HOLES)



KRM-K-24H-PWMGLB

DIMENSIONS				
WIDTH	DEPTH	HEIGHT	HOLE	WEIGHT
270mm	85mm	320mm	24	1500gm

PORTABLE / WALL MOUNTED UNIQUEGROUP LOCKOUT BOX(48 HOLES)



KRM-K-48H-PWMGLB

WALL MOUNTED GROUP LOCKOUT BOX (27 HOLES)



KRM-K-GLB-H27-Y **KRM-K-GLB-H27-G**

DIMENSIONS				
WIDTH	DEPTH	HEIGHT	HOLE	WEIGHT
320mm	85mm	270mm	27	2KG

WALL MOUNTED GROUP LOCKOUT BOX (27 HOLES)



KRM-K-LTLB-R

DI-ELECTRIC MULTIPURPOSE (ABS + POLYCARBONATE) LOTO BOX



KRM-K-DMLTB-TM-G **KRM-K-DMLTB-TM-R** **KRM-K-DMLTB-TM-Y**

DIMENSIONS				
WIDTH	DEPTH	HEIGHT	HOOK	WEIGHT
156mm	64mm	156mm	05	260gm

DI-ELECTRIC MULTIPURPOSE (ABS + POLYCARBONATE) LOTO BOXES WITH PLATES




KRM-K-DMLTB-TM-85R **KRM-K-DMLTB-TM-125Y**

DI-ELECTRIC MULTIPURPOSE (ABS + POLYCARBONATE) LOTO BOXES WITH PLATES




KRM-K-DMLTB-TM-155R **KRM-K-DMLTB-TM-165Y**

DI-ELECTRIC MULTIPURPOSE (ABS + POLYCARBONATE) LOTO BOXES WITH PLATES



KRM-K-DMLTB-TM-205R **KRM-K-DMLTB-TM-305Y**

DI-ELECTRIC MULTIPURPOSE (ABS + POLYCARBONATE) LOTO BOXES WITH PLATES



KRM-K-DMLTB-TM-205R **KRM-K-DMLTB-TM-305Y**

DI-ELECTRIC MULTIPURPOSE (ABS + POLYCARBONATE) LOTO BOXES WITH PLATES WITH STAND



KRM-K-DMLTB-TM-T-125 **KRM-K-DMLTB-TM-T-155** **KRM-K-DMLTB-TM-T-205**

LOTO KEY & DOCUMENTATION BOX



KRM-K-LK-DB-662-Y **KRM-K-LK-DB-662-GR**

DIMENSIONS				
WIDTH	DEPTH	HEIGHT	HOOK	WEIGHT
156mm	50mm	156mm	04/01	260gm

LOTO KEY & DOCUMENTATION BOX(SMALL)



KRM-K-LK-DB-662-Y **KRM-K-LK-DB-662-Y**

DIMENSIONS				
WIDTH	DEPTH	HEIGHT	HOOK	WEIGHT
75mm	50mm	100mm	03/01	260gm

LOTO KEY & DOCUMENTATION BOX



KRM-K-LK-DB-84 **KRM-K-LK-DB-124**

LOTO KEY & DOCUMENTATION BOX



KRM-K-LK-DB-154 **KRM-K-LK-DB-164**

KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015


KEY & DOCUMENTATION BOX




to meet OSHA'a Lockout Tagout standard 29 CFR, 1910.147 & 1910.269




KRM-K-LK-DB-204 KRM-K-LK-DB-244




KRM-K-LK-DB-304 KRM-K-LK-DB-484




KRM-K-LK-DBT-204 KRM-K-LK-DBT-244 KRM-K-LK-DBT-304



KRM-LKB-75101-24 KRM-LKB-75103-24



KRM-LKB-75103-30 KRM-LKB-75101-20



KRM-LKBT-75101-24 KRM-LKBT-75103-30 KRM-LKBT-75101-20

LOTO KEY & DOCUMENTATION BOX GREY

MODEL	WIDTH	DEPTH	HEIGHT	LOCK	WEIGHT
MKSLB-4/5	150mm	50/100mm	215/225mm	04/05	2200gm
MKSLB-7	203mm	150mm	305mm	07	2500gm

LOTO KEY & DOCUMENTATION BOX CABINET 4 LOCKS

KRM-K-LBC-244 H KRM-K-LBC-204 H KRM-K-LBC-304 H

LOTO KEY & DOCUMENTATION BOX CABINET 5 LOCKS

KRM-K-LBC-155 H KRM-K-LBC-205 H KRM-K-LBC-245 H

LOTO KEY & DOCUMENTATION BOX CABINET 4/5 LOCKS WITH STAND

KRM-K-PLBT-20 KRM-K-PLBT-15 KRM-K-PLBT-24

GROUP LOCKOUT BOX 4 & 6 LOCK

Height	Width	Depth	Weight	Locking Slots
407 mm	356 mm	76 mm	3 kg	4
464 mm	394 mm	50 mm	3 kg	6

GROUP LOCKOUT BOX 8 LOCKS & GROUP LOCKOUT BOX INBUILT 1 LOCK & 12 SLOTS

Height	Width	Depth	Weight	Locking Slots
464 mm	394 mm	50 mm	3.5 kg	8
203 mm	100 mm	254 mm	2700 gm	1 LOCK & 12 HOLES

KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

LOCKOUT TAGOUT STATION



to meet OSHA'a Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



KRM-K-PCLS-Y KRM-K-PCLS-R



KRM-K-Y-PCLS-P KRM-K-R-PCLS-P KRM-K-G-PCLS-P



KRM-K-PLTS-Y KRM-K-PLTS-R



KRM-K-LLTS-37590



KRM-K-LLTS-J2P-37590



KRM-K-LCGS-Y



KRM-K-LLTS-CF-30156



KRM-K-LLTS-MF-30156



KRM-K-LLTS-CF-30159



KRM-K-LLTS-242210



KRM-K-LLTS-CF-483612



KRM-K-MLTS-244812

KRM CORPORATION
ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

LOTO PADLOCK STATION

CE

to meet OSHA'a Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



LOCKOUT TAGOUT STATION MESH FASCIA (15155-4)

KRM-K-LTS-MFY-15155-4 KRM-K-LTS-MFR-15155-4

LOCKOUT TAGOUT STATION MESH FASCIA 255155-4)

KRM-K-LTS-MFY-15155-4 KRM-K-LTS-MFR-15155-4

PADLOCK STATION CLEAR FASCIA (18X15X2 INCH)

KRM-K-LTPS-CF-18152 KRM-K-LTPS-CF-18152 KRM-K-LTPS-CF-18152

PORTABLE PADLOCK STATION BL (18X15X2 INCH)

KRM-K-PLTS-6BL1J2P KRM-K-PLTS-2S1J2P

LOCKABLE LOCKOUT TAGOUT PADLOCK STATION (37590)

KRM-K-OLLTS-J2-37590 KRM-K-LLTPS-37590

LOCKABLE LOCKOUT TAGOUT PADLOCK STATION (37590)

KRM-K-OLLTS-J2-37590 KRM-K-LLTPS-37590

LOCKOUT PADLOCK STATION OPAQUE FASCIA (18152-5S)

KRM-K-LTPS-OF-18152-5S

LOCKOUT PADLOCK STATION OPAQUE FASCIA (18x15x2 INCH)

KRM-K-LTPS-OF-18152-3S2M KRM-K-LTPS-OF-18152-1P

LOCKOUT PADLOCK STATION OPAQUE FASCIA (18152-5S)

KRM-K-MPC-OFY-6J

DUAL LAYER LOCKOUT PADLOCK STATION-3 OPAQUE FASCIA (18X15X6 INCH)

KRM-K-DLPS-3

MULTIPURPOSE PADLOCK STATION OPAQUE FASCIA (18152)

KRM-K-MPC-0FG-3S2J2P KRM-K-MPC-27P

LOCKOUT PADLOCK STATION OPAQUE FASCIA (18152-7)

KRM-K-PCLS-R

KRM CORPORATION
ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

LOTO PADLOCK STATION

CE

to meet OSHA'a Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-2251655

KRM-K-LLTPS-2251655

LOCKABLE LOCKOUT PADLOCK STATION RED (24X15X2 INCH)

KRM-K-Y-LLTPS-24152-R KRM-K-Y-LLTPS-24152-1P-R

LOCKOUT PADLOCK STATION CLEAR FASCIA (30152J)

KRM-K-LLTPS-CF-30152

LOCKOUT PADLOCK STATION CLEAR FASCIA (30152A)

KRM-K-LLTPS-ABS-30152

LOCKOUT PADLOCK STATION MESH FASCIA (30152J)

KRM-K-LLTPS-CF-30152

LOCKOUT PADLOCK STATION CLEAR FASCIA (30156)

KRM-K-LLTPS-CF-30156

LOCKOUT TAGOUT PADLOCK STATION-64

KRM-K-LLTPS-64

MULTIPURPOSE PADLOCK CENTRE / CABINET

KRM-K-MPC-30

DI ELECTRIC MULTIPURPOSE LOCKOUT PADLOCK / KEY BOX

KRM-K-LLTPS-64

MULTIPURPOSE PADLOCK CENTRE / CABINET

KRM-K-MPC-20 KRM-K-MPC-12

MOLDED PADLOCK HOLDER

KRM-K-LTS-MPLH

MULTIPURPOSE PADLOCK CENTRE / CABINET

KRM-K-MPC-20

KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015


LOTO PADLOCK/KEY STATION



to meet OSHA's Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



KRM-K-PLTS-12/15



KRM-K-LPDS-6

KRM-K-LPDS-18

KRM-K-PLTS-12



KRM-K-MKC3J 18152 GREEN KRM-K-MKC3J 18152 YELLOW



KRM-K-MKC4J 18152 GREY

KRM-K-MKC5J 18152 RED



KRM-K-MKC6J-LRB18152

KRM-K-MKC10J-LRB18152



KRM-K-MKC-5C

KRM-K-MKC-4C



KRM-K-DPKS-3

KRM-K-DPKS-5



KRM-K-DPKS-3 (RED)

KRM-K-DPKS-5 (GREY)



KRM-K-LLTKS-375

KRM-K-LLTKS-375-1P



KRM-K-LLTKS-24152-R-5

KRM-K-LLTKS-24152-R-7



KRM-K-LKB-75101

KRM-K-LKB-75103



KRM-K-LLTKS-2251655

KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

LOTO KEY STATION & LOCKOUT CENTER



to meet OSHA's Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



KRM-K-LKHB-15145



KRM-K-LTKS-CF-48362




KRM-K-TKS30

KRM-K-TKS50



KRM-K-TKS100



KRM-K-LCS50251

KRM-K-LTCJ-824



KRM-K-LCS50251

KRM-K-LCS1204



KRM-K-LCS574

KRM-K-LCS221



KRM-K-LTCS-101

KRM-K-LTCS-122

KRM-K-LTCS-222




KRM-K-LTCJ-202



KRM-K-LTPCH-38+4P

KRM-K-LTPCH-48+4P



KRM-K-LCS-J-51

KRM-K-LCS-ABS-51



KRM-K-LCS-PHJ-51



KRM-K-LCS-PH-ABS-51

KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

LOCKOUT STATION/CENTER



to meet OSHA's Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

LOCKOUT CENTER & LOTO KITS



to meet OSHA's Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

LOCKOUT TAGOUT KITS

CE

to meet OSHA's Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

LOCKOUT TAGOUT KITS

CE

to meet OSHA's Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



LOCKOUT POSTERS(18X24 INCH, 24X36 INCH)

KRM-K-LTHIA-AS#144 KRM-K-LTHIA-AS#145

LOCKOUT POSTERS(18X24 INCH, 24X36 INCH)

KRM-K-LTHIA-AS#154 KRM-K-LTHIA-AS#155

LOCKOUT POSTERS(18X24 INCH, 24X36 INCH)

KRM-K-LTHIA-AS#148 KRM-K-LTHIA-AS#149

LOCKOUT POSTER (5X3FEET)

KRM-K-LTHIA-AS#156

LOCKOUT LABELS(6X4 INCH, 8X10 INCH)

KRM-K-LTSS-15 KRM-K-LTSS-57#40

LOCKOUT LABELS(6X4 INCH, 8X10 INCH)

KRM-K-LTSS-57#11 KRM-K-LTSS-57#12

LOCKOUT LABELS(6X4 INCH, 8X10 INCH)

KRM-K-LTSS-57#27 KRM-K-LTSS-57#10

LOCKOUT LABELS(6X3 INCH, 6X4 INCH, 8X10 INCH)

KRM-K-LTSS-57#37 KRM-K-LTSS-57#41 KRM-K-LTSS-57#23

LOCKOUT TAGOUT MARKER / POINTER (2.2X3 INCH)

KRM-K-LM-3 KRM-K-LM-1

LOCKOUT TAGOUT MARKER / POINTER

KRM-K-LM-2 KRM-K-LTSS-57#52

VISUAL DISPLAY MESSAGE HANGOUT (18X24 INCH, 24X36 INCH)

KRM-K-VDM-AS#133 KRM-K-VDM-AS#127 KRM-K-VDM-AS#128

VISUAL DISPLAY MESSAGE HANGOUT (18X24 INCH, 24X36 INCH)

KRM-K-VDM-AS#131 KRM-K-VDM-AS#138 KRM-K-VDM-AS#137

VISUAL DISPLAY MESSAGE HANGOUT (18X24 INCH, 24X36 INCH)

KRM-K-VDM-AS#132 KRM-K-VDM-AS#110 KRM-K-VDM-AS#112

VISUAL DISPLAY MESSAGE HANGOUT (18X24 INCH, 24X36 INCH)

KRM-K-VDM-AS#101 KRM-K-VDM-AS#121 KRM-K-VDM-AS#120

PLASTIC/ RUBBER MODULAR STAND / BARRIER

KRM-K-LPMB5-2P KRM-K-LPMB5-3P

METAL MODULAR STAND / BARRIER

KRM-K-LMBS-1 KRM-K-LMBS-2

LOCKOUT PORTABLE SAFETY FLOOR STAND

KRM-K-LPHS-01 KRM-K-LPHS-03

PHOTO LUMINESCENT SIGN SELF ADHESIVE/GLOW IN DARK (ESCAPE SIGN)

4037 H,G,R,PT 4038 H,G,R,PT 4039 H,G,R,PT
4507 H,G,R,PT 4508 H,G,R,PT 4040 H,G,R,PT

PHOTO LUMINESCENT SIGN SELF ADHESIVE/GLOW IN DARK (MANDATORY SIGN)

5039 C,E 5304 C,E 5300 C,E

PHOTO LUMINESCENT SIGN SELF ADHESIVE/GLOW IN DARK (FIRE SIGN)

Fire Extinguisher Fire Alarm Fire Hose Reel

SELF ADHESIVE/GLOW IN DARK (WARNING AND HAZARDOUS SIGN)

Warning Warning Danger Battery acid DANGER Live wires

PHOTO LUMINESCENT SIGN SELF ADHESIVE/GLOW IN DARK (PROHIBITION SIGN)

Do not switch off Do not close
Do not enter when red light is on Do not open

8152 H, PT 8094 H, PT
8088 H, PT 8092 H, PT

DANGER VOLTAGE SIGN SELF ADHESIVE/GLOW IN DARK

खतरा 11000 oksY 11000 VOLTS DANGER
DANGER 415 VOLTS
खतरा 415 oksY 415 VOLTS DANGER
DANGER HIGH VOLTAGE
DANGER TRY OUT BEFORE STARTJOB

DANGER DISPLAY HOLDER

SHUT DOWN Maintenance work is being done STOP WORK

CUSTOMIZED SIGNS CAN BE MADE AS PER ORDERS

KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

SIGNS & ELECTRICAL SAFETY

CE

to meet OSHA's Lockout Tagout standard 29 CFR, 1910.147 & 1910.269

KRM-LOTO
 SAFETY PRODUCTS
Lock Tag!!
 safe loto



KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

ELECTRICAL/INDUSTRIAL SAFETY

CE

to meet OSHA's Lockout Tagout standard 29 CFR, 1910.147 & 1910.269

KRM-LOTO
 SAFETY PRODUCTS
Lock Tag!!
 safe loto



KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

SECURITY, PARKING & ROAD SAFETY



to meet OSHA's Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



RECHARGEABLE SEARCH LANTERN/RECHARGEABLE HALOGEN LANTERN



KRM-K-RSLB-01 KRM-K-RSLB-02 KRM-K-YRCKL-01

INSPECTOR MIRROR/TROLLEY MIRROR/DOOR DETECTOR



SAFETY BATON/SAFETY JACKET/SAFETY BELT



CONVEX MIRROR

Size : 45 cm.
 Size : 60 cm (with hood)
 Size : 80cm (with hood)
 Size : 100cm (with hood)
 Wall Clamp for Mirror



KRM-K-CM

4 WAY STAND



KRM-K-4WMSP

REFLECTIVE SAFETY CONE/REFLECTIVE FLEXI POST



KRM-K-SC-3.5

KRM-K-FSP-2S-17

PORTABLE SAFETY FLOOR STAND



KRM-K-LPHS-07

KRM-K-LPHS-08

KRM-K-LPHS-04

SAFETY FENCE



KRM-K-SFN

METAL/PLASTIC LINK CHAIN




KRM-K-LHL-02

WHEEL & CAR STOPPER



KRM-K-WS

PLASTIC SPEED BREAKER/ SPEED BUMP




H2PB50-1

H2PB75-1

H2PB50-2

H2PB75-2

RUBBER SPEED BREAKER/ ARROW SPEED BREAKER



H2RB50-1

H2RB70-1

H2RB75-2

H2ASB75-1

KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

PARKING & ROAD SAFETY



to meet OSHA's Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



SOLAR FLASHER/SOLAR DIRECTION SIGN/ SOLAR TRAFFIC BLIKER




H2CFS

H2SU309

SDS

STB

ROAD STUD/SOLAR STUD



H2RS01,02

H2SS01,02

MEDIAN MARKER



H2MM01,02

CORNER GUARD



H2CG

DELINATOR



H2D1

H2D2

H2SD-1

H2SD-2

SOLAR DELINATOR



AB-SU156

ROAD SAFETY SYMBOLS



MODULAR POST REFLECTIVE SIGNS



REFLECTIVE SIGNANGES



REFLECTIVE SIGNANGES



WHEEL LOCKOUT



KRM-K-MSLD-5

STEERING WHEEL LOCKOUT (SIZE-DIA-400,600,800 MM)



KRM-K-WSLC-4,6,8

KRM CORPORATION
ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

BARRIERS/TAPES/ACOUSTIC SEALS

CE

to meet OSHA'a Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



KRM CORPORATION
ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

PPE PRODUCTS

CE

to meet OSHA'a Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

PPE PRODUCTS

CE

to meet OSHA'a Lockout Tagout standard 29 CFR, 1910.147 & 1910.269



KRM CORPORATION
 ISO QMS - 9001:2015, ISO EMS 14001:2015, ISO OHSMS 45001:2018
KRM SafeTech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO QMS 9001:2015

PPE PRODUCTS

CE

to meet OSHA'a Lockout Tagout standard 29 CFR, 1910.147 & 1910.269

