

GSTIN No.: 06AAPVW8746Q1Z6, PAN No.: AAVPW8746Q, TIN No.: 0682132889, TAN no.: RTKKO3359G, IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 861

GSTIN No.: 06AAECK2831L1Z1, PAN No.: AAECK2831L, TIN No.: 06824000112, CIN No.: U31903HR2011PTC042508, IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

www.lotoappliances.com



www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

# KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 4/5/6/7/8 LOCKS





OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



www.locktagindia.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

**KRM LOTO – KEY SAFE GROUP LOCK BOX -INDEX**

**Index Page No:-1**

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	WEIGHT (kg)	PAGE NO.
1	KKRM-K-MKSLB-4	KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 4 LOCKS	2.2	5
2	KKRM-K-LBC-84H	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 8 BOXES	25	6
3	KKRM-K-LBC-124H	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 12 BOXES	38	7
4	KKRM-K-LBC-154H	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 15 BOXES	48	8
5	KKRM-K-LBC-164H	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 16 BOXES	52	9
6	KKRM-K-LBC-204H	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 20 BOXES	63	10
7	KKRM-K-LBC-244H	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 24 BOXES	76	11
8	KKRM-K-LBC-304H	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 30 BOXES	106	12
9	KKRM-K-LBC-484H	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 48 BOXES	152	13
10	KKRM-K-PLBT-84	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 8 BOXES WITH MOVABLE STAND	35	14
11	KKRM-K-PLBT-124	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 12 BOXES WITH MOVABLE STAND	48	15
12	KKRM-K-PLBT-154	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 15 BOXES WITH MOVABLE STAND	58	16
13	KKRM-K-PLBT-164	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 16 BOXES WITH MOVABLE STAND	62	17
14	KKRM-K-PLBT-204	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 20 BOXES WITH MOVABLE STAND	73	18
15	KKRM-K-PLBT-244	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 24 BOXES WITH MOVABLE STAND	76	19
16	KKRM-K-PLBT-304	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 30 BOXES WITH MOVABLE STAND	116	20
17	KKRM-K-PLBT-484	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 48 BOXES WITH MOVABLE STAND	162	21

OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Productsto meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

**KRM LOTO – KEY SAFE GROUP LOCK BOX -INDEX****Index Page No:-2**

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	WEIGHT (kg)	PAGE NO.
18	KKRM-K-MKSLB-5	KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 5 LOCKS	2.2	22
19	KKRM-K-LBC-85H	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 8 BOXES	25	23
20	KKRM-K-LBC-125H	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 12 BOXES	38	24
21	KKRM-K-LBC-155H	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 15 BOXES	48	25
22	KKRM-K-LBC-165H	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 16 BOXES	52	26
23	KKRM-K-LBC-205H	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 20 BOXES	63	27
24	KKRM-K-LBC-245H	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 24 BOXES	76	28
25	KKRM-K-LBC-305H	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 30 BOXES	106	29
26	KKRM-K-LBC-485H	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 48 BOXES	152	30
27	KKRM-K-PLBT-85	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 8 BOXES WITH MOVABLE STAND	35	31
28	KKRM-K-PLBT-125	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 12 BOXES WITH MOVABLE STAND	48	32
29	KKRM-K-PLBT-155	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 15 BOXES WITH MOVABLE STAND	58	33
30	KKRM-K-PLBT-165	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 16 BOXES WITH MOVABLE STAND	62	34
31	KKRM-K-PLBT-205	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 20 BOXES WITH MOVABLE STAND	73	35
32	KKRM-K-PLBT-245	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 24 BOXES WITH MOVABLE STAND	76	36
33	KKRM-K-PLBT-305	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 30 BOXES WITH MOVABLE STAND	116	37
34	KKRM-K-PLBT-485	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 48 BOXES WITH MOVABLE STAND	162	38

GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAPPW8746Q  
TIN No.: 06821328889,  
TAN No.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – KEY SAFE GROUP LOCK BOX -INDEX

Index Page No:-3

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	WEIGHT (kg)	PAGE NO.
35	KKRM-K-MKSLB-6	KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 6 LOCKS	2.5	39
36	KKRM-K-GLTCB-DD	KRM LOTO – group LOCKOUT TAGOUT CABINET box– DOUBLE DOOR	3.5	40
37	KKRM-K-MKSLB-7	KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 7 LOCKS	2.5	41
38	KKRM-K-MKSLB-8	KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 8 LOCKS	2.5	42
39	KKRM-K-GLB-Y-4	KRM LOTO – GROUP LOCKOUT BOX WITH 4 LOCKS	3	43
40	KKRM-K-GLB-Y-6	KRM LOTO – GROUP LOCKOUT BOX WITH 6 LOCKS	3	44
42	KKRM-K-GLB-G-8	KRM LOTO – GROUP LOCKOUT BOX WITH 8 PADLOCK EYE FOR LOCKING PURPOSE	3.5	45
43	KKRM-K-GLB-121H	KRM LOTO – GROUP LOCKOUT BOX WITH IN BUILT 1 LOCK & 12 SLOTS	2.7	46
44	KKRM-K-GLB-12H	KRM LOTO – GROUP LOCKOUT BOX WITH IN BUILT 4 LOCKS & 12 SLOTS	2.7	47



GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 851



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 8 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front side with clear fascia with border frame.

There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate

- **Size of individual small box** -# 215 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate** #  $\pm$  544 x 727 mm
- **Weight of individual small box** #  $\pm$  2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 8no (4 Column x 2 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

Image for reference



KCRM-K-LBC-84H

GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 851



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 12 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front side with clear fascia with border frame.

There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate

- **Size of individual small box** -# 215 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate** #  $\pm$  784 x 727 mm
- **Weight of individual small box** #  $\pm$  2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 12no (4 Column x 3 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

Image for reference



KKRM-K-LBC-124H

GSTIN No.: 06AAMPW8746Q1Z6,  
 PAN No.: AAVPW8746Q  
 TIN No.: 06821328889,  
 TAN no.: RTKKO3359G  
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 851



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1  
 PAN No.: AAECK2831L  
 TIN No.: 06824000112  
 CIN No.: U31903HR2011PTC042508  
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 15 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front side with clear fascia with border frame.

There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate

- **Size of individual small box** -# 215 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate** #  $\pm$  784 x 902 mm
- **Weight of individual small box** #  $\pm$  2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 15no (5 Column x 3 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

Image for reference



**KKRM-K-LBC-154H**

GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAMPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 16 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front side with clear fascia with border frame.

There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate

- **Size of individual small box** -# 215 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate** #  $\pm$  1025 x 727 mm
- **Weight of individual small box** #  $\pm$  2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 16no (4 Column x 4 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

Image for reference



**KCRM-K-LBC-164H**

GSTIN No.: 06AAMPW8746Q1Z6,  
 PAN No.: AAVPW8746Q  
 TIN No.: 06821328889,  
 TAN no.: RTKKO3359G  
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 851



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
 PAN No.: AAECK2831L  
 TIN No.: 06824000112  
 CIN No.: U31903HR2011PTC042508  
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 20 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front side with clear fascia with border frame.


There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate

- **Size of individual small box** -# 215 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate** #  $\pm$  1025 x 902 mm
- **Weight of individual small box** #  $\pm$  2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 20no (5 Column x 4 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate, **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

Image for reference



**KKRM-K-LBC-204H**

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 851



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1331 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 24 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front side with clear fascia with border frame.

There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate

- **Size of individual small box** -# 215 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate** #  $\pm 1025 \times 1078$  mm
- **Weight of individual small box** #  $\pm 2200$  gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 24no (6 Column x 4 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate, **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

Image for reference



KKRM-K-LBC-244H

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 851

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 30 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front side with clear fascia with border frame.

There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate

- **Size of individual small box** -# 215 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate** #  $\pm$  1265 x 1078 mm
- **Weight of individual small box** #  $\pm$  2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 30no (6 Column x 5 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate, **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.


Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

Image for reference



**KCRM-K-LBC-304H**



GSTIN No.: 06AAVPW8746Q1Z6,  
 PAN No.: AAVPW8746Q  
 TIN No.: 06821328889,  
 TAN no.: RTKKO3359G  
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1  
 PAN No.: AAECK2831L  
 TIN No.: 06824000112  
 CIN No.: U31903HR2011PTC042508  
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 48 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front side with clear fascia with border frame.

There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate

- **Size of individual small box** -# 215 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate** #  $\pm$  1505 x 1428 mm
- **Weight of individual small box** #  $\pm$  2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 48no (8 Column x 6 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

Image for reference



**KKRM-K-LBC-484 H**

GSTIN No.: 06AAVPW8746Q1Z6,  
 PAN No.: AAVPW8746Q  
 TIN No.: 06821328889,  
 TAN no.: RTKKO3359G  
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 851



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1  
 PAN No.: AAECK2831L  
 TIN No.: 06824000112  
 CIN No.: U31903HR2011PTC042508  
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1331 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## GROUP LOCKOUT BOX CABINET 4 LOCK WITH 8 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front side with clear fascia with border frame.

There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate

- **Size of individual small box** -# 215 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate #** ± 544 x 727 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 8no (4 Column x 2 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate, **not on any box**. if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

Image for reference



**KKRM-K-PLBT-84**

GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 851

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## GROUP LOCKOUT BOX CABINET 4 LOCK WITH 12 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front side with clear fascia with border frame.

There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate

- **Size of individual small box** -# 215 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate** #  $\pm$  784 x 727 mm
- **Weight of individual small box** #  $\pm$  2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 12no (4 Column x 3 Row)
- **With a provision of vertical movable stand.**
- **Stand** – Vertical hollow MS tube with wheel mounted arrangement
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate, **not on any box**.if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

Image for reference



**KKRM-K-PLBT-124**

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 851



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## GROUP LOCKOUT BOX CABINET 4 LOCK WITH 15 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front side with clear fascia with border frame.

There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate

- **Size of individual small box** -# 215 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate #** ± 784 x 902 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 15no (5 Column x 3 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate, **not on any box**. if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

Image for reference



KCRM-K-PLBT-154

GSTIN No.: 06AAMPW8746Q1Z6,  
 PAN No.: AAVPW8746Q  
 TIN No.: 06821328889,  
 TAN no.: RTKKO3359G  
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 851

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1  
 PAN No.: AAECK2831L  
 TIN No.: 06824000112  
 CIN No.: U31903HR2011PTC042508  
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## GROUP LOCKOUT BOX CABINET 4 LOCK WITH 16 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.

- Resistant to corrosion.

- **Locking Mechanism** – 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.

- Front side with clear fascia with border frame

There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate

- **Size of individual small box** -# 215 mm x 150 mm x 100 mm ( or 50 mm as per requirement)

- **Total size of plate #** ± 1025 x 727 mm

- **Weight of individual small box #** ± 2200 gms.

- Provision of having one row 2 to 5 hooks Welded as same color of the box.

- **No of Boxes** – 16no (4 Column x 4 Row)

- **With a provision of vertical movable stand.**

- **Stand – Vertical hollow MS tube with wheel mounted arrangement**

- Polycarbonate sheet + MS Frame + Slit opening at top.

- Pre drilled hole on back side of box to mount on base plate

- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end

- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.

- **Color** - Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

Image for reference



**KKRM-K-PLBT-164**

GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 861

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## GROUP LOCKOUT BOX CABINET 4 LOCK WITH 20 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.

- Resistant to corrosion.

- **Locking Mechanism** – 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.

- Front side with clear fascia with border frame

**There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate**

- **Size of individual small box** -# 215 mm x 150 mm x 100 mm ( or 50 mm as per requirement)

- **Total size of plate #** ± 1025 x 902 mm

- **Weight of individual small box #** ± 2200 gms.

- Provision of having one row 2 to 5 hooks Welded as same color of the box.

- **No of Boxes** – 20no (5 Column x 4 Row)

- **With a provision of vertical movable stand.**

- **Stand – Vertical hollow MS tube with wheel mounted arrangement**

- Polycarbonate sheet + MS Frame + Slit opening at top.

- Pre drilled hole on back side of box to mount on base plate

- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end

- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.

- **Color** - Grey or any color as per quantity.

**Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

**Image for reference**



**KKRM-K-PLBT-204**

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 851

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## GROUP LOCKOUT BOX CABINET 4 LOCK WITH 24 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.

- Resistant to corrosion.

- **Locking Mechanism** – 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.

- Front side with clear fascia with border frame

**There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate**

- **Size of individual small box** -# 215 mm x 150 mm x 100 mm ( or 50 mm as per requirement)

- **Total size of plate #** ± 1025 x 1078 mm

- **Weight of individual small box #** ± 2200 gms.

- Provision of having one row 2 to 5 hooks Welded as same color of the box.

- **No of Boxes** – 24no (6 Column x 4 Row)

- **With a provision of vertical movable stand.**

- **Stand – Vertical hollow MS tube with wheel mounted arrangement**

- Polycarbonate sheet + MS Frame + Slit opening at top.

- Pre drilled hole on back side of box to mount on base plate

- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end

- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.

- **Color** - Grey or any color as per quantity.

**Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

**Image for reference**



**KKRM-K-PLBT-244**

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## GROUP LOCKOUT BOX CABINET 4 LOCK WITH 30 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front side with clear fascia with border frame
- **There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate**
- **Size of individual small box** -# 215 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate #** ± 1265 x 1078 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 30no (6 Column x 5 Row)
- **With a provision of vertical movable stand.**

- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate, **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

Image for reference



KKRM-K-PLBT-304

GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAMPW8746Q  
TIN No.: 06821328889,  
TAN No.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 861

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269

www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## GROUP LOCKOUT BOX CABINET 4 LOCK WITH 48 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front side with clear fascia with border frame

There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate

- **Size of individual small box** -# 215 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate** #  $\pm$  1505 x 1428 mm
- **Weight of individual small box** #  $\pm$  2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 48no (8 Column x 6 Row)
- **With a provision of vertical movable stand.**
- **Stand** – Vertical hollow MS tube with wheel mounted arrangement
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate, **not on any box**. if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

Image for reference



**KKRM-K-PLBT-484**

GSTIN No.: 06AAPPW8746Q1Z6,  
PAN No.: AAPPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 851



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 5 LOCKS

Group Lockout Box are compulsory and important safety isolation equipment. All the important material, keys or documents can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.

- **Material** - Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- **Locking Mechanism** - 5 locks – 4 differ + 1 control key lock (same key for all box)
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- Provision of four pre drilled holes/ key holes on backside to hang box on any surface.
- Front side with clear fascia with border frame.
- **There will be website [www.krmloto.com](http://www.krmloto.com) on each box.**
- Front fascia with transparent cut out on top to insert any document after locking the box.
- There Will be no Label on boxes. if require label on boxes that will be extra cost as separate item, not fix on boxes
- **Size** - 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- It is portable type.
- **Weight of individual small box #** ± 2200 gms.
- **Color** - Grey or as per the volume.

**NOTE:** - Group Lockout is also available with shelf and without shelf as per the requirement at different prices.



**KKRM-K-MKSLB-5**



GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 851



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 12 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front side with clear fascia with border frame.
- **There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate**
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate #** ± 815 x 727 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 12no (4 Column x 3 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

Image for reference



**KCRM-K-LBC-125H**

GSTIN No.: 06AAMPW8746Q1Z6,  
 PAN No.: AAVPW8746Q  
 TIN No.: 06821328889,  
 TAN no.: RTKKO3359G  
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269

www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
 PAN No.: AAECK2831L  
 TIN No.: 06824000112  
 CIN No.: U31903HR2011PTC042508  
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 15 BOXES


Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front side with clear fascia with border frame.
- **There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate**
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate** # ± 815 x 902 mm
- **Weight of individual small box** # ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 15no (5 Column x 3 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.


Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

Image for reference



KKRM-K-LBC-155H



GSTIN No.: 06AACPW8746Q1Z6,  
 PAN No.: AACPW8746Q  
 TIN No.: 06821328889,  
 TAN no.: RTKKO3359G  
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
 PAN No.: AAECK2831L  
 TIN No.: 06824000112  
 CIN No.: U31903HR2011PTC042508  
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 16 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front side with clear fascia with border frame.
- **There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate**

- **Size of individual small box** -# 225 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate** #  $\pm 1065 \times 727$  mm
- **Weight of individual small box** #  $\pm 2200$  gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 16no (4 Column x 4 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.

**Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

**Image for reference**



**KKRM-K-LBC-165H**

GSTIN No.: 06AAPPW8746Q1Z6,  
 PAN No.: AAPPW8746Q  
 TIN No.: 06821328889,  
 TAN no.: RTKKO3359G  
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
 PAN No.: AAECK2831L  
 TIN No.: 06824000112  
 CIN No.: U31903HR2011PTC042508  
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 20 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front side with clear fascia with border frame.
- **There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate**
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate #** ± 1065 x 902 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 20no (5 Column x 4 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

Image for reference



**KCRM-K-LBC-205H**

GSTIN No.: 06AAMPW8746Q1Z6,  
 PAN No.: AAVPW8746Q  
 TIN No.: 06821328889,  
 TAN no.: RTKKO3359G  
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 851



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1  
 PAN No.: AAECK2831L  
 TIN No.: 06824000112  
 CIN No.: U31903HR2011PTC042508  
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1331 (D)

## KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 24 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front side with clear fascia with border frame.
- **There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate**
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate #** ±1065 x 1078 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 24no (6 Column x 4 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.


Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

Image for reference



**KKRM-K-LBC-245H**



GSTIN No.: 06AAMPW8746Q1Z6,  
 PAN No.: AAVPW8746Q  
 TIN No.: 06821328889,  
 TAN no.: RTKKO3359G  
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
 PAN No.: AAECK2831L  
 TIN No.: 06824000112  
 CIN No.: U31903HR2011PTC042508  
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

## KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 30 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front side with clear fascia with border frame
- **There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate**
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate #**  $\pm 1315 \times 1078$  mm
- **Weight of individual small box #**  $\pm 2200$  gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 30no (6 Column x 5 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.


Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

Image for reference



**KKRM-K-LBC-305H**



GSTIN No.: 06AAPPW8746Q1Z6,  
 PAN No.: AAPPW8746Q  
 TIN No.: 06821328889,  
 TAN no.: RTKKO3359G  
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1  
 PAN No.: AAECK2831L  
 TIN No.: 06824000112  
 CIN No.: U31903HR2011PTC042508  
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 48 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front side with clear fascia with border frame.
- **There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate**
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate #** ±1565 x 1428 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 48no (8 Column x 6 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

Image for reference



KKRM-K-LBC-485H



GSTIN No.: 06AAPW8746Q1Z6,  
 PAN No.: AAVPW8746Q  
 TIN No.: 06821328889,  
 TAN no.: RTKKO3359G  
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 851



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



www.lockoutappliance.com



GSTIN No.: 06AAECK2831L1Z1  
 PAN No.: AAECK2831L  
 TIN No.: 06824000112  
 CIN No.: U31903HR2011PTC042508  
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## GROUP LOCKOUT BOX CABINET 5 LOCK WITH 8 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.

- **Locking Mechanism** – 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front side with clear fascia with border frame.

There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate

- **Size of individual small box** -# 225 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate #** ± 564 x 727 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 8no (4 Column x 2 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

Image for reference



KKRM-K-PLBT-85

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 851

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## GROUP LOCKOUT BOX CABINET 5 LOCK WITH 12 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front side with clear fascia with border frame.
- **There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate**
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate #** ± 815 x 727 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 12no (4 Column x 3 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.

**Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

**Image for reference**



**KKRM-K-PLBT-125**



GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 0682132889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 851

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## GROUP LOCKOUT BOX CABINET 5 LOCK WITH 16 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism** – 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front side with clear fascia with border frame.

**There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate**

- **Size of individual small box** -# 225 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate** #  $\pm 1065 \times 727$  mm
- **Weight of individual small box** #  $\pm 2200$  gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 16no (4 Column x 4 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.

**Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

**Image for reference**



**KKRM-K-PLBT-165**

GSTIN No.: 06AAVPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 851

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## GROUP LOCKOUT BOX CABINET 5 LOCK WITH 20 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.

- Resistant to corrosion.

- **Locking Mechanism** – 5 locks – 4 differ + 1 control key lock (same key for all box)

- Front side with clear fascia with border frame.

**There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate**

- **Size of individual small box** -# 225 mm x 150 mm x 100 mm ( or 50 mm as per requirement)

- **Total size of plate #** +\_1065 x 902 mm

- **Weight of individual small box #** +\_2200 gms.

- Provision of having one row 2 to 5 hooks Welded as same color of the box.

- **No of Boxes** – 20no (5 Column x 4 Row)

- **With a provision of vertical movable stand.**

- **Stand – Vertical hollow MS tube with wheel mounted arrangement**

- Polycarbonate sheet + MS Frame + Slit opening at top.

- Pre drilled hole on back side of box to mount on base plate

- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end

- Label on key documentation on top of plate, **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.

- **Color** - Grey or any color as per quantity.

**Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination**

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

**Image for reference**



**KKRM-K-PLBT-205**





GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 0682132889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 861

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## GROUP LOCKOUT BOX CABINET 5 LOCK WITH 48 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material** – Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.

- **Locking Mechanism** – 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front side with clear fascia with border frame.

There will be website [www.krmloto.com](http://www.krmloto.com) on each box and base plate

- **Size of individual small box** -# 225 mm x 150 mm x 100 mm ( or 50 mm as per requirement)
- **Total size of plate #** +1565 x 1428 mm
- **Weight of individual small box #** + 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes** – 48no (8 Column x 6 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color** - Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

**NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.**

Image for reference



**KKRM-K-PLBT-485**

GSTIN No.: 06AAPW8746Q1Z6,  
 PAN No.: AAVPW8746Q  
 TIN No.: 06821328889,  
 TAN no.: RTKKO3359G  
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1  
 PAN No.: AAECK2831L  
 TIN No.: 06824000112  
 CIN No.: U31903HR2011PTC042508  
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 6 LOCKS

Group Lockout Box are compulsory and important safety isolation equipment. All the important material, keys or documents can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.

- **Material** - Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- **Locking Mechanism** - 6 locks – 5 differ + 1 control key lock (same key for all box)
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- Provision of four pre drilled holes/ key holes on backside to hang box on any surface.
- Front side with clear fascia with border frame.
- **There will be website www.krmloto.com on each box.**
- Front fascia with transparent cut out on top to insert any document after locking the box.
- There Will be no Label on boxes. if require label on boxes that will be extra cost as separate item, not fix on boxes
- **Size** - 235 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- It is portable type.
- **Weight of individual small box #** ± 2200 gms.
- **Color** - Grey or as per the volume.

**NOTE:** - Group Lockout is also available with shelf and without shelf as per the requirement at different prices.



KKRM-K-MKSLB-6



GSTIN No.: 06AAMPW8746Q1Z6,  
PAN No.: AAVPW8746Q  
TIN No.: 06821328889,  
TAN no.: RTKKO3359G  
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 851



OEM Manufacturer & Global Supplier of  
Lockout Tagout & Safety Products

to meet  
OSHA'S Lockout Tagout Standard  
29 CFR, 1910.147 & 1910.269



www.lockouttagouts.com



GSTIN No.: 06AAECK2831L1Z1  
PAN No.: AAECK2831L  
TIN No.: 06824000112  
CIN No.: U31903HR2011PTC042508  
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

## KRM LOTO – GROUP LOCKOUT TAGOUT CABINET BOX– DOUBLE DOOR

- **Material**-Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Clear Fascia with border frame.
- **Size** – 310 X 200 X 170 mm
- Provision of pre drilled hole on back side to mount any other surface.
- 3 Layer of inbuilt Metal J Type Hook slots in each segment and also a shelf to place any LOTO items.
- Front door is designed in two parts for double safety and security.
- On the right side of the door there are Six in built locks and on the left side a small door with one in built lock as shown in the image for reference.
- There Will be no Label on boxes. if require label on boxes that will be extra cost as separate item, not fix on boxes
- One in-built Lock to provide support and a knob to hold.
- **Weight**-  $\pm 3.5$  kg
- **Color** – Grey or as per quantity required.



KKRM-K-GLTCB-DD







OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



**KRM LOTO – GROUP LOCKOUT BOX WITH 4 LOCKS**

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material – Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- Locking Slots – 4 inbuilt locks for group isolation.
- Front side Clear Fascia with border frame.
- Having provision of slots on the top layer to drop key or document after locking.
- Provision of four pre drilled holes on backside to mount on any surface.
- Three Stainless steel hooks slots for placing the item.
- Size - (A)Height : 407 X (B)Length :356 X(C)Depth :76 mm
- Weight – 3kgs.
- Color - Yellow, Grey or as per the volume.



**KKRM-K-GLB-Y-4**

ITEM CODE	HEIGHT	WIDTH	DEPTH	WEIGHT	LOCKING SLOTS
KKRM-K-GLB-Y-4	407 mm	356 mm	76 mm	3 kg	4



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



**KRM LOTO – GROUP LOCKOUT BOX WITH 6 LOCKS**

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material – Mild Stainless Steel Sheet with Powder coated.
- Resistant to corrosion.
- Locking Slots – 6 inbuilt locks for group isolation.
- Front side Clear Fascia with border frame.
- Provision of four pre drilled holes on backside to mount on any surface.
- Three Stainless steel hooks slots for placing the item.
- Size - (A)Height : 464 X (B)Width :394 X(C)Depth :50 mm.
- It is portable type.
- Weight – 3 kgs



**KKRM-K-GLB-Y-6**

ITEM CODE	HEIGHT	WIDTH	DEPTH	WEIGHT	LOCKING SLOTS
KKRM-K-GLB-Y-6	464 mm	394 mm	50 mm	3 kg	6



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



**KRM LOTO – GROUP LOCKOUT BOX WITH 8 SLOTS**

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material-Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- Locking Slots – 8 slots for group isolation.
- Front side Clear Fascia with border frame.
- Provision of four pre drilled holes on backside to mount on any surface.
- One main lock available for locking arrangement.
- Size - (A)Height – 464 X (B)Length – 394 X (C)Depth – 50 mm
- Weight – 3.5 kg
- Color – Grey, Yellow or as per the volume.



**KKRM-K-GLB-Y-8**

ITEM CODE	HEIGHT	WIDTH	DEPTH	WEIGHT	LOCKING SLOTS
KKRM-K-GLB-P-8	464 mm	394 mm	50 mm	3.5 kg	8



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269



www.locktagindia.com



## KRM LOTO – GROUP LOCKOUT BOX WITH IN BUILT 1 LOCK & 12 SLOTS

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material - Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- Locking Mechanism - 1 inbuilt lock + 12 locking slots on top and bottom of the box.
- Two slots in front on top and bottom of the box to hang padlocks for group locking.
- Provision of four pre drilled holes on backside to hang box on any surface .
- Front side clear fascia with border frame.
- Size - (A)Height : 254 X (B)Length :203 X (C)Depth :100 mm
- Locking Mechanism - 1 lock & 12 Locking slots.
- It is portable type.
- Weight -2700 gms
- Color - Yellow , Grey or as per the volume



**KKRM-K-GLB-121H**

GSTIN No.: 06AAMPW8746Q1Z6,  
 PAN No.: AAVPW8746Q  
 TIN No.: 06821328889,  
 TAN no.: RTKKO3359G  
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of  
 Lockout Tagout & Safety Products

to meet  
 OSHA'S Lockout Tagout Standard  
 29 CFR, 1910.147&1910.269

www.lotoappliances.com



GSTIN No.: 06AAECK2831L1ZI  
 PAN No.: AAECK2831L  
 TIN No.: 06824000112  
 CIN No.: U31903HR2011PTC042508  
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

## KRM LOTO – GROUP LOCKOUT BOX WITH IN BUILT 4 LOCKS & 12 SLOTS

- Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.
- Material - Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- Locking Mechanism - 4 inbuilt locks + 12 locking slots on top and bottom of the box.
- Two slots in front on top and bottom of the box to hang padlocks for group locking.
- Provision of four pre drilled holes on backside to hang box on any surface .
- Front side clear fascia with border frame.
- Size - (A)Height : 254 X (B)Length :203 X (C)Depth :100 mm
- Locking Mechanism - 4 locks & 12 Locking slots.
- It is portable type.
- Weight -2700 gms
- Color - Yellow , Grey or as per the volume
- **NOTE:- Group Lockout Box is available with Padlocks and without Padlocks at different prices.**



KKRM-K-GLB-12H

