KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 4/5/6/7/8 LOCKS TINY HOLES

KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – KEY SAFE GROUP LOCK BOX -INDEX

Index Page No:-1

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	WEIGHT (kg)	PAGE NO.
1	KKRM-K-MKSLB-4	KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 4 LOCKS	2.2	5
2	KKRM-K-LBC-84H	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 8 BOXES	25	6
3	KKRM-K-LBC-124H	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 12 BOXES	38	7
4	KKRM-K-LBC-154H	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 15 BOXES	48	8
5	KKRM-K-LBC-164H	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 16 BOXES	52	9
6	KKRM-K-LBC-204H	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 20 BOXES	63	10
7	KKRM-K-LBC-244H	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 24 BOXES	76	11
8	KKRM-K-LBC-304H	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 30 BOXES	106	12
9	KKRM-K-LBC-484H	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 48 BOXES	152	13
10	KKRM-K-PLBT-84	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 8 BOXES WITH MOVABLE STAND	35	14
11	KKRM-K-PLBT-124	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 12 BOXES WITH MOVABLE STAND	48	15
12	KKRM-K-PLBT-154	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 15 BOXES WITH MOVABLE STAND	58	16
13	KKRM-K-PLBT-164	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 16 BOXES WITH MOVABLE STAND	62	17
14	KKRM-K-PLBT-204	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 20 BOXES WITH MOVABLE STAND	73	18
15	KKRM-K-PLBT-244	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 24 BOXES WITH MOVABLE STAND	76	19
16	KKRM-K-PLBT-304	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 30 BOXES WITH MOVABLE STAND	116	20
17	KKRM-K-PLBT-484	GROUP LOCKOUT BOX CABINET 4 LOCK WITH 48 BOXES WITH MOVABLE STAND	162	21

KRM CORPORATION
GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116
M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products
to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

KRM Safetech Private Limited
GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L
Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com
Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA
www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – KEY SAFE GROUP LOCK BOX -INDEX

Index Page No:-2

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	WEIGHT (kg)	PAGE NO.
18	KKRM-K-MKSLB-5	KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 5 LOCKS	2.2	22
19	KKRM-K-LBC-85H	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 8 BOXES	25	23
20	KKRM-K-LBC-125H	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 12 BOXES	38	24
21	KKRM-K-LBC-155H	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 15 BOXES	48	25
22	KKRM-K-LBC-165H	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 16 BOXES	52	26
23	KKRM-K-LBC-205H	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 20 BOXES	63	27
24	KKRM-K-LBC-245H	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 24 BOXES	76	28
25	KKRM-K-LBC-305H	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 30 BOXES	106	29
26	KKRM-K-LBC-485H	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 48 BOXES	152	30
27	KKRM-K-PLBT-85	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 8 BOXES WITH MOVABLE STAND	35	31
28	KKRM-K-PLBT-125	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 12 BOXES WITH MOVABLE STAND	48	32
29	KKRM-K-PLBT-155	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 15 BOXES WITH MOVABLE STAND	58	33
30	KKRM-K-PLBT-165	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 16 BOXES WITH MOVABLE STAND	62	34
31	KKRM-K-PLBT-205	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 20 BOXES WITH MOVABLE STAND	73	35
32	KKRM-K-PLBT-245	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 24 BOXES WITH MOVABLE STAND	76	36
33	KKRM-K-PLBT-305	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 30 BOXES WITH MOVABLE STAND	116	37
34	KKRM-K-PLBT-485	GROUP LOCKOUT BOX CABINET 5 LOCK WITH 48 BOXES WITH MOVABLE STAND	162	38

KRM LOTO – KEY SAFE GROUP LOCK BOX -INDEX

Index Page No:-3

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	WEIGHT (kg)	PAGE NO.
35	KKRM-K-MKSLB-6	KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 6 LOCKS	2.5	39
36	KKRM-K-MKSLB-7	KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 7 LOCKS	3.5	40
37	KKRM-K-MKSLB-8	KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 8 LOCKS	2.5	41

KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 4 LOCKS

Group Lockout Box are compulsory and important safety isolation equipment. All the important material, keys or documents can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.

- **Material -** Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- **Locking Mechanism** – 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- Provision of four pre drilled holes/ key holes on backside to hang box on any surface.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box. There will be website www.krmloto.com on each box.**
- Front fascia with transparent cut out on top to insert any document after locking the box.
- There Will be no Label on boxes. if require label on boxes that will be extra cost as separate item, not fix on boxes
- **Size -** 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- It is portable type.
- **Weight of individual small box #** ± 2200 gms.
- **Color -** Grey or as per the volume.

NOTE: - Group Lockout is also available with shelf and without shelf as per the requirement at different prices.

KKRM-K-MKSLB-4

KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 8 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 544 x 727 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 8no (4 Column x 2 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-LBC-84H



KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 12 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 784 x 727 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 12no (4 Column x 3 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-LBC-124H



KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 15 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 784 x 902 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 15no (5 Column x 3 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-LBC-154H



KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 16 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 1025 x 727 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 16no (4 Column x 4 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-LBC-164H



KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 20 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 1025 x 902 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 20no (5 Column x 4 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-LBC-204H



KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 24 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 1025 x 1078 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 24no (6 Column x 4 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-LBC-244H



KRM CORPORATION
GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116
M: 00 91 9810 291 381, 8800 544 881

KRM Lock Tag!! safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KM Safetech Private Limited
GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L
Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com
Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA
www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 30 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 1265 x 1078 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 30no (6 Column x 5 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-LBC-304H



KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 48 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 1505 x 1428 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 48no (8 Column x 6 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-LBC-484 H



KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

GROUP LOCKOUT BOX CABINET 4 LOCK WITH 8 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 544 x 727 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 8no (4 Column x 2 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-PLBT-84

KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

GROUP LOCKOUT BOX CABINET 4 LOCK WITH 12 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 784 x 727 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 12no (4 Column x 3 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-PLBT-124

KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

GROUP LOCKOUT BOX CABINET 4 LOCK WITH 15 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 784 x 902 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 15no (5 Column x 3 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-PLBT-154

KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

GROUP LOCKOUT BOX CABINET 4 LOCK WITH 16 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 1025 x 727 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 16no (4 Column x 4 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-PLBT-164

KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

GROUP LOCKOUT BOX CABINET 4 LOCK WITH 20 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 1025 x 902 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 20no (5 Column x 4 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-PLBT-204

KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

GROUP LOCKOUT BOX CABINET 4 LOCK WITH 24 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 1025 x 1078 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 24no (6 Column x 4 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-PLBT-244

KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

GROUP LOCKOUT BOX CABINET 4 LOCK WITH 30 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 1265 x 1078 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 30no (6 Column x 5 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-PLBT-304

KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

GROUP LOCKOUT BOX CABINET 4 LOCK WITH 48 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 4 differ keylock or 3 differ Key and 1 Common key i.e. bottom one.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 215 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 1505 x 1428 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 48no (8 Column x 6 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-PLBT-484

KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 5 LOCKS

Group Lockout Box are compulsory and important safety isolation equipment. All the important material, keys or documents can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.

- **Material -** Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- **Locking Mechanism -** 5 locks – 4 differ + 1 control key lock (same key for all box)
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- Provision of four pre drilled holes/ key holes on backside to hang box on any surface.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box. There will be website www.krmloto.com on each box.**
- Front fascia with transparent cut out on top to insert any document after locking the box.
- There Will be no Label on boxes. if require label on boxes that will be extra cost as separate item, not fix on boxes
- **Size -** 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- It is portable type.
- **Weight of individual small box #** ± 2200 gms.
- **Color -** Grey or as per the volume.

NOTE: - Group Lockout is also available with shelf and without shelf as per the requirement at different prices.

KKRM-K-MKSLB-5

KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 8 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 564 x 727 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 8no (4 Column x 2 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-LBC-85H



KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 12 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 815 x 727 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 12no (4 Column x 3 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKKRM-K-LBC-125H



KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM Lock Tag!! safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

KRM Safetech Private Limited

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 15 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 815 x 902 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 15no (5 Column x 3 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-LBC-155H



KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM Lock Tag!! safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 16 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 1065 x 727 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 16no (4 Column x 4 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-LBC-165H



KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 20 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 1065 x 902 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 20no (5 Column x 4 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference



KKRM-K-LBC-205H



KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 24 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 1065 x 1078 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 24no (6 Column x 4 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-LBC-245H

KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 4 LOCK WITH 30 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 1315 x 1078 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 30no (6 Column x 5 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference



KKRM-K-LBC-305H

KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - GROUP LOCKOUT BOX CABINET 5 LOCK WITH 48 BOXES

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 1565 x 1428 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 48no (8 Column x 6 Row)
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-LBC-485H



KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KM Safetech Private Limited

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

GROUP LOCKOUT BOX CABINET 5 LOCK WITH 8 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**

  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 564 x 727 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 8no (4 Column x 2 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-PLBT-85

KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

GROUP LOCKOUT BOX CABINET 5 LOCK WITH 12 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**

  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 815 x 727 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 12no (4 Column x 3 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-PLBT-125

KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

GROUP LOCKOUT BOX CABINET 5 LOCK WITH 15 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**

  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 815 x 902 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 15no (5 Column x 3 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-PLBT-155

KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

GROUP LOCKOUT BOX CABINET 5 LOCK WITH 16 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**

  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 1065 x 727 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 16no (4 Column x 4 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-PLBT-165

KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

GROUP LOCKOUT BOX CABINET 5 LOCK WITH 20 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**

  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 1065 x 902 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 20no (5 Column x 4 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-PLBT-205

KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

GROUP LOCKOUT BOX CABINET 5 LOCK WITH 24 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**

  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 1065 x 1078 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 24no (6 Column x 4 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-PLBT-245

KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

GROUP LOCKOUT BOX CABINET 5 LOCK WITH 30 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**

  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 1315 x 1078 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 30no (6 Column x 5 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KKRM-K-PLBT-305

KRM LOTO

KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

KRM | KRM LOTO | Lock Tag!! | safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO QMS 9001 2015

GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

GROUP LOCKOUT BOX CABINET 5 LOCK WITH 48 BOXES WITH MOVABLE STAND

Group Lockout Box are compulsory and important safety equipment. All the important material, keys or papers can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation

- **Material –** Made of Mild Steel with duly Phosphate powder coated – 24 Gauge + Front side transparent.
- Resistant to corrosion.
- **Locking Mechanism –** 5 locks – 4 differ + 1 control key lock (same key for all box)
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**

  There will be website www.krmloto.com on each box and base plate
- **Size of individual small box** -# 225 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- **Total size of plate #** ± 1565 x 1428 mm
- **Weight of individual small box #** ± 2200 gms.
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- **No of Boxes –** 48no (8 Column x 6 Row)
- **With a provision of vertical movable stand.**
- **Stand – Vertical hollow MS tube with wheel mounted arrangement**
- Polycarbonate sheet + MS Frame + Slit opening at top.
- Pre drilled hole on back side of box to mount on base plate
- Box and base plate are modular type which safe in transit and buyer will have to assemble at own end
- Label on key documentation on top of plate , **not on any box** .if require label on boxes that will be extra cost as separate item, not fix on boxes.
- **Color -** Grey or any color as per quantity.

KKRM-K-PLBT-485

Can install multiple boxes like 8/12/15/16/20/24/30/48 on one platform with different combination

NOTE : BOX & BASE PLATE WILL BE PACKED SEPARATELY FOR SAFE TRANSIT.

Image for reference

KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 6 LOCKS

Group Lockout Box are compulsory and important safety isolation equipment. All the important material, keys or documents can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.

- **Material -** Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- **Locking Mechanism -** 6 locks – 5 differ + 1 control key lock (same key for all box)
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- Provision of four pre drilled holes/ key holes on backside to hang box on any surface.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box. There will be website www.krmloto.com on each box.**
- Front fascia with transparent cut out on top to insert any document after locking the box.
- There Will be no Label on boxes. if require label on boxes that will be extra cost as separate item, not fix on boxes
- **Size -** 235 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- It is portable type.
- **Weight of individual small box #** ± 2200 gms.
- **Color -** Grey or as per the volume.

NOTE: - Group Lockout is also available with shelf and without shelf as per the requirement at different prices.

KKRM-K-MKSLB-6

KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 7 LOCKS

Group Lockout Box are compulsory and important safety isolation equipment. All the important material, keys or documents can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.

- **Material -** Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- **Locking Mechanism -** 7 locks – 6 differ + 1 control key lock (same key for all box)
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- Provision of four pre drilled holes/ key holes on backside to hang box on any surface.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box. There will be website www.krmloto.com on each box.**
- Front fascia with transparent cut out on top to insert any document after locking the box.
- There Will be no Label on boxes. if require label on boxes that will be extra cost as separate item, not fix on boxes
- **Size -** 245 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- It is portable type.
- **Weight of individual small box #** ± 2600 gms.
- **Color -** Grey or as per the volume.

NOTE: - Group Lockout is also available with shelf and without shelf as per the requirement at different prices.

KKRM-K-MKSLB-7

KRM LOTO – KEY SAFE GROUP LOCK BOX WITH 8 LOCKS

Group Lockout Box are compulsory and important safety isolation equipment. All the important material, keys or documents can be placed inside the box and further locked by responsible individuals in crew with their own padlocks until each person task is finished removed when all of them for group isolation.

- **Material -** Mild Steel with duly Phosphate powder coated.
- Resistant to corrosion.
- **Locking Mechanism -** 8 locks – 7 differ + 1 control key lock (same key for all box)
- Provision of having one row 2 to 5 hooks Welded as same color of the box.
- Provision of four pre drilled holes/ key holes on backside to hang box on any surface.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box. There will be website www.krmloto.com on each box.**
- Front fascia with transparent cut out on top to insert any document after locking the box.
- There Will be no Label on boxes. if require label on boxes that will be extra cost as separate item, not fix on boxes
- **Size -** 266 mm x 150 mm x 100 mm (or 50 mm as per requirement)
- It is portable type.
- **Weight of individual small box #** ± 2800 gms.
- **Color -** Grey or as per the volume.

NOTE: - Group Lockout is also available with shelf and without shelf as per the requirement at different prices.

KKRM-K-MKSLB-8