



KRM ROAD SAFETY PRODUCTS

KRM Produce Complete Range of **lockout tagout** System + **Safety** Products
Quality –Service-Commitment & Customer Satisfaction is KRM Motto
Providing - **ATSS (AUDIT-TRAINING-SURVEY-SERVICES)**



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - MODULAR BARRIER SYSTEM

- Modular metal barrier system which is easy to assemble with or without standard Plastic link chain/ rope
- Application : indoor / outdoor
- Material – Mild steel- CR sheet 2 to 3mm with duly Phosphate powder coated.
- Vertical post dia.35 mm hollow pipe with provision of hole at bottom to fix with nut and bolt with lower part
- 4 holes on 2 flat strip welded on top part of post to attach link chain/ rope.
- Base - 250 x 250 mm in black color in taper form with fitting arrangement to hold post
- Reflective band on post
- Overall height : 1000 mm
- Weight : ± 3500 grams
- Color – standard light grey with black, but can make any color on volume.



KRM-K-MBS-M





KRM LOTO - MODULAR BARRIER SYSTEM

- Modular metal barrier system which is easy to assemble with or without standard Plastic link chain/ rope
- Application : indoor / outdoor
- Material – Mild steel- CR sheet 2 to 3mm with duly Phosphate powder coated.
- Vertical post dia.35 mm hollow pipe with provision of hole at bottom to fix with nut and bolt with lower part.
- 4 holes on 2 flat strip welded on top part of post to attach link chain/ rope
- Base - 250 x 250 mm in black color in taper form with fitting arrangement to hold post
- Reflective band on post
- Overall height : 1000 mm
- Weight : +- 3500 grams
- Color – black with yellow, but can make any color on volume



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM - PLASTICK LINK CHAIN

- Supply of plastic link chain Available in Yellow /Black & Red / White color. MEDMIUM QUALITY,/Super QUALITY
- Plastic Warning Chain Road Warning Block Barrier Chain For Traffic Crowd Parking Control : Red White
- The high-visibility multi-color design of the heavy-duty crowd control barriers make it ideal as a warning/hazardous caution sign during an emergency.
- Easy to fasten with barriers or cones for barricading.
- Many usages such as indoor outdoor traffic control, crowd control, temporary block out a section, etc.
- Plastic chain made from durable high density polyethylene material



KRM-K-PLC-M

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO PLASTIC MODULAR BARRIER

- Material for rod is PPCP
- Base material is HDPE
- Modular vertical stand
- Overall height 1mtr single pc with chain connector on top with Hollow base
- **There is hole / slot in base to fill sand to make heavy** - max weight 3900 grams after filling
- There is provision chain attachment on the top
- One end cap on the top
- Weight – 800gm
- 1 set = 3 pcs as show in picture



**KRM LOTO - BARRIER WITH RUBBER BASE**

- BARRIER WITH RUBBER BASE
- Material for rubber
- To make heavy ,it can be filled with sand
- Height – 1200MM
- Base dia - 425mmx425mm (octagonal shape)
- There will be provision of chain attachment on the top,
- Color – red
- Base in black
- Pipe dia. - 4inch



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM FLEXI / SPRING POST

- Pu flexi with two/three reflective
- Band of 80mm.
- Dimensions - upper - 80mm
- Dia. 710mm height, base dia. - 200mm.
- This is high quality pu material, it will never damage the vehicles- with bolt
- Material- flexible material (poly-urathane), uv stabilized for non fading color
- If require low cost material composition will be changed.



GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015


GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM MODULAR BARRIER SYSTEM WITH STRETCHABLE SIDE STRIPS

- STAINLESS STEEL QUE POST, HEIGHT - 1000 MM, BASE DIA. - 330 MM,
- POLE DIA. - 60 MM, BELT LENGTH – UP TO 02 METRES.

- Each rope has hooks at both ends to allow you to attach the rope to the pillars easily and quickly. Don't need to use other extra tools, very simple and convenient.
- Perfect for crowd control, theaters, hotels, casinos, red carpet events and more.
- Heavy Weight Base which provides you a Steady foundation to keeping the post in place.





MODULAR POST REFLECTIVE SIGNS

Modular Post Reflective Signs

- MODULAR PCMS hollow
- square/round pipe of 50mm x 25mm
- OR 50 MM with base 150mm K- VLIP Visual
- Light emitting Indicators POST(Reflective) using Multimedia Printing on Prismatic Type IV intensity
- reflective sheeting on 3-4 mm ACP substrate properly processed on front side.
- Size of plate - 12 x 30 inch- Total Length of the post is 60".
- Can make DOUBLE SIDED SIGNS HEIGHT OF POST CAN BE INCREASED



KRM-K-MPVS-OS-1P

KRM-K-MPVS-DS-1P



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com




REFLECTIVE SIGNAGE

LOCKOUT/TAGOUT

Reflective Signage

- KRM-VLIP-SP- SINGLE & DOUBLE SIDE Visual Light emitting Display Sign Board (Reflective)
- Type IV-material as per ASTM display boards using super quality Prismatic intensity Reflective sheeting on 3mm ACP sheet.
- properly processed on front side with matter - WITH SINGLE & DOUBLE POST OF COMPLETE LENGTH 10 ft.





KRM - CONVEX MIRRORS

LOCKOUT/TAGOUT



Size : 45 cm -
Size : 60 cm - With hood
Size : 80 cm - With hood
Size : 100 cm - With hood
Wall clamp for mirror



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM SAFETY CONE

LOCKOUT/TAGOUT

- Heavy weight Safety cone of height 750mm, square base 385mm with 4" reflective sleeve. Wight of the cone is APP. 3.5 Kg.
- Light weight Safety cone of height 750mm, square base 385mm with 4" reflective sleeve. Wight of the cone is 1200 grams approximate





OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



KRM BLOW MOLDING CONE 750MM

- Made of Special PVC material making then highly flexible and durable.
- If a vehicle hits a cone, it does not get damaged and comes to its original state.
- A high reflective sleeve / sheeting is fixed on it for better at night and bad weather conditions. It also has provision for fixing of plastic chain or caution tape.
- These are also available with heavy weight base fixed at the bottom, due to which it does not fly-off with fast traffic or winds.



Height	Base	Weight	Base	Reflective Sleeve
750mm	Rubber	±1.6 Kg	380x380mm	4Inch/6Inch



KRM - BLOW MOLDING CONE 750MM

- Made of Special PVC material making then highly flexible and durable.
- If a vehicle hits a cone, it does not get damaged and comes to its original state.
- A high reflective sleeve / sheeting is fixed on it for better at night and bad weather conditions. It also has provision for fixing of plastic chain or caution tape.
- These are also available with heavy weight base fixed at the bottom, due to which it does not fly-off with fast traffic or winds.



Height	Base	Weight	Base	Reflective Sleeve
750mm	Rubber	+2 Kg	380x380mm	4Inch/6Inch



KRM - INJECTION MOLDING CONE 750MM

- Made of Special PVC material making then highly flexible and durable.
- If a vehicle hits a cone, it does not get damaged and comes to its original state.
- A high reflective sleeve / sheeting is fixed on it for better at night and bad weather conditions. It also has provision for fixing of plastic chain or caution tape.
- These are also available with heavy weight base fixed at the bottom, due to which it does not fly-off with fast traffic or winds.



Height	Base	Weight	Base	Color	Reflective Sleeve
750mm	Plastic	±1.2 Kg	380x380mm	Red/Orange	4Inch/6Inch



KRM - INJECTION MOLDING CONE 750MM

- Made of Special PVC material making then highly flexible and durable.
- If a vehicle hits a cone, it does not get damaged and comes to its original state.
- A high reflective sleeve / sheeting is fixed on it for better at night and bad weather conditions. It also has provision for fixing of plastic chain or caution tape.
- These are also available with heavy weight base fixed at the bottom, due to which it does not fly-off with fast traffic or winds.



Height	Base	Weight	Base	Color	Reflective Sleeve
750mm	Plastic with Screw base	±3.3 Kg	380x380mm	Red/Orange	4Inch/6Inch

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM - INJECTION MOLDING CONE 750MM

- Made of Special PVC material making them highly flexible and durable.
- If a vehicle hits a cone, it does not get damaged and comes to its original state.
- A high reflective sleeve / sheeting is fixed on it for better at night and bad weather conditions. It also has provision for fixing of plastic chain or caution tape.
- These are also available with heavy weight base fixed at the bottom, due to which it does not fly-off with fast traffic or winds.



Height	Base	Weight	Base	Color	Reflective Sleeve
750mm	Plastic with Screw base	±4.2 Kg	380x380mm	Red/Orange	4Inch/6Inch



KRM - HEXAGONAL BASE CONE 750MM

LOCKOUT/TAGOUT

- Red and White Diagonal Strips belt and is convenient designed to fit over most standard traffic cones.
- With its 4 way connectivity, it easy to use and proves to be a quick and effective way to restrict access.



Height	Base	Weight	Reflective Sleeve
750mm	Hexagonal Heavy base	±4 Kg	4Inch+2Inch



KRM - FLEXIBLE CONE 710MM

- Made of Special PVC material making then highly flexible and durable.
- If a vehicle hits a cone, it does not get damaged and comes to its original state.
- A high reflective sleeve / sheeting is fixed on it for better at night and bad weather conditions. It also has provision for fixing of plastic chain or caution tape.
- These are also available with heavy weight base fixed at the bottom, due to which it does not fly-off with fast traffic or winds.



Height	Base	Weight	-
710mm	Rubber base square	±3 Kg	Unbreakable cones



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM - BLOW MOLDING CONE 1000MM

- Made of Special PVC material making then highly flexible and durable.
- If a vehicle hits a cone, it does not get damaged and comes to its original state.
- A high reflective sleeve / sheeting is fixed on it for better at night and bad weather conditions. It also has provision for fixing of plastic chain or caution tape.
- These are also available with heavy weight base fixed at the bottom, due to which it does not fly-off with fast traffic or winds.



Height	Base	Weight	Color	-
1000mm	Rubber	+4.5 Kg	Red/fresh orange	Can Fix Chain on Cone Easily, High End Quality



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM - HEXAGONAL BASE CONE 1000MM

- Red and White Diagonal Strips belt and is convenient designed to fit over most standard traffic cones.
- With its 4 way connectivity, it easy to use and proves to be a quick and effective way to restrict access.



Height	Base	Weight
1000mm	Hexagonal Heavy base	±4.5 Kg

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM - FLEXIBLE CONE 910MM

- Made of Special PVC material making them highly flexible and durable.
- If a vehicle hits a cone, it does not get damaged and comes to its original state.
- A high reflective sleeve / sheeting is fixed on it for better at night and bad weather conditions. It also has provision for fixing of plastic chain or caution tape.
- These are also available with heavy weight base fixed at the bottom, due to which it does not fly-off with fast traffic or winds.



Height	Base	Weight	-
910mm	Rubber base square	±4.5Kg	Unbreakable cones

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM - SOLAR FLASHER & REFLECTOR DELINEATOR

- ultra bright LED
- Light color: R/Y
- Flash mode: Flash
- Off in daylight and flash in night automatically
- Built-in silver gilt cup, increase the light scope
- The handle can be hold, can be put in traffic cone, if in iron bracket can be flat
- View distance 800meters(in darkness)
- Use solar energy
- **BASE Material-** mild stainless steel with plastic combination.
- Unit may be mounted vertically or horizontally to surfaces such as metal, concrete, wood, or asphalt
- Unit may be used with rubber traffic safety cones that include a top inside hole diameter of at least 1-5/16" to accommodate the shaft unit may be use for make the whole body of the traffic cone lighting.
- **Application:** Mount to walls, barricades, rubber traffic cones, signs and poles. Use during read construction and signal safety hazards on build sites, in warehouse, etc.
- ON/OFF switch lets you turn it off when stored in a dark place so it does not deplete stored battery power



KRM-K-SFD-R

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM - SOLAR BILINKER DELINEATOR

- Mild stainless steel with plastic combination Battery, Fixture, LED Bulbs, Solar Panel
- Solar Light for Garden and Road Safety, Waterproof solar Charging Blinker
- Automatic Charging: yes
- Automatic Switch On: yes
- This Solar Road Safety Warning Blinker uses solar energy to operate the signal. So there is no need of Electricity supply.
- Hook Included: yes

Power Features

- Solar Panel Wattage: 123 W
- LED Power Consumption: 3 W
- Battery Size : 800 mAh
- Battery Type: SMF
- Battery Voltage: 2.4 V
- Battery Capacity : 800mAh



KKRM-K-RD-S

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM - ROAD STUDS

- 1. Supply of Super Quality Raised Pavement Marker made out of hard ASA / ABS plastic
- using UV stabilizers of overall with two way SUPER reflective panel - confirm ASTM.
- 2. Supply of KRM- K-RVM- made out of hard ABS /plastic using UV stabilizers of overall with two way reflective panel
- 3. Solar studs with 12 LED-K-SRM-02-Dimension : 125*125*125mm (Shank 60mm)
- 4. Supply of Solar Road marker system made of aluminum alloy and Polycarbonate Top
- 125 x 120 x 20 mm 6 LED, with Stem



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM - MEDIAN MARKER

- Centre Median marker with reflector for marking
- on the curve stone/ sides of the road for more
- visibility in night time.
- Marker, median w/reflector for marking on the
- curve stone/sides of the road for more visibility in
- night time.
- Best in class reflectivity - Type XI reflective sheet
- Tough body – Engineering Plastic
- Material Durability – UV Resistant/ Weather Resistant
- Material
- Protected Edges – Tamper proof





KRM - SOLAR STUDS

- Environment friendly Lithium iron battery with more than 2000 charge & discharge circles.
- Round & smooth surface design not only looks elegant, but also can relieve the impact of vehicles.
- Special design with aluminum shell and replaceable interior part ensures durable & sturdy stud and convenient maintenance. Full sealed interior part.
- IP68 Against subsidence design, preventing the stud from being lower than the ground and losing its effect.



KRM-K-SRM-01

Cell	Size	Storage Battery	Light Source	LED quantity	Luminous Mode
Single-crystalline silicon (3v,75mA)	130*120*60MM	Ni-MH (1200mAH)	Super Luminosity LED	6 PC	Varying type /Constant Type
Water Roof Grade	Life	View Distance	Material of Light	Work Temperature	Work Time
IP68	>5 years (Ni-MH)	Over 800m	Aluminum alloy and Polycarbonate	-25 to +75 degree C.	48-72 hours for Varying Type; and more than 24 hours for constant type(standard luminosity intensity)

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM IN PAVEMENT SOLAR STUDS

- Power Supply: Mono Crystalline Solar Cell (5V 60MA)
- Power Storage Device: Lithium iron battery (3.3V 500MAH)
- WorkingTime:Steady?100hrs.
- Lighting Mode: blinking or steady lighting.
- LED No.: 3 pcs each side
- Display Color: White/red/blue/green/yellow
- Display Device: Supper bright fog-proof LED (ø5, intensity >2000mcd)
- Visual Distance: > 500m
- Working Temperature:-10°C ~+ 70°C 1
- Starting Intensity:300Lux ~600Lux
- Size:125*60mm;
- Net Weight: 950g
- Body Shell Material: Exterior: aluminum; Interior: bulletproof PC
- Compression Resistance: >35 tons
- Life: >=5 years



KRM-K-SS02



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269




www.lotoappliances.com



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM SOLAR DELINEATOR AB-SU156 SERIES



Item	Description	
Solar Cell	Type	Monocrystallineo
	Voltage	4.2V
	Current	75MA
Battery	Type	Heat-resistance Ni-MH
	Voltage	2.4V
	Capacity	600MAH(Flash), 800Mah(Steady)
	Circle Life	1000 circle over 3 year
	Work Temperature	-20 +70
LED	Frequency	2 Hz+-20%
	Size	Ø 5mm super bright
	Number	2pcs
	Color	white, yellow,red, blue, green
	Luminous Intensity	9000-12000mcd

Control circuits	IC
Operating time(single-side)	8 hours charge under sunshine can offer power for 100 hours blinking lighting
Starting intensity	Straight light to the front < 10 Lux
Reflective sheeting	Super high degree
Application situation	Guardrail
Life in use	3 year
Weight	220g
Material of body shell	PC
material of body inside	Epoxy glue
Water proof	IP68
View distance	Over 500m
Reflective sheeting	Super high degree



KRM SOLAR FLASHER SERIES

- KRM SOLAR FLASHER SERIES
- Anti Theft Bracket is Available.
- This Model is Available in Solar and Battery Operated.

Model	Light Source	Battery	Flashes	Color
KRM-K-CFS SERIES KRM-K-1020R SERIES	LED / Halogen Bulb	Two 6V 4R25 Battery	60 Flashes per Minute	Yellow



KRM-K-SFS-1



KRM SOLAR FLASHER SERIES

- KRM SOLAR FLASHER SERIES
- Solar Flasher SU309 Series is new innovative solar safety light,
- it comes with amazing useful accessories which can apply in most situation.



KRM-K-SFS-2

Product Name	No of Leeds	Model Number	Size	Material	Technology	Photocell	Function	Visibility	Color	Usage
Solar Safety Light	4 LED Bulbs	H2-SU309	22.5 cm (H) * 18cm (D)	Frame-PP, Shell-AS	Double Lens with Advance Optics for Increased Visibility	Auto On at Dusk , Off at Dawn (Photocontrol)	Flash-4 quad flash-steady close	360 Degree Swivel Head	Yellow or Red	Useful for Safety at Night, can be installed on Cone, Bollard, Spring Post etc.

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM SOLAR DIRECTION SIGN

- Moving and Blinking Direction Sign Board
- Solar Panel: 220mAh/11v
- Battery: Li-Ion 6Volt 4.5Ah.C-20
- Backup: 60-72 hours after full charge
- No of Led: 117-130
- Lens: Water Proof Convex Lens for high visibility
- Color: Red, Yellow, Green, White
- Display thickness- Aluminum sheet 2mm.
- Sheet Metal- 84MM thickness, Powder Coated
- Blinking Frequency- 60-72/minute depending upon conditions
- Reflective Tape- High intensity tape of 3M/Every
- Weight : 12kg approx.
- No of Arrow: Optional (Single or Three Arrows)
- Size: 750X450mm
- Size: 600X750mm



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM SOLAR TRAFFIC BLINKER

- Solar cell: 15 W, Type-Mono crystalline, Voltage-18V/900mA.
- Battery: Type-Plumbic acid, Voltage-12v/7.2Ah.
- LED: Size-?5 mm- 172 LED, or as required.
- Color: Red, yellow, white etc.
- Luminous intensity, 8000---9000 mcd.
- IC Frequency: 38-40/minute.
- Operating time: Sustain power supply continuously for over 4 days when in the wet or rainy days after full-charging.
- Temperature range:-20 °C -+ 70 °C.
- Usage condition: With street lamp or not.
- Guarantee years: One year.
- Life in use: Over 3 years used in an efficient way.
- Application: Dangerous roads.
- Size: 350(L)*350(W)*180(T) mm.
- Material: PC plastic anti-UV material.
- Weight: 11kgm.
- Package: Gross weight: 14.5KGM.
- Carton size: 30*40* 48CM.



GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM CORNER GUARD

- Corner guard of height 1000 mm x width 100mm -90 degree angle.
- Corner guard of height 500mm x thickness 8mm – Round
- Corner guard of height 800 mm x thickness 8mm – Round
- Pillar/Corner/Curb Reflector comprising of 3nos reflector along with aluminum section



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM CAR/WHEEL STOPPER

LOCKOUT/TAGOUT

- KRM CAR/WHEEL STOPPER
- **Parking Block of Length** : 550mm x width - 160mm x height - 110mm
- Highly resistant to various impacts and brutal weather conditions
- Can withstand moisture, UV and temperature resistance
- Modular & compact designs
- Easy installations
- **Weight** of the piece is 6 kg





OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



KRM PLASTIC/ RUBBER SPEED BUMP

Made of High Quality Plastic,
Speed Bumps are high resistance to severe impacts
and harsh weather conditions.

The pre-colored material (Black/Yellow) with
reflectors on either side, they are clearly visible to
the drivers on road during night hours. These bumps
are ideal for hospitals, hotels, private colony, malls,
parking areas, and high prone accident areas.



KRM-K-SB-P50



KRM-K-SB-P75



KRM-K-SBR-2-50



KRM-K-SBR-2-75

Model	Material	Size	Color
KRM-K-SB-P50	High Quality Plastic	350*250*50mm	Black & Yellow
KRM-K-SB-P75	High Quality Plastic	500* 380*50mm	Black & Yellow
KRM-K-SBR-2-50	High Quality Rubber	500*400*75mm	Black & Yellow
KRM-K-SBR-2-75	High Quality Rubber	250*350*75mm	Black & Yellow

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM RUBBER SPEED BUMP

- Made of High Quality Rubber,
- Speed Bumps are high resistance to severe impacts and harsh weather conditions.
- The pre-colored material (Black/Yellow) with beads on either side, they are clearly visible to the drivers on road during night hours. These bumps are ideal for hospitals, hotels, private colony, malls, parking areas, and high prone accident areas.



KRM-K-RB50-1



KRM-K-RB70-1



KRM-K-RB70-2

Model	Material	Size	Color
KRM-K-RB50-1	Rubber	500*380*50mm	Black & Yellow
KRM-K-RB70-1	Rubber	500*330*70	Black & Yellow
KRM-K-RB70-2	Rubber	500*425*70	Black & Yellow

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM SOLID RUBBER WHEEL CHOCK

- KRM Solid rubber wheel chock
- **Usage:** For large vehicle.
- **Material:** Recycled Rubber
- **Size:** L-375mm x W-225mm x H-225mm
- **Weight:** Approximate ± 5.5 kg.



KKRM-K-SRWCL

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM SOLID RUBBER WHEEL CHOCK

- KRM Solid rubber wheel chock
- **Usage:** For Light small vehicle.
- **Material:** Recycled Rubber
- **Size:** L-290mm x W-180mm x H-120mm
- **Weight:** Approximate ± 3.5 kg.



KKRM-K-SRWCS



KRM – PLASTIC WHEEL CHOCK

PLASTIC WHEEL CHOCK R-560 FOR MHCV

Yellow Plastic Wheel Chocks R-560 for MHCV is suitable for the following Tire, sizes of TATA Vehicles.

SUITABLE VEHICLES

Sr. No.	Vehicle Model	Tyre size	Maximum Static Radius In MM
1	LP01512 BUS	9R20	483
2	LP01512 BUS	9X20	493
3	LP1613,2518,3118,3518,4018,4918,Prima MO	10R2010X20	508523
4	Prima 3718	11R20, 11x20	507, 534
5	LPK2518	11X20ML	542
6	LPT1418,1,1818,1918	11RX22.5	501
7	LP01613, Hybrid, LP01613CNG	295/80 R22.5	493
8	LP01823, LPT4040	315/80 R22.5	508
9	Prima LPK252, 312	12 X 24 ML	606
10	ME Country HCV Product	12R21	566
11	LPT1109	8.25-20, 8.25R20	464, 454



Rear view



Bottom view



Front view



Side view

Part Description

Part Number	Height (mm/Inch)	Width/Breadth (mm/Inch)	Length (mm/Inch)	Weight (Kg.) +/- (5%)	Applications	Gross Vehicle Weight
RP-R-560	230/9"	200/8"	470/18.50"	2.50 + 1 Kg rubber blocks	For trucks, capacity per chock 7 Ton	20 Ton



KRM – PLASTIC WHEEL CHOCK (LIGHT WEIGHT)

Plastic Wheel chock R-360 for LCV
Orange Plastic Wheel Chocks R-360 for LCV is suitable for the following Tire, sizes of TATA Vehicles.
SUITABLE VEHICLES



Rear view



Bottom view



Side view

Part Description

Part Number	Height (mm/Inch)	Width/Breadth (mm/Inch)	Length (mm/Inch)	Weight (Kg.)+/- (5%)	Rubber Block +/- (5%)	Applications	Gross Vehicle Weight
RP-R-360	230/9"	150/5.90"	320/12.59"	1.000 + 0.550 Kg rubber blocks	Wt.=600gms Height=30mm Length=138mm	For LCV capacity per chock 2 Ton	8 Ton

Sr. No	Vehicle Model	Tyre size	Maximum Static Radius In MM
1	LPT407	6.50-16LT	356
2	SFC/LP407	7.00-16LT	373
3	SFC407	7.00R16LT	361
4	Tata Zenon	215/75 R16	
5	Tata Star Bus Ultra	235/75 R17.5	
6	Tata 207 DI Crew	7.00 16, 12 R	
7	Tata Winger	185 R14 LT 8 PR Radial	



KRM – PLASTIC WHEEL CHOCK (LIGHT WEIGHT)

Plastic Wheel chock R-270 for SCV
GREEN Plastic Wheel Chocks R-270 for LCV is suitable for the following Tire, sizes of TATA Vehicles.

SUITABLE VEHICLES

Sr. No.	Vehicle Model	Tyre size	Width in Inches
1	Tata Ace HT High Deck/ Tata Magic	145/ R12 LT	5.7
2	Tata Ace EX High Deck/ Décor	155/ R13 LT	6.1
3	Tata Ace Mega/ Super Ace	165/ R12 LT	6.49




Bottom view



Front view



Rear view



Side view

Part Description

Part Number	Height (mm/Inch)	Width/Breadth (mm/Inch)	Length (mm/Inch)	Weight (Gms.) +/- (5%)	Rubber Block +/- (5%)	Applications	Gross Vehicle Weight
RP-R-270	150mm 5.90inch	170mm 6.70 inch	250/9.84"	700 + 300 Gms. rubber blocks	Wt.=45gms Height=35mm Length=157mm	For SCV capacity per chock 1 Ton	4 Ton



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA's Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM - JUMBO WHEEL CHOCK

- **JWC-1** is manufactured with highly Durable, lightweight polyurethane, ideal for use with heavy equipment such as haul trucks, loaders, and cranes.
- **Material:** UV Stabilized polyurethane with Traffic Yellow color. Though urethane construction. Ergonomically carrying handle. Mounting hole for ropes chains or brackets, Replacement rubber anti-skid traction pads with steel mounting plates to resist skidding of the vehicle.
- **Application Included :** Civil Engineering and Construction, Mining Military sites, Infrastructure and utilities Maintenance, Transmission heavy Industry.



Front View



Bottom View



Side View



Rear View

Part No.	Description	Length +/-5%	Width +/-5%	Height +/-5%	Weight +/-5%
JWC-1	This chock is rated for tire Diameter 95" to 142" (241.3cm to 360.7cm) And gross vehicle operating weight up to 855,000 ibs, 387,821kg)	21.5" 564mm	14.5" 368mm	10.6" 270mm	18kg



KRM - L-SHAPE WHEEL CHOCK



L-Shape Wheel Chock with Reflective Caution Sticker



L-Shape-with-Caution-Label



L-Shape Wheel Chock

- **Usage:** For Heavy duty truck, HGV.
- **Material:** Recycled Rubber
- **Size:** 241mm x 165mm x 178mm
- **Weight:** Approximate 5.500 kg
- L-Shape Wheel Chock with Reflective Caution Sticker
- L-Shape-with-Caution-Label

USAGE	MATERIAL	SIZE	WEIGHT
For Heavy duty truck, HGV.	Recycled Rubber	241 mm x 165 mm X 178 mm	Approximate 5.25 to 5.500 kg



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM - PYRAMID SHAPE WHEEL CHOCK

LOCKOUT/TAGOUT

- **Usage:** Medium Vehicles & can also be used for trucks.
- **Material:** Recycled Rubber
- **Size:** L-230mm x W-180mmx H-145mm
- **Weight:** Approximate 4.00kg.



USAGE	MATERIAL	SIZE	WEIGHT
Medium Vehicles & can also be used for trucks	Recycled Rubber	230 mm (L) X 180 mm (W) X 145 mm (H)	Approximate 4 Kg.



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



KRM - SMALL TRIANGULAR TYPE

- **Usage:** For Light small vehicle.
- **Material:** Recycled Rubber
- **Size:** L-150mm x W-135mmx H-135mm
- **Weight:** Approximate 2.5 kg.



USAGE	MATERIAL	SIZE	WEIGHT
For Light small vehicle.	Recycled Rubber	150 mm (L) X 135 mm (W) X 135 (H)	Approximate 2.5 Kg



KRM - C SHAPE WHEEL CHOCK

- USAGE:** For Light Small vehicle & for Helicopter Tires.
- Material :** Recycled Rubber
- Size:** L- 240mm, W-160mm, H-106mm
- Weight :** Approximate 2.750 kg.



C-Shaped-Coupled



C-Shape Rear View



C-Shape Under Car Tire



C-Shape Coupled Under Car Tire

USAGE	MATERIAL	SIZE	WEIGHT
For Light small vehicle & for Helicopter Tyres.	Recycled Rubber	240 mm (L) 160 mm (W) 106 mm (H)	Approximate 2.750 Kg.



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM AIRCRAFT WHEEL CHOCK, WHEEL CHOCK FOR OFF HIGHWAY VEHICLE 7 INCH X 10 INCH WITH 5 SEGMENT

- **Usage:** Medium Aircrafts
- **Material:** Recycled & Natural Rubber
- **Size:** 7" X 10" i.e. 7" X 5 segment or 6" X 10" i.e. 6" X 5 segment Each segment 2"
- **Weight:** Approximate 8.00 Kg. for 5 segments, & 9.5 Kg. for 6 segments.



USAGE	MATERIAL	SIZE	WEIGHT
Medium Aircrafts	Recycled & Natural Rubber	7" X 10" i.e. 7" X 5 segmented 6" X 10" i.e. 6" X 5 segment Each segment 2"	Approximate 8.00 Kg. for 5 segments, & 9.5 Kg. for 6 segments



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM - AIRCRAFT WHEEL CHOCK, 7 INCH X 10 INCH WITH 5 SEGMENT

- **Usage:** For small Aircrafts
- **Material:** Recycled & Natural Rubber
- **Size:** 4" X 10" i.e. 4" X 5 segment,
- Each segment 2"
- **Weight:** Approximate 4.5 Kg.



4 Inch 10 Inch with 5 Segment each of 2 inch

USAGE	MATERIAL	SIZE	WEIGHT
For small Aircrafts	Recycled & Natural Rubber	4" X 10" i.e. 4" X 5 segment, Each segment 2"	Approximate 4.5 Kg.



**KRM - AIRCRAFT WHEEL CHOCK, WHEEL CHOCK FOR OFF HIGHWAY VEHICLE
10 INCH X 12 INCH FULLY MOLDED**

- **Usage:** For Dumpers, Off highway vehicles.
- **Material:** Recycled & Natural Rubber
- **Size:** L- 12" X H- 10" W- 10" , i.e. 10" X 6 Segment
Each segment 2"
- **Weight:** Approximate 16.50 Kg.



USAGE	MATERIAL	SIZE	WEIGHT
For Dumpers, Off highway vehicles	Recycled & Natural Rubber	12" (L) X 10" (H) & 10" (B) i.e. 10" X 6 Segment Each segment 2"	Approximate 16.50 Kg.

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM - AIRCRAFT WHEEL CHOCK, WHEEL CHOCK FOR OFF HIGHWAY VEHICLE 10X10X10 -INCH FULL MOLDED

- **Usage:** For use on aircrafts due to its large size. Product specifically designed for use in Aviation industry & dispensed off with all metal parts.
- **Material:** Fully Molded Recycled Rubber
- **Size:** L- 10" X W-10" X H-10"(inch)
- **Weight:** Approximate 11.00 kg.



Under Airbus 320



Main wheel of Airbus
320 Aircraft Tire

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881



to compliance
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM - WHEEL LOCK/TIRE LOCK/TIRE CLAMP

- Wheel lockout is made of metal part covered with insulated grip and locking arrangement – adjustable type for 2 and 4 wheelers .
- A wheel clamp also known as Wheel Boot or Denver boot is a device that is designed to prevent vehicles from being moved. In its most common form, it consists of a clamp that surrounds a vehicle wheel, designed to prevent removal of both itself & the wheel.
- Illegal parking, car security both is big problems nowadays. When illegal parking happens, the traffic police or parking manager or the parking space owner can immobilize the car with wheel lock, then the rule-breaker will learn a good lesson.
- **How does wheel lock work on car security**
- the wheel lock protects car in an original way, it locks the tire of the car. Any thief would easily give up when he finds a big yellow lock on the car's tire
- **The wheel lock works before the thief breaks the window and the screaming of alarm.**
- It takes half minute to lock a car, but without the special equipped key and rocking handle, even hours, one can't open it.



KKRM-K-MSLD-4

Model	Weight	Tire width	Material	No. of keys
KKRM-K-MSLD-4	2.5kg	175/225mm	Steel	2

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM - SIGNAL BATON & FLUORESCENT REFLECTIVE WEARS


1. Signal Baton - RED / Green
2. Normal JACKET with 50 wide reflective band as per picture
3. Super Quality JACKET with 50 wide reflective band as per picture
4. Jacket with 50 wide reflective band as per picture--- CERTIFIED FABRIC and band
5. Normal Cross Belt with 50 wide reflective band as per picture
6. Super Quality Cross Belt with 50 wide reflective band as per picture
7. Cross Belt with 50 wide reflective band as per picture--- CERTIFIED FABRIC and band





KRM SAFETY JACKETS

- KRM makes all kind of Reflective Safety Jacket. We can customized jacket with all the color, Velcro, zip, logo's, etc.
- Reflective jackets are useful for all people who are working on roads, factories, etc.
- There are various models available for Safety Jackets and we can make any jacket as per the requirements.
- Reflective Jacket with 50 wide reflective band as per picture--- CERTIFIED FABRIC and band





KRM CROSS BELT WITH 50 WIDE REFLECTIVE BAND

- KRM makes all kind of Reflective Safety cross belt.
- Reflective cross belt are useful for all people who are working on roads, factories, etc.
- Cross Belt with 50 wide reflective band as per picture - CERTIFIED FABRIC and band.



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM- SIGNAL BATTON- RED + GREEN

- Traffic baton is an effective product which makes great influence on traffic control aspects.
- It will play a more and more important role in the safety control field.
- With ultra bright light, our hand-held traffic conductor LED light stick can be a indicator when parking or any other traffic command, also traffic controls, emergency alerts, parking guides, construction crews etc.
- Our traffic wand can be used in light rain, but not certified under any water or dust-proofing standards. Suitable for daily use with a wrist strap.
- Multi-Colour Baton Light (Red & Green)
- 3 Modes Warning LED Flashlight Traffic Safety Baton, Red and Green



KRM-K-SB



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



KRM TRAFFIC BATTONS -RED

- Traffic baton is an effective product which makes great influence on traffic control aspects.
- It will play a more and more important role in the safety control field.
- With ultra bright light, our hand-held traffic conductor LED light stick can be a indicator when parking or any other traffic command, also traffic controls, emergency alerts, parking guides, construction crews etc.
- Our traffic wand can be used in light rain, but not certified under any water or dust-proofing standards. Suitable for daily use with a wrist strap.
- Multi-Colour Baton Light (Red & Green)
- 3 Modes Warning LED Flashlight Traffic Safety Baton, Red and Green




Material	Length	Diameter of Tube	Lifespan	Mode	Power supply (not included)
BS and PVC	21inch	ABS and PVC	Red Stable-Red Blinking-Off	Red Stable-Red Blinking-Off	Two D batteries Visibility 200 meters away in darkness



KRM TRAFFIC BATTONS

- Traffic baton is an effective product which makes great influence on traffic control aspects.
- It will play a more and more important role in the safety control field.
- With ultra bright light, our hand-held traffic conductor LED light stick can be a indicator when parking or any other traffic command, also traffic controls, emergency alerts, parking guides, construction crews etc.
- Our traffic wand can be used in light rain, but not certified under any water or dust-proofing standards. Suitable for daily use with a wrist strap.
- Multi-Colour Baton Light (Red & Green)
- 3 Modes Warning LED Flashlight Traffic Safety Baton, Red and Green



Material	Length	Diameter	Lifespan	Mode	Power supply (not included)
BS and PVC	21inch	4cm	10,000 hours	Red Blinking, Red Stable, Green Stable, off	Two D batteries Visibility 200 meters away in darkness


OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269www.lotoappliances.com

KRM TRAFFIC BATTONS

- Traffic baton is an effective product which makes great influence on traffic control aspects.
- It will play a more and more important role in the safety control field.
- With ultra bright light, our hand-held traffic conductor LED light stick can be a indicator when parking or any other traffic command, also traffic controls, emergency alerts, parking guides, construction crews etc.
- Our traffic wand can be used in light rain, but not certified under any water or dust-proofing standards. Suitable for daily use with a wrist strap.
- Multi-Colour Baton Light (Red & Green)
- 3 Modes Warning LED Flashlight Traffic Safety Baton, Red and Green



Material	Length	No of Leeds	Diameter	Lifespan	Mode	Power supply (not included)
BS and PVC	16.4inch	8 (Red colour-4, Green Colour-4)	4cm	10,000 hours	Red Blinking, Red Stable, Green Stable, off.	Two D batteries Visibility 200 meters away in darkness



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



KRM TRAFFIC BATTONS

- Traffic baton is an effective product which makes great influence on traffic control aspects.
- It will play a more and more important role in the safety control field.
- With ultra bright light, our hand-held traffic conductor LED light stick can be a indicator when parking or any other traffic command, also traffic controls, emergency alerts, parking guides, construction crews etc.
- Our traffic wand can be used in light rain, but not certified under any water or dust-proofing standards. Suitable for daily use with a wrist strap.
- Multi-Color Baton Light (Red & Green)
- 3 Modes Warning LED Flashlight Traffic Safety Baton, Red and Green



Material	Length	Flash Frequency	No of Leeds	Diameter of Tube	Lifespan	Mode	Power supply (not included)
HANDLE -ABS, PIPE-PC	28cm	3.3Hz	10 (Red colour-5, Green Colour-5)	3cm	10,000 hours	Red Blinking, Red Stable, Green Stable, off.	Three AAA Batteries With magnet on the bottom With an iron buckle Visibility 200 meters away in darkness

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM TRAFFIC BATTONS

- Traffic baton is an effective product which makes great influence on traffic control aspects.
- It will play a more and more important role in the safety control field.
- With ultra bright light, our hand-held traffic conductor LED light stick can be a indicator when parking or any other traffic command, also traffic controls, emergency alerts, parking guides, construction crews etc.
- Our traffic wand can be used in light rain, but not certified under any water or dust-proofing standards. Suitable for daily use with a wrist strap.
- Multi-Color Baton Light (Red & Green)
- 3 Modes Warning LED Flashlight Traffic Safety Baton, Red and Green



Material	Length	Flash Frequency	No of Leeds	Diameter of Tube	Lifespan	Mode	Power supply (not included)
HANDLE -ABS, PIPE-PC	26cm	5Hz	19 (Red colour-9, Green Colour-10)	4cm	10,000 hours	Red Blinking, Red Stable, Green Stable, off.	Two AA Batteries With magnet on the bottom With an iron buckle Visibility 200 meters away in darkness

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM TRAFFIC BATTONS

- Traffic baton is an effective product which makes great influence on traffic control aspects.
- It will play a more and more important role in the safety control field.
- With ultra bright light, our hand-held traffic conductor LED light stick can be a indicator when parking or any other traffic command, also traffic controls, emergency alerts, parking guides, construction crews etc.
- Our traffic wand can be used in light rain, but not certified under any water or dust-proofing standards. Suitable for daily use with a wrist strap.
- Multi-Color Baton Light (Red & Green)
- 3 Modes Warning LED Flashlight Traffic Safety Baton, Red and Green



Material	Length	Flash Frequency	No of Leeds	Diameter of Tube	Lifespan	Mode	Power supply (not included)
HANDLE -ABS, PIPE-PC	26cm	5Hz	19 (Red colour-9, Green Colour- 10)	4cm	10,000 hours	Red Blinking, Red Stable, Green Stable, off.	Rechargeable Battery with Charger. With magnet on the bottom With an iron buckle Visibility 200 meters away in darkness



KRM TRAFFIC BATTONS

- Traffic baton is an effective product which makes great influence on traffic control aspects.
- It will play a more and more important role in the safety control field.
- With ultra bright light, our hand-held traffic conductor LED light stick can be a indicator when parking or any other traffic command, also traffic controls, emergency alerts, parking guides, construction crews etc.
- Our traffic wand can be used in light rain, but not certified under any water or dust-proofing standards. Suitable for daily use with a wrist strap.
- Multi-Color Baton Light (Red & Green)
- 3 Modes Warning LED Flashlight Traffic Safety Baton, Red and Green



Material	Length	dia	Color	Alarm-1	Alarm -2	Lighting button	Flashing button	Rechargeable type Battery
PC tube, ABS handle	521mm	40mm	White	Two different Alarm whistle (Voice can be customized.)	Danger, keep away. Keep safety distance, do not cross border	Top white light	Red flash- blue flash- red and blue flash in turn	3.7V2000mA Li battery With a magnet at the bottom of handle With sling



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



KRM LED BATON STOP-GO

LED warning stop traffic sign one side have nine red led, another side with stop reflective tape, at the bottom of stop sign have six white lighting; Mirror surface concave and convex design, it reflect better. Charging time is about 3-5 hours, charge full flash can use more than 50 hours, it applicable to the construction, traffic inspection etc. According to the customer's request, it can be customized slow and other product.



Material	View distance	Function	Diameter of Tube
ABS	300 meters	One side STOP (Red Lad's) and One side GO (Green Lad's)	300mm



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



KRM LED BATON STOP-GO R/C

LOCKOUT/TAGOUT

LED warning stop traffic sign one side have nine red led, another side with stop reflective tape, at the bottom of stop sign have six white lighting; Mirror surface concave and convex design, it reflect better. Charging time is about 3-5 hours, charge full flash can use more than 50 hours, it applicable to the construction, traffic inspection etc. According to the customer's request, it can be customized slow and other product.



Material	View distance	Voltage	Working temperature	Diameter of Tube
ABS	300 meters	3.6V	20°C- +55°C	300mm

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM - DIFFERENT TYPE OF TAPES

- 1. Reflective tape roll for multipurpose-- like isolation—etc.- 50 mm x 46 meter.-length.
- 2. Super Quality -prismatic effect Reflective tape roll for Multipurpose-- like isolation—etc.- 50 mm x 50mètre.length
- 3. Floor Demarcation Tapes - 3" x 33 meter – SUPER QUALITY MATERIAL
- 4. Anti Slip Self Adhesive - Abrasive Tape-PVC based, In standard length 60 feet
- 5. Super quality barricade tape/safety net, 3inx300m, red, stripes with white stripes with alternatively caution and Savdhan written in red color on both sides of tube—in plastic reel



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



KRM™

LOCKOUT TAGOUT
KRM-LOTO

Lock Tag!!

safe loto

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM REFLECTIVE TAPE

- Reflective tape roll -size 50mmx50mtrs- Super Quality
- Reflective tape roll for multipurpose-- like isolation
- Length- 50 mm x 46 meter. – normal quality,
- Retro reflective tape is defined as a film that through the use of glass spheres or man made prisms, reflects light or radiation back to its source.
- Glass bead tapes reflect using microscopic glass beads that act as parabolas and direct light back to where it came from.
- Prismatic tapes use man made prisms or mirrors to collect light and send it back to its source.
- When a transparent color is applied to the surface of either tape the light that is reflected is colored.



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM CAUTION BARRICADING TAPE

- **barricade tape/safety net, 3inx300m, red, stripes with white stripes with alternatively caution Danger**
- **Material** - Polyethylene
- **TEAR RESISTANT AND EASY TO USE** - Caution tape is made of polyethylene which is very durable, perfect for dangerous areas. It unrolls quickly.
- This caution Danger Men at Work tape plays a pivotal role in safety measures.
- Provides Safety to People Most commonly working on road, on-going constructions sites or against handling inoperative machinery or appliances with this large roll of caution Danger tape
- The striking bright White color of the Caution tape makes a great contrast with the bold red text which makes it very noticeable for dangerous area
- **COLOR – WHITE & RED**



KRM-K-BT-NQ




KRM - ANTI-SLIP TAPE FOR FLOORS

- **Anti Slip Self Adhesive - Abrasive Tape-PVC based, In standard length 50/ 60 feet**
- The application area for Anti Slip Professional range is everywhere safe footing is required.
- Anti Slip black is the ideal protection to prevent from skidding and therefore helps to avoid accidents in the job related.
- **Backing material:** PVC film
- **Type of adhesive:** acrylic
- **Temperature resistance:** -5 to +50 °C
- Very good adhesion of the product is suitable for demanding surfaces such as factory floors, industry areas etc.
- The strong and durable adhesive coating secures a high Anti Slip effect of up to 1- 2 years in normal use areas as depend upon application
- The Anti Slip tapes are hand tearable and no shrinkage occurs after application.

PLAIN →



STRAP →



GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM - FLOOR DEMARCATON TAPE

- **Floor Demarcation Tapes**
- Floor marking tape is used for area demarcation.
- Floor Marking Tape are made of a Plasticized Polyvinyl Chloride (PVC) a carrier material that is coated with natural rubber adhesive with premium-grade and durable properties.
- Designed for Floor marking and distinguishing of ground and region, identification of hazardous regions such as construction sites and commonly used as a safety warning, Great for the office, roads, transport, and industrial markings. VCR Floor Marking tape is Widely used in facility aisles, equipment storage, and wall storage.
- Designed for marking and distinguishing of ground and region, identification of hazardous regions such as construction sites and commonly used as a safety warning
- Marking of internal sporting courts such as volleyball court, football court, and badminton court. Ideal for highlighting and notifying the spots.
- Size : 2inch x 20mtr or 25mtr or 30mtr, can make more width on qty base



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM PRE-ADHESIVE PHOTOLUMINESCENT TAPE

- Pre-Adhesive, Photoluminescent Tape With Arrow Mark-
- 1 Roll =Size:50mm X 500mmX20 pcs, to mark on low level for way finding in emergency.
- STRONG RELIABLE TAPE - Fluorescent neon green color that is easily findable in the night time or dark.
- ARROW / EXIT MARKING - Use for glowing safety lighting, or mark exit and egress signs and stairs. Use on stage floors to identify locations and other items with luminous markers- our tape can be used both indoors and outdoors in any weather.
- ARTS & CRAFTS - This tape is perfect for arts and crafts activities with your kids, such using it as floor markings to play glow in the dark hopscotch.
- SAFETY MARKINGS - this Lockport glow in the dark tape can also be used as emergency markings and floor tape in your home so kids and the elderly can use it as a guide in case of electrical failures and blackouts.





KRM - FOLDABLE / COLLAPSABLE BARRIER

- KRM FOLDABLE / COLLAPSABLE BARRIER in plastic
- Material-It is made from plastic, di-electric and heat resistance barrier.
- Color-Black & Yellow, Red & Yellow
- Its length is adjustable. It is water fillable, easy to handle & carry, durable. It can be link with other unit, reflective adhesive strip is fitted on it.
- Size - app. 900/960 mm high and open upto 2500mm,Length (close) - 340mm



KRM-K-FLCB

Model	Material	Total length after Open	Closed Length	Height	Width
KRM-K-FLCB	High Quality Plastics	2.45mtr	340mm	900/960mm	380mm



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



KRM EXPANDABLE BARRIER

- KRM EXPANDABLE BARRIER
- Wheel in the bottom to move from one position to another .
- The wheel have lock also to lock the barrier position
- Height : 1mtr,
- Length open: 3.5mm,
- Weight : 6kg,



Height	Length Open	Weight
1 meter	3.5mm	6kg

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G

M: 00 91 9810 291 381, 8800 544 881



to compliance
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: u31903HR2011PTC042508

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM EXPANDABLE METAL BARRIER

- KRM EXPANDABLE METAL BARRIER
- One side fixed (without wheels).
- One side moveable with wheels.
- Length without open : 2.5mtr.
- Length after open : 220mm.
- Material : metal.



Model	Name	Height	Length without Open	Length after open
KRM-K-EMB	Expandable Barrier	5" foot	2.5" foot	16" foot or optional

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM SAFETY BARRIER

- Bull nose Barrier of length - 1000mm x width front- 390mm x width back - 670mm x height - 900mm with 350 liters.
- Bull nose Barrier of length - 1180mm x width front- 460mm x width back - 1330mm x height - 970mm with 600 liters.
- Dominator Barricader of length - 2000mm x width - 600mm x height - 900mm with 120 ltrs. Fence barrier- 20K of length - 2000mm x width - 50mm x height -1000mm
- Track Barrier of length - 1200mm x width - 350mm x height 600mm with 25 liters.
- Barricador-1000 of length - 1000mm x width - 280mm x height -600mm with 60 liters.



GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM SAFETY BARRIER

- Barricador-1500 of length - 1500mm x width - 410mm x height -1000mm with 1000 liters
- Mini Barricader of length - 1000mm x width - 400mm x height -400mm with 30 liters
- Barricader of length - 1600mm x width - 650mm x height - 980mm with 60 ltrs
- Barricader of length - 1000mm x width - 490mm x height - 9780mm with 20 ltrs
- Barricader connector of length - 1000mm x width - 200mm x height - 500mm with 15 ltrs.





KRM ROAD LIGHT BARRIER

- The barriers have been designed to withstand high wind pressure generated by test moving vehicles and are also more effective, more stable and safer compared to conventional products such as drums, posts and such like used to form temporary barricades.



Brand	Size	Water filling capacity	Weight
Neel Kamal	1000 X 500 X 800mm	20ltr	10kg Approx.



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269




www.lotoappliances.com



KRM ROAD LIGHT BARRIER

- The barriers have been designed to withstand high wind pressure generated by test moving vehicles and are also more effective, more stable and safer compared to conventional products such as drums, posts and such like used to form temporary barricades.



Model	Size	Color	Reflective Area
KRM-K-RLB	2675 X 80 X 1200	Red / Yellow	118(L)x 80(H)

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM SAFETY FENCE, LENGTH 50M

- Safety fence of length 50mtr.
- width - 1mtr.
- Weight of the fence is - 5 kg
- **Material:** Made from HDPE material for long life span
- Premier barrier, supply temporary fencing, uses includes around construction site and for crowd control.



KRM-K-SFN