

KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | POSTAL OFFICE: 615, SECTOR-15-A, FARIDABAD-121007 (HARYANA-NCR-INDIA)

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

KRM

KRM LOTO

Lock Tag!!

safe loto

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products


to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

FIBER GLASS STEP LADDERS & MULTIPUTPOSE LADDERS



KRM CORPORATION

GSTIN No.: 06AAVPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM

KRM LOTO

Lock Tag!!

safe loto



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269




KRM Safetech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

FRP LADDERS



Electrical shock proof, Safe & Durable, High Strength, Antiskid Grip, Light weight strong, Compact & easy to carry, Economical, Rust & Water Proof, Integrated tool tray.

Duly rating :110 kg (material+ user +tools)
 medium static vertical board : kg Non Conductive to 30.000volt slip resistant feet aluminum treads and fiber glass slites integral tool tray

110 Kg Wait Capacity 250 MM Step Distance
 150 kg Wait Capacity 300 MM Step Distance

Load Capability: 110 &150 Kg
Height : 3ft. To 12ft..

Colors Available-    



KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001, HARYANA INDIA
 POSTAL OFFICE: 615, SECTOR-15-A, FARIDABAD-121007, HARYANA INDIA

GSTIN No.: 06AAMPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8300 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM**KRM LOTO****Lock Tag!!****safe loto**

OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



KRM Safetech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



LOCKOUT FRP LADDER – KRM-K-FGSL



S NO	KRM CODE	BREIF DESCRIPTION
1	KRM-K-FGSL-2	KRM FIBER GLASS STEP LADDER - 200-527442 EN certified
2	KRM-K-FGSL-3	KRM FIBER GLASS STEP LADDER S300-527443 EN certified
3	KRM-K-FGSL-4	KRM FIBER GLASS STEP LADDER 400-527444 EN certified
4	KRM-K-FGSL-5	KRM FIBER GLASS STEP LADDER 500-527445 EN certified
5	KRM-K-FGSL-6	KRM FIBER GLASS STEP LADDER 600-527446 EN certified
6	KRM-K-FGSL-7	KRM FIBER GLASS STEP LADDER 700-527447 EN certified
7	KRM-K-FGSL-8	KRM FIBER GLASS STEP LADDER 800-527448 EN certified
8	KRM-K-FGSL-9	KRM FIBER GLASS STEP LADDER 900-527449 EN certified
9	KRM-K-FGSL-10	KRM FIBER GLASS STEP LADDER 1000-527410 EN certified
10	KRM-K-FGSL-11	KRM FIBER GLASS STEP LADDER1100-527411 EN certified
11	KRM-K-FGSL-12	KRM FIBER GLASS STEP LADDER 1200-5274112 EN certified



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



FRP A TYPE LADDER



Model No.	Ladder Size(FEET)	Item Code	Maximum Reach(FEET)	Maximum Reach (METER)	Highest Standing level (FEET)	Highest Standing level (METER)
FRPSO4IY/O	4	KRM-K-FRP04	6.68	2.3	1.11	0.6
FRPSO4IY/O	5	KRM-K-FRP05	4.47	2.54	2.9	0.84
FRPSO4IY/O	6	KRM-K-FRP06	9.37	2.8	3.8	1.1
FRPSO4IY/O	7	KRM-K-FRP07	10.42	3.18	4.85	1.48
FRPSO4IY/O	8	KRM-K-FRP08	11.27	3.36	5.7	1.66
FRPSO4IY/O	10	KRM-K-FRP010	12.97	4	7.4	2.3
FRPSO4IY/O	12	KRM-K-FRP012	14.92	4.53	9.35	2.83
FRPSO4IY/O	14	KRM-K-FRP014	16.57	5.05	11	3.35

KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001, HARYANA, INDIA
POSTAL OFFICE: 615, SECTOR-15-A, FARIDABAD-121007, HARYANA, INDIA

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

KRM

KRM LOTO

Lock Tag!!

safe loto

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

FRP LADDERS in different steps



KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | GSTIN No.: 06AAVPW8746Q1Z6, PAN No.: AAVPW8746Q, TIN No.: 06821328889, TAN no.: RTKKO3359G, IEC: 0509006116

GSTIN No.: 06AAVPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269

Lock Tag!!



www.locktagindia.com

KRM LOTO

safe loto



www.lotoappliances.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

FRP LADDER with Platform – KRM-K-FGSL-01



Electrical shock proof, Safe & Durable, High Strength, Antiskid Grip, 100% Rest and Water Proof, Light weight yet strong, Compact & easy to carry, Economical, Rust & Water Proof, Light Weight.

Load Capability
 110 & 150 Kg

110 Kg Wait Capacity 250 MM Step Distance
 150 kg Wait Capacity 300 MM Step Distance



Colors Available-



KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | POSTAL OFFICE: 615, SECTOR-15-A, FARIDABAD-121007 (HARYANA-NCR-INDIA)

GSTIN No.: 06AAVPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



KRM

KRM LOTO

Lock Tag!!

safe loto

OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



KRM Safetech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

PLATFORM LADDER



Model No.	Ladder Size (FEET)	ITEM CODE	Maximum Reach (FEET)	Maximum Reach (METER)	Highest Standing level (FEET)	Highest Standing level (METER)
FRPP4	3+1	KRM-K-FRPP4	8.88	2.68	3.08	0.93
FRPP5	4+1	KRM-K-FRPP5	9.9	2.99	4.1	1.24
FRPP6	5+1	KRM-K-FRPP6	10.7	3.25	4.9	1.5
FR668	7+1	KRM-K-FRPP8	11.9	3.6	6.1	1.85
FRPP10	9+1	KRM-K-FRPP10	13.4	4.06	7.6	2.31



KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | POSTAL OFFICE: 615, SECTOR-15-A, FARIDABAD-121007 (HARYANA-NCR-INDIA)

GSTIN No.: 06AAVPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



KRM

KRM LOTO

Lock Tag!!

safe loto

OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

MEGA STEP LADDER



Model No.	Ladder Size (FEET)	ITEM CODE	Maximum Reach (FEET)	Maximum Reach (METER)	Highest Standing level (FEET)	Highest Standing level (METER)
MEGASTEP4	4	KRM-K-MS4	8.5	2.6	2.7	0.85
MEGARTEP6	6	KRM-K-MS6	9.9	3.02	4.9	1.27
MEGASTEP8	8	KRM-K-MS8	11.3	3.45	6.1	1.86



KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | GSTIN No.: 06AAMPW8746Q1Z6, PAN No.: AAVPW8746Q, TIN No.: 06821328889, TAN no.: RTKKO3359G, IEC: 0509006116

GSTIN No.: 06AAMPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



KRM

KRM LOTO

Lock Tag!!

safe loto

OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

PROPF LADDER



Model No.	Ladder Size (FEET)	ITEM CODE	Maximum Reach (FEET)	Maximum Reach (METER)	Highest Standing level (FEET)	Highest Standing level (METER)
PROPF7/4	4	KRM-K-PROPF7/4	8.88	2.68	3.08	0.93
PROPF8/5	5	KRM-K-PROPF8/5	9.9	2.99	4.1	1.24
PROPF9/6	6	KRM-K-PROPF9/6	10.7	3.25	4.9	1.5
PROPF11/8	8	KRM-K-PROPF11/8	11.9	3.6	6.1	1.85
PROPF13/10	10	KRM-K-PROPF13/10	13.4	4.06	7.6	2.31



KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | GSTIN No.: 06AAVPW8746Q1Z6, PAN No.: AAVPW8746Q, TIN No.: 06821328889, TAN no.: RTKKO3359G, IEC: 0509006116

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



KRM

safe loto

Lock Tag!!

safe loto

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

FRP TWIN STEP LADDER

Model No.	Ladder Size (FEET)	ITEM CODE	Maximum Reach (FEET)	Maximum Reach (METER)	Highest Standing level (FEET)	Highest Standing level (METER)
FRPD04IY	4	KRM-K-FRP04	6.68	2.3	1.11	0.6
FRPD05IY	5	KRM-K-FRP05	8.47	2.54	2.9	0.84
FRPD06IY	6	KRM-K-FRP06	9.37	2.8	3.8	1.1
FRPD07IY	7	KRM-K-FRP07	10.42	3.18	4.85	1.48
FRPD08IY	8	KRM-K-FRP08	11.27	3.36	5.7	1.66
FRPD010IY	10	KRM-K-FRP010	12.97	4	7.4	2.3
FRPD12IY	12	KRM-K-FRP012	14.92	4.53	9.35	2.83



KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | POSTAL OFFICE: 615, SECTOR-15-A, FARIDABAD-121007 (HARYANA-NCR-INDIA)

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8300 544 881



KRM

KRM LOTO

Lock Tag!!

safe loto

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

MULTIPURPOSE ALUMINUM LADDER-KRM-K-MAL

Large Click – Stopped Hinges Ensure Positive Lock In Each Position
Multi – Purpose Modes
Leaning Ladder With Stand Off
Step Ladder

Available Height : Wall Standing Height 11 ft
A-Type Mode 5.5 ft.
Work Bench Designed For Standing On



KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | GSTIN No.: 06AAVPW8746Q1Z6, PAN No.: AAVPW8746Q, TIN No.: 06821328889, TAN No.: RTKKO3359G, IEC: 0509006116

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN No.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM**KRM LOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

MULTIPURPOSE ALUMINIUM LADDER

FEATURES:

- Large Click – Stopped Hinges Ensure
- Positive Lock in Each Position
- Multi – Purpose Modes:
- Leaning Ladder With Stand Off
- Step Ladder
- Wall Standing Height 11 ft. I (A) Type
- Mode 5.5 ft.
- Work Bench (Designed for Standing On)



KRM-K-MAL

KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | GSTIN No.: 06AAVPW8746Q1Z6, PAN No.: AAVPW8746Q, TIN No.: 06821328889, TAN no.: RTKKO3359G, IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Lock Tag!!



Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

safe loto



KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

TELESCOPIC LADDER KRM-K-TL

Aluminum telescopic ladders are the perfect solution for situations where the ladder has to be regularly moved or stored. Collapsing down into a compact package, they can be carried in car boots yet extend to 3.2m, making them perfect for engineers or other mobile professionals.



Application:

Automatic unlocking means that the ladder collapses itself when not in use, while soft closing prevents fingers from being trapped during storage

Rung dimensions - 39.4x24x1.2 mm
Closing dimensions – 85x470x1010 mm

Height :

Full Ladder Height 10.5 ft.



KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | PHONE: 01192381381, 01192381381

GSTIN No.: 06AACPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8300 544 881



KRM

KRM LOTO

Lock Tag!!

safe loto

OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



KRM Safetech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com


TELESCOPIC LADDER

FEATURES:

- Rung no 2 from bottom will be unlocked at the Centre hand grip
- All other rungs will unlock automatically rung by rung by the unlocking spacers between the rungs
- EN 131 Certified
- Rung dimension- 39.4x24x1.2 mm
- Closed dimension-85x470x1010mm
- Full Ladder Height 10.5ft



KRM-K-TL



KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | GSTIN No.: 06AAVPW8746Q1Z6, PAN No.: AAVPW8746Q, TIN No.: 06821328889, TAN no.: RTKKO3359G, IEC: 0509006116

M: 00 91 9810 291 381, 8300 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

KRM

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.lockouttagouts.com

www.krmloto.com

Lock Tag!!**safe loto**

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.lotoappliances.com

TELEGAURD LADDER**FEATURES:**

- Use in slab mode or on stairways.
- Double guardrail and positive locking gate on platform.
- Excellent stabilization derived from 4 easy to deploy adjustable stabilizers, 2 stabilizer cross bars and all are fitted to the base section and Therefore always in contact with the ground

**KRM-K-TL**

KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | GSTIN No.: 06AAVPW8746Q1Z6, PAN No.: AAVPW8746Q, TIN No.: 06821328889, TAN no.: RTKKO3359G, IEC: 0509006116

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8300 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM

KRM LOTO

Lock Tag!!

safe loto

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

CLASSIC ALUMINUM LADDER -KRM-K-AL

Lightweight, Deep comfortable treads
Slip Resistant Steps

Available Height

3ft. To 6ft..

Load Capability : 150 Kg.

Certified to EN 131



KRM-K-AL

KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | GSTIN No.: 06AAVPW8746Q1Z6, PAN No.: AAVPW8746Q, TIN No.: 06821328889, TAN no.: RTKKO3359G, IEC: 0509006116

M: 00 91 9810 291 381, 8300 544 881



KRM

KRM LOTO

Lock Tag!!

safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269



KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

UPGRADE ALUMINUM LADDER -KRM-K-UAL

- Lightweight.
- Sturdy platform
- Deep comfortable treads
- Slip Resistant Steps

Available Height : 3ft. To 6ft..

Load Capability: 150 Kg



KRM-K-UAL

KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | POSTAL OFFICE: 615, SECTOR-15-A, FARIDABAD-121007 (HARYANA-NCR-INDIA)

GSTIN No.: 06AAMPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269

Lock Tag!!



Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

safe loto



KRM Safetech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

STOOL STEP LADDER-KRM-K-SSL

- it is extremely portable and it folds flat for easy storage
 Double As A Step Or A Stool, Attractive And Clean To Handle Chrome Finished, Large Rubber Matted Treads, Folds Flat for Easy Storage
- Contoured Back Support For Added Comfort ,Sitting Design
- Built from high quality aluminum, this STOOL STEP LADDER is strong and sturdy. It has a wide platform and a tall knee guard to prevent falls, slip-resistant rubber feet, and a wide base for stability.
- Portable and lightweight, this ladder can easily be moved around the house or carried in a vehicle.
- Short handrail and a folding design
- Colorful



KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | POSTAL OFFICE: 615, SECTOR-15-A, FARIDABAD-121007 (HARYANA-NCR-INDIA)

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM**KRM LOTO****Lock Tag!!****safe loto**

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOFT LADDER – KRM-K-LL

The aluminum Easy way loft ladder is lightweight, reliable, and made to last. Built from three sliding sections, it stows away above the ceiling when not in use, is easy to deploy, and includes an added handrail for safety while climbing.

The ladder weighs just 7Kg, making it easy to install without assistance, and includes complete fitting instructions to walk you through the process.

For safety purpose

Wide and comfortable treads offer stability while in use, and unique shoot bolt fastenings to ensure safety.

Reliability

Built from industrial-grade aluminum and with high-quality fixings, this ladder will give you a lifetime of service.

Easy Installation

Requiring just one person to install, this ladder will fit most lofts and is designed with compact spaces in mind, requiring a minimum of 508mm x 432mm. Full installation instructions are supplied.



KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | GSTIN No.: 06AAVPW8746Q1Z6, PAN No.: AAVPW8746Q, TIN No.: 06821328889, TAN no.: RTKKO3359G, IEC: 0509006116

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8300 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM**KRM LOTO****Lock Tag!!****safe loto****KRM Safetech Private Limited**
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269




GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

LOCKOUT TAGOUT LOFT LADDER

FEATURES:

- Ideal in restricted spaces
- Handrail to aid safe climbing
- Unique shoot bolt fastening for safety and ease of use
- Pivot arm for smooth, gliding operation
- Wide and comfortable treads
- Safety certification: BS En14975

**KRM-K-LL**

KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | GSTIN No.: 06AAVPW8746Q1Z6, PAN No.: AAVPW8746Q, TIN No.: 06821328889, TAN no.: RTKKO3359G, IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Lock Tag!!



safe loto



KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

ALUMINIUM STRAIGHT LADDERS

SPECIFICATION:

- Heavy Duty With High Grade Aluminum
- Slip Resistant D Rungs Step.
- Rung Distance 250 mm
- Box Section with size- 60x25x2.5 mm
- Both side High Grade Rubber Shoe



KRM-K-ASL



Height(Feet)	6	8	10	12	14	16	18	20
Weight(KGS)	4.62	16.16	7.70	9.24	10.78	12.32	13.8	15.4

KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | GSTIN No.: 06AAMPW8746Q1Z6, PAN No.: AAVPW8746Q, TIN No.: 06821328889, TAN No.: RTKKO3359G, IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

KRM

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.lockouttagouts.com

www.krmloto.com

Lock Tag!!**safe loto**

www.locktagindia.com

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.lotoappliances.com

FIBER GLASS EXTENSION LADDERS

SPECIFICATION:

- Non-conductive fiberglass stiles ideal for working around electricity
- Rungs joints offer twist-proof performance
- Molded foot brace provides enhanced bracing strength and protection against damage
- Slip-resistant articulated feet for maximum ground contact
- Heavy duty rope pulley for easy and operation
- Semi-automatic locks
- Slips-resistant D rungs for comfort and security
- Manual thumb operate locking catch
- Safety certification: BS EN131



KRM-K-FGEL



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.locktagindia.com



www.safeappliances.com

FIBER GLASS EXTENSION LADDERS

Model No.	Safe Working Height (M)	Max. Extended Length (M)	Section X Rungs	Number Of Treads	Approx. Weight (KG)	Closed Length (M)
VM/T16	4.48M	3.9M	2X8	8	14.5KG	2.45M
VM/T20	5.6M	5.06M	2X10	10	17.2KG	3.03M
VM/T24	6.72M	6.22M	2X12	12	20.1KG	3.61M
VM/T26	7.28M	6.8M	2X13	13	24.7KG	3.9M
VM/T30	8.4M	7.96M	2X15	15	28.4KG	4.48M
VM/T32	8.89M	8.45M	2X16	16	30.2KG	4.78M
VM/T36	10.1M	9.6M	2X18	18	34.08KG	5.3M
VM/T40	11.3M	10.8M	2X20	20	37.8KG	5.9M

KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | GSTIN No.: 06AAVPW8746Q1Z6, PAN No.: AAVPW8746Q, TIN No.: 06821328889, TAN no.: RTKKO3359G, IEC: 0509006116

M: 00 91 9810 291 381, 8300 544 881



KRM

KRM LOTO

Lock Tag!!

safe loto

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269



KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

FRP STOOL

Electrical shock proof, Safe & Durable, High Strength, Antiskid Grip, 100% Rest and Water Proof, Light weight yet strong, Compact & easy to carry, Economical, Rust & Water Proof, Light Weight.

Load Capability



KRM-K-STOOL

KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | POSTAL OFFICE: 615, SECTOR-15-A, FARIDABAD-121007 (HARYANA-NCR-INDIA)

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8300 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM

KRM LOTO

Lock Tag!!

safe loto

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

WHEEL BARROW KRM-K-WB

Long lasting handle grip in red for a better grip. |
85ltr. Capacity wt.

You have a selections of wheels, the PW-350 Chilling
ton's pneumatic wheel and the
SW-350 the solid.

wheelbarrows have been designed for Construction,
Building , Renovation
And Gardening.



KRM-K-WB



KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | GSTIN No.: 06AAVPW8746Q1Z6, PAN No.: AAVPW8746Q, TIN No.: 06821328889, TAN no.: RTKKO3359G, IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 861

KRM

KRM LOTO

Lock Tag!!

safe loto

KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com
Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

LOCKOUT/TAGOUT

KRM LOTO

SAFETY PRODUCTS


Lock Tag!!

safe loto

services

www.krmcorporation.com

www.krmloto.com



BACK

FRONT






GSTIN No.: 07AAVBW8746Q1Z6
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

OEM Manufacturer
Lockout Tagout & Safety Products

Principal Place of Business : 1H-31A NIT Faridabad 121001, Haryana INDIA



to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

M: 00
www

krmloto.com, info@krmloto.com
21001 (Haryana) Post
.com | www.

1 129 4021 381, 413 1381 (D)
lotoappliances.com



KRM LOTO SAFETY PRODUCTS LOCK TAG!! TRAINING SURVEY

KRM LOTO

KRM CORPORATION
KRM LOTO

GSTIN No.: 09AAY8W87460126
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 1

www.krmco

KRM safe loto



KRM LOTO
OEM Manufacturer
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

all: info@krmloto.com, info@krmcorp.com
Faridabad-121001 (Haryana) Post
Lockout Tagout & Safety Products | www.krmcorp.com

Lock Tag!! Control of Hazardous Energy (Lockout/Tagout) 29 CFR 1910.147



safe loto
Principal Place of Business : 1H-31A NIT Faridabad 121001, Haryana INDIA
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

01 129 4021 381, 413 1381 (D)

lotoappliances.com



KRM LOTO
SAFETY PRODUCTS
Lock Tag!!
safe loto
AUDIT
SERVICES
TRAINING
SURVEY