

KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | POSTAL OFFICE: 615, SECTOR-15-A, FARIDABAD-121007 (HARYANA-NCR-INDIA)

GSTIN No.: 06AAMPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269

Lock Tag!!



safe loto



KRM Safetech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LADDER LOCKOUT

- **Material** – Print on High Quality Flexible Material with tag, cable lockout & safety padlock.
- **Outer size** – 36"x12"
- Place Wrap over the step rungs of the ladder at eye level for immediate awareness (should cover 3-4 steps)
- Secure the Wrap at the bottom with cable lockout & padlock (included) to prevent removal
- Includes: 1 - Ladder Shield Wrap, 1 cable lockout, 1 padlock, 5 Tags
- When not in use, wrap rolls or folds up into compact size for storage
- Note: Customized matter can be made on volume basis



KKRM-K-RMCLT-6CL



KKRM-K-LT2C



KKRM-K-OSLTP-MDK

KRM CORPORATION

REG. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | INDIA
 GSTIN No.: 06AAMPW8746Q1Z6, PAN No.: AAVPW8746Q, TIN No.: 06821328889, TAN no.: RTKKO3359G, IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Lock Tag!!



safe loto



KRM Safetech Private Limited
 QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LADDER LOCKOUT

- Print on High Quality Flex. with metal eyelet at the both ends.
- **Outer size** – 36"x12" & 48"x12"
- Place Wrap over the step rungs of the ladder at eye level for immediate awareness (should cover 3-4 steps)
- Secure the Wrap at the bottom with padlock (included) to prevent removal
- Includes: 1 - Ladder Shield Wrap, 1 cable lockout, 1 padlock, 5 Tags
- When not in use, wrap rolls or folds up into compact size for storage



KKRM-K-RMCLT-6CL



KKRM-K-LT2C



KKRM-K-OSLTP-MDK

KRM CORPORATION

REGD. OFFICE: 1H/31-A, N.I.T, FARIDABAD-121001 (HARYANA) | GSTIN No.: 06AAVPW8746Q1Z6, PAN No.: AAVPW8746Q, TIN No.: 06821328889, TAN no.: RTKKO3359G, IEC: 0509006116

M: 00 91 9810 291 381, 8300 544 881



OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

Lock Tag!!



safe loto



KRM Safetech Private Limited
QUALITY MANAGEMENT SYSTEM ISO 9001:2015

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – METAL LADDER LOCKOUT

- Ensure safety and prevent unauthorized access at worksites, industrial facilities, and buildings with the Ladder Lockout - Top Mounted. This safety solution provides a robust and reliable method for securing access points and ensuring that only authorized personnel have entry.
- Features padlock hasp for secure locking Top-Mounted Design: Securely installs at a rung of a ladder. Universal Compatibility: Suitable for various standard ladder types
- **Size**-62x15 Inch
- **Material**- Top Mounted is constructed from powder-coated mild steel to withstand challenging industrial conditions and resist environmental wear.
- Coated in bright yellow for optimal visibility, enhancing on-site safety awareness.
- Includes: 1 – Ladder Lockout having 1 metal sheet, 1 safety padlock, 5 Tags



KKRM-K-LT2C

KKRM-K-OSLTP-MDK