



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

LARGE SCAFFOLD & DISPLAY TAG HOLDER

KRM LOTO
EXPERT





OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



KRM LOTO – LARGE SCAFFOLD & DISPLAY TAG HOLDER

Index Page No:-2

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	UNIT	WEIGHT (kg)	TECHNICAL PAGE NO.
1	KRM-K-MSCTH#10262	LARGE SCAFFOLD TAG HOLDER	NO	0.125	3-6
2	KRM-K-LT-10301	LARGE SCAFFOLD TAG – 175MM X 140MM (SET OF 10)	SET	0.100	7-8
3	KRM-K-MDTH#10265	KRM LOTO – LARGE DISPLAY TAG HOLDER	NO	0.125	9-23





OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



KRM LOTO – LARGE SCAFFOLD TAG HOLDER

- Tag holder is made up of ABS material.
- **Holder is applicable for every place where there is a need for instruction to be safe away from the place i.e. like Construction**
- Provision to insert a Scaffold tag with the instruction.
- **Inner Size** – 232 mm x 146 mm
- **Outer Size** – 285 mm x 155 mm
- Provision of Cut out at top to hang the tag holder on any surface
- With provision of 2 additional holes to tie with cable tie whenever require .
- Text on the tag holder - Standard
- Text can be customized according to the requirement on the basis of the quantity required.
- **Color** – White, can make any other color on volume
- All dimension are in +_10%
- **Weight** – 125gm



KRM-K-MSCTH#10262

EXCAVATION-TAG

EXCAVATION INSPECTION RECORD

LOCATION: _____
 DESCRIPTION: _____

CAUTION
 THE FOLLOWING HAZARDS SHOULD BE NOTED

CAN WORK BE CARRIED OUT SAFELY Y/N _____
 IF NOT PLEASE INFORM _____
 DETAILS OF ANY OTHER H & S ACTIONS CONSIDERED NECESSARY _____
 NAME OF COMPETENT PERSON MAKING REPORT _____
 DATE: _____

www.krmloto.com | KRMLOTO#10301 | www.locktagindia.com

WARNING

UNLAWFUL REMOVAL OR INTERFERENCE WITH THIS SIGN COULD MAKE YOU LIABLE TO PROSECUTION AND FINES

DAILY INSPECTIONS		WEEKLY EXAMINATIONS	
DATE	SIGNATURE	DATE	SIGNATURE

www.krmloto.com | krmloto@gmail.com | info@krmcorporation.com

KRM-K-LT-10301

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com



KRM LOTO – LARGE SCAFFOLD TAG HOLDER

- Tag holder is made up of ABS material.
- **Holder is applicable for every place where there is a need for instruction to be safe away from the place i.e. like Construction**
- Provision to insert a Scaffold tag with the instruction.
- **Inner Size** – 232 mm x 146 mm
- **Outer Size** – 285 mm x 155 mm
- Provision of Cut out at top to hang the tag holder on any surface
- With provision of 2 additional holes to tie with cable tie whenever require .
- Text on the tag holder - Standard
- Text can be customized according to the requirement on the basis of the quantity required.
- **Color** – White, can make any other color on volume
- All dimension are in +_10%
- **Weight** – 125gm



KRM-K-MSCTH#10263

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LARGE SCAFFOLD TAG HOLDER

- Tag holder is made up of ABS material.
- **Holder is applicable for every place where there is a need for instruction to be safe away from the place i.e. like Construction**
- Provision to insert a Scaffold tag with the instruction.
- **Inner Size** – 232 mm x 146 mm
- **Outer Size** – 285 mm x 155 mm
- Provision of Cut out at top to hang the tag holder on any surface
- With provision of 2 additional holes to tie with cable tie whenever require .
- Text on the tag holder - Standard
- Text can be customized according to the requirement on the basis of the quantity required.
- **Color** – White, can make any other color on volume
- All dimension are in +_10%
- **Weight** – 125gm



KRM-K-MSCTH#10264



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

LOCKOUT/TAGOUT



LARGE SCAFFOLD TAG HOLDER

CE Certified



KRM-K-MSCTH#10262

- Tag holder is made up of ABS material.
- **Holder is applicable for every place where there is a need for instruction to be safe away from the place i.e. like Construction**
- Provision to insert a Scaffold tag with the instruction.
- **Inner Size – 232 mm x 146 mm**
- **Outer Size – 285 mm x 155 mm**
- Provision of Cut out at top to hang the tag holder on any surface
- With provision of 2 additional holes to tie with cable tie whenever require.
- Text on the tag holder - Standard
- Text can be customized according to the requirement on the basis of the quantity required.
- **Color – White**, can make any other color on volume
- All dimension are in +_10%
- **Weight – 125gm**



KRM-K-MSCTH#10264



KRM-K-LT-10301

KRM CORPORATION
OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

KRM Safetech Private Limited

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

✉ info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com | www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



www.lotoappliances.com



LARGE SCAFFOLD TAG – 175MM X 140MM

- Scaffold (PVC) Tags basically indicate danger, caution and some other important points related to safety under construction area. Easily writable with marker and re-writable pen, free from dirt and easily readable.
- **Material** – Polyester/Plastic that is re-writable of thickness 0.3 mm - 0.5 mm (±10%) so can be re-used many times.
- Self-laminated Tags basically indicate danger, caution and some other important points related to the installed device.
- Two color printing or as per requirement which is resistant to water and oil.
- To hang the tags eye lid is provided which also prevents it from any damage and tear.
- **Size** – 175mm x 140mm for scaffold large holder.
- **Weight** -10gm

EXCAVATION-TAG

EXCAVATION INSPECTION RECORD

LOCATION

DESCRIPTION

CAUTION

THE FOLLOWING HAZARDS SHOULD BE NOTED

CAN WORK BE CARRIED OUT SAFETY Y/N

IF NOT PLEASE INFORM

DETAILS OF ANY OTHER H & S ACTIONS CONSIDERED NECESSARY

NAME OF COMPETENT PERSON MAKING REPORT

DATE

www.krmloto.com | KRMLOTO #10301 | www.locktagindia.com

WARNING

UNLAWFUL REMOVAL OR INTERFERENCE WITH THIS SIGN
COULD MAKE YOU LIABLE TO PROSECUTION AND FINES

DAILY INSPECTIONS		WEEKLY EXAMINATIONS	
DATE	SIGNATURE	DATE	SIGNATURE

info@krmloto.com | krmloto@gmail.com | info@krmcorporation.com

KRM-K-LT-10301



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

LOCKOUT/TAGOUT



KRM LOTO
EXPERT

CE
Certified

LARGE SCAFFOLD TAG – 175MM X 140MM

- Scaffold (PVC) Tags basically indicate danger, caution and some other important points related to safety under
- construction area. Easily writable with marker and re-writable pen, free from dirt and easily readable.
- **Material** – Polyester/Plastic that is re-writable of thickness 0.3 mm - 0.5 mm ($\pm 10\%$) so can be re-used many times.
- Self-laminated Tags basically indicate danger, caution and
- some other important points related to the installed device.
- Two color printing or as per requirement which is resistant to water and oil.
- To hang the tags eye lid is provided which also prevents it from any damage and tear.
- **Size** – 175mm x 140mm for scaffold large holder.
- **Weight** – 10gm

EXCAVATION-TAG

EXCAVATION INSPECTION RECORD

LOCATION _____

DESCRIPTION _____

CAUTION
THE FOLLOWING HAZARDS SHOULD BE NOTED

CAN WORK BE CARRIED OUT SAFELY: Y/N _____

IF NOT PLEASE INFORM _____

DETAILS OF ANY OTHER H & S ACTIONS CONSIDERED NECESSARY _____

NAME OF COMPETENT PERSON MAKING REPORT _____

DATE _____

www.krmloto.com | KRM LOTO #10201 | www.locktagindia.com

WARNING

UNLAWFUL REMOVAL OR INTERFERENCE WITH THIS SIGN
COULD MAKE YOU LIABLE TO PROSECUTION AND FINES

DAILY INSPECTIONS		WEEKLY EXAMINATIONS	
DATE	SIGNATURE	DATE	SIGNATURE

info@krmloto.com | krmloto@gmail.com | info@krmcorporation.com

KRM-K-LT-10301

KRM CORPORATION
OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

KRM Safetech Private Limited

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com | www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LARGE DISPLAY TAG HOLDER

- Tag holder is made up of ABS material.
- **Useful for application for safety / general information on equipment's and machinery during maintenance / shutdown / regular operation / process work**
- Provision to insert tag with the instruction.
- **Inner Size** – 232 mm x 146 mm
- **Outer Size** – 285 mm x 155 mm
- Provision of Cut out at top to hang the tag holder on any surface
- With provision of 2 additional holes to tie with cable tie whenever require .
- Text on the tag holder - Standard
- Text can be customized according to the requirement on the basis of the quantity required.
- **Color** – White, can make any other color on volume
- All dimension are in +_10%
- **Weight** – 125gm



KRM-K-MDTH#10265

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LARGE DISPLAY TAG HOLDER

- Tag holder is made up of ABS material.
- **Useful for application for safety / general information on equipment's and machinery during maintenance / shutdown / regular operation / process work**
- Provision to insert tag with the instruction.
- **Inner Size** – 232 mm x 146 mm
- **Outer Size** – 285 mm x 155 mm
- Provision of Cut out at top to hang the tag holder on any surface
- With provision of 2 additional holes to tie with cable tie whenever require .
- Text on the tag holder - Standard
- Text can be customized according to the requirement on the basis of the quantity required.
- **Color** – White, can make any other color on volume
- All dimension are in +_10%
- **Weight** – 125gm



KRM-K-MDTH#10266

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com


www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LARGE DISPLAY TAG HOLDER

- Tag holder is made up of ABS material.
- **Useful for application for safety / general information on equipment's and machinery during maintenance / shutdown / regular operation / process work**
- Provision to insert tag with the instruction.
- **Inner Size** – 232 mm x 146 mm
- **Outer Size** – 285 mm x 155 mm
- Provision of Cut out at top to hang the tag holder on any surface
- With provision of 2 additional holes to tie with cable tie whenever require .
- Text on the tag holder - Standard
- Text can be customized according to the requirement on the basis of the quantity required.
- **Color** – White, can make any other color on volume
- All dimension are in +_10%
- **Weight** – 125gm



KRM-K-MDTH#10267

GSTIN No.: 06AACPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com


www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LARGE DISPLAY TAG HOLDER

- Tag holder is made up of ABS material.
- **Useful for application for safety / general information on equipment's and machinery during maintenance / shutdown / regular operation / process work**
- Provision to insert tag with the instruction.
- **Inner Size** – 232 mm x 146 mm
- **Outer Size** – 285 mm x 155 mm
- Provision of Cut out at top to hang the tag holder on any surface
- With provision of 2 additional holes to tie with cable tie whenever require .
- Text on the tag holder - Standard
- Text can be customized according to the requirement on the basis of the quantity required.
- **Color** – White, can make any other color on volume
- All dimension are in +_10%
- **Weight** – 125gm



KRM-K-MDTH#10268

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)




www.lotoappliances.com



KRM LOTO – LARGE DISPLAY TAG HOLDER

- Tag holder is made up of ABS material.
- **Useful for application for safety / general information on equipment's and machinery during maintenance / shutdown / regular operation / process work**
- Provision to insert tag with the instruction.
- **Inner Size** – 232 mm x 146 mm
- **Outer Size** – 285 mm x 155 mm
- Provision of Cut out at top to hang the tag holder on any surface
- With provision of 2 additional holes to tie with cable tie whenever require .
- Text on the tag holder - Standard
- Text can be customized according to the requirement on the basis of the quantity required.
- **Color** – White, can make any other color on volume
- All dimension are in +_10%
- **Weight** – 125gm



KRM-K-MDTH#10269

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LARGE DISPLAY TAG HOLDER

- Tag holder is made up of ABS material.
- **Useful for application for safety / general information on equipment's and machinery during maintenance / shutdown / regular operation / process work**
- Provision to insert tag with the instruction.
- **Inner Size** – 232 mm x 146 mm
- **Outer Size** – 285 mm x 155 mm
- Provision of Cut out at top to hang the tag holder on any surface
- With provision of 2 additional holes to tie with cable tie whenever require .
- Text on the tag holder - Standard
- Text can be customized according to the requirement on the basis of the quantity required.
- **Color** – White, can make any other color on volume
- All dimension are in +_10%
- **Weight** – 125gm



KRM-K-MDTH#10270

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)




www.lotoappliances.com



KRM LOTO – LARGE DISPLAY TAG HOLDER

- Tag holder is made up of ABS material.
- **Useful for application for safety / general information on equipment's and machinery during maintenance / shutdown / regular operation / process work**
- Provision to insert tag with the instruction.
- **Inner Size** – 232 mm x 146 mm
- **Outer Size** – 285 mm x 155 mm
- Provision of Cut out at top to hang the tag holder on any surface
- With provision of 2 additional holes to tie with cable tie whenever require .
- Text on the tag holder - Standard
- Text can be customized according to the requirement on the basis of the quantity required.
- **Color** – White, can make any other color on volume
- All dimension are in +_10%
- **Weight** – 125gm



KRM-K-MDTH#10271

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)




www.lotoappliances.com



KRM LOTO – LARGE DISPLAY TAG HOLDER

- Tag holder is made up of ABS material.
- **Useful for application for safety / general information equipment's and machinery during maintenance / shutdown / regular operation / process work**
- Provision to insert tag with the instruction.
- **Inner Size** – 232 mm x 146 mm
- **Outer Size** – 285 mm x 155 mm
- Provision of Cut out at top to hang the tag holder on any surface
- With provision of 2 additional holes to tie with cable tie whenever require .
- Text on the tag holder - Standard
- Text can be customized according to the requirement on the basis of the quantity required.
- **Color** – White, can make any other color on volume
- All dimension are in +_10%
- **Weight** – 125gm



KRM-K-MDTH#10272



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269




www.lotoappliances.com



KRM LOTO – LARGE DISPLAY TAG HOLDER

- Tag holder is made up of ABS material.
- **Useful for application for safety / general information equipment's and machinery during maintenance / shutdown / regular operation / process work**
- Provision to insert tag with the instruction.
- **Inner Size** – 232 mm x 146 mm
- **Outer Size** – 285 mm x 155 mm
- Provision of Cut out at top to hang the tag holder on any surface
- With provision of 2 additional holes to tie with cable tie whenever require .
- Text on the tag holder - Standard
- Text can be customized according to the requirement on the basis of the quantity required.
- **Color** – White, can make any other color on volume
- All dimension are in +_10%
- **Weight** – 125gm



KRM-K-MDTH#10273

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LARGE DISPLAY TAG HOLDER

- Tag holder is made up of ABS material.
- **Useful for application for safety / general information / equipment's and machinery during maintenance / shutdown / regular operation / process work**
- Provision to insert tag with the instruction.
- **Inner Size** – 232 mm x 146 mm
- **Outer Size** – 285 mm x 155 mm
- Provision of Cut out at top to hang the tag holder on any surface
- With provision of 2 additional holes to tie with cable tie whenever require .
- Text on the tag holder - Standard
- Text can be customized according to the requirement on the basis of the quantity required.
- **Color** – White, can make any other color on volume
- All dimension are in +_10%
- **Weight** – 125gm



KRM-K-MDTH#10274

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LARGE DISPLAY TAG HOLDER

- Tag holder is made up of ABS material.
- **Useful for application for safety / general information equipment's and machinery during maintenance / shutdown / regular operation / process work**
- Provision to insert tag with the instruction.
- **Inner Size** – 232 mm x 146 mm
- **Outer Size** – 285 mm x 155 mm
- Provision of Cut out at top to hang the tag holder on any surface
- With provision of 2 additional holes to tie with cable tie whenever require .
- Text on the tag holder - Standard
- Text can be customized according to the requirement on the basis of the quantity required.
- **Color** – White, can make any other color on volume
- All dimension are in +_10%
- **Weight** – 125gm



KRM-K-MDTH#10275

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)




www.lotoappliances.com



KRM LOTO – LARGE DISPLAY TAG HOLDER

- Tag holder is made up of ABS material.
- **Useful for application for safety / general information equipment's and machinery during maintenance / shutdown / regular operation / process work**
- Provision to insert tag with the instruction.
- **Inner Size** – 232 mm x 146 mm
- **Outer Size** – 285 mm x 155 mm
- Provision of Cut out at top to hang the tag holder on any surface
- With provision of 2 additional holes to tie with cable tie whenever require .
- Text on the tag holder - Standard
- Text can be customized according to the requirement on the basis of the quantity required.
- **Color** – White, can make any other color on volume
- All dimension are in +_10%
- **Weight** – 125gm



KRM-K-MDTH#10276



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

LOCKOUT/TAGOUT



KRM-K-MDTH#10265



KRM-K-MDTH#10266



KRM-K-MDTH#10272

LARGE DISPLAY TAG HOLDER

- Tag holder is made up of ABS material.
- Useful for application for safety / general information on equipment's and machinery during maintenance / shutdown / regular operation / process work
- Provision to insert tag with the instruction.
- Inner Size – 232 mm x 146 mm
- Outer Size – 285 mm x 155 mm
- Provision of Cut out at top to hang the tag holder on any surface
- With provision of 2 additional holes to tie with cable tie whenever require.
- Text on the tag holder - Standard
- Text can be customized according to the requirement on the basis of the quantity required.
- Color – White, can make any other color on volume
- All dimension are in +_10%
- Weight – 125gm

CE Certified

KRM CORPORATION
OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

KRM Safetech Private Limited M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381
info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com | www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

LOCKOUT/TAGOUT



KRM-LOTO
SAFETY PRODUCTS
safe loto

LARGE DISPLAY TAG HOLDER

CE
Certified



KRM-K-MDTH#10267



KRM-K-MDTH#10268



KRM-K-MDTH#10269



KRM-K-MDTH#10275



KRM-K-MDTH#10276

KRM CORPORATION

OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA's Lockout Tagout Standard 29 CFR, 1910.147&1910.269

KRM Safetech Private Limited

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

LOCKOUT/TAGOUT



LARGE DISPLAY TAG HOLDER

CE Certified



KRM-K-MDTH#10272



KRM-K-MDTH#10273



KRM-K-MDTH#10274



KRM-K-MDTH#10270



KRM-K-MDTH#10271

KRM CORPORATION
OSHAS 18001:2007 & BS EN ISO 9001 : 2008 CERTIFIED
to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269

KRM Safetech Private Limited

M: 00 91 9810 291 381, 8800 544 881, T: 00 91 129 - 4021 381

info@krmcorporation.com, info@krmloto.com, krmloto@gmail.com, wadhwarajinder@gmail.com

Postal Add: 615, Sector-15A, Faridabad-121007
Regd. Office: 1H/31A, N.I.T. Faridabad-121001 Haryana - NCR (INDIA)

www.krmloto.com | www.krmcorporation.com, www.safetyloto.com
www.lotoappliances.com, www.lockouttagouts.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



KRM LOTO MULTIPURPOSE TAGS /TAG HOLDER

Tags are basically used to provide identification and specify the type of fault in industrial area, it can also be fixed with cable tie. Self-laminated Tags basically indicate danger, caution and some other important points related to the installed device. Easily writable with marker and re-writable pen, free from dirt and easily readable.

KRM LOTO MULTIPURPOSE TAGS / TAG HOLDERS

