

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT KEY STATION



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lockoutappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

**KRM LOTO – LOCKOUT TAGOUT KEY STATION - INDEX****Index Page No:-1**

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	WEIGHT (kg)	PAGE NO.
1	KKRM-K-MKC3J-18152	KRM LOTO – LOCKOUT KEY STATION-TINY HOLE-18152	4.5	5
2	KKRM-K-MKC4J-18152	KRM LOTO – LOCKOUT KEY STATION-TINY HOLE-18152	4.5	5
3	KKRM-K-MKC5J-18152	KRM LOTO – LOCKOUT KEY STATION-TINY HOLE-18152	4.5	5
4	KKRM-K-MKC6J-LRB18152	KRM LOTO – LOCKOUT KEY STATION-TINY HOLE-DOUBLE SIDE-18152	9	6
5	KKRM-K-MKC8J-LRB18152	KRM LOTO – LOCKOUT KEY STATION-TINY HOLE-DOUBLE SIDE-18152	9	6
6	KKRM-K-MKC10J-LRB18152	KRM LOTO – LOCKOUT KEY STATION-TINY HOLE-DOUBLE SIDE-18152	9	6
7	KKRM-K-MKC-5C	KRM LOTO – LOCKOUT KEY STATION 5 – OPAQUE FASCIA-18152	5	7
8	KKRM-K-MKC-4C	KRM LOTO – LOCKOUT KEY STATION 4 – OPAQUE FASCIA-18152	5	8
9	KKRM-K-MKC-3C	KRM LOTO – LOCKOUT KEY STATION 3 – OPAQUE FASCIA-18152	5	9
10	KKRM-K-DLLKS-DML-3	DUAL LAYER LOCKOUT KEY STATION-WITH DISPLAY MESSAGE LAYER OPAQUE FASCIA-18153	5	10
11	KKRM-K-DPKS-3	KRM LOTO – DUAL LAYER LOCKOUT KEY STATION-3 OPAQUE FASCIA-18156	8.5	11
12	KKRM-K-DLLKS-34	DUAL LAYER LOCKOUT KEY STATION-WITH DISPLAY MESSAGE LAYER OPAQUE FASCIA-18153	8.5	12



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



KRM LOTO – LOCKOUT TAGOUT KEY STATION - INDEX

Index Page No:-2

13	KKRM-K-DLLKS-44	KRM LOTO – DUAL LAYER LOCKOUT KEY STATION-3 OPAQUE FASCIA-18156	9.5	13
14	KKRM-K-DPKS-43	KRM LOTO – DUAL LAYER LOCKOUT KEY STATION-3 OPAQUE FASCIA-18156	9.5	14
15	KKRM-K-DPKS-5	KRM LOTO – DUAL LAYER LOCKOUT KEY STATION-5 OPAQUE FASCIA-18156	8.5	15
16	KKRM-K-LLTKS-3752655	KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-3752655	3.5	16
17	KKRM-K-LLTKS-2251655	KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-2251655	1.2	17
17	KKRM-K-LLTKS-375	KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-375	4.5	18
18	KKRM-K-LLTKS-375-1P	KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-375-1p	4.5	19
19	KKRM-K-LLTKS-37550	KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-37550	4.5	20
20	KKRM-K-LLTKS-24152-R-5	KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-red-24152	5	21
21	KKRM-K-LLTKS- 20J-24243	KRM LOTO – LOCKOUT TAGOUT KEY STATION- OPAQUE FASCIA-20J-24243	13	22
22	KKRM-K-LLTKS- 24J-24243	KRM LOTO – LOCKOUT TAGOUT KEY STATION- OPAQUE FASCIA-20J-24243	13	23
23	KKRM-K-LLTKS-30152	KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION TINY HOLE 30152	6	24
24	KKRM-K-LLTKS-MF-30152	KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION - MESH FASCIA-30152	6	25
25	KKRM-K-LLTKS-30156	KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-TINY HOLE -30156	10	26
26	KKRM-K-LLTKS-217-30156	KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION- TINY HOLE 30156	10	27
27	KKRM-K-LLTKS-MF-30156	KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION- Mesh fascia 30156	10	28
28	KKRM-K-LTKS-48362	KRM LOTO –LOCKOUT TAGOUT KEY STATION-TINY HOLE-48362	24	29
29	KKRM-K-LTKS-36362	KRM LOTO –LOCKOUT TAGOUT KEY STATION-TINY HOLE-36362	20	30
30	KKRM-K-LKS-G-15155-1	KRM LOTO – LOCKOUT KEY STATION- TINY HOLE- GREY-15155-1	0.650	31
31	KKRM-K-LKS-Y-15155-4	KRM LOTO – LOCKOUT KEY STATION- TINY HOLE- YELLOW -15155-4	0.650	32

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.locktagindia.com

Email: info@krmlogo.com, info@krmcorporation.com, krmlogo@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

**KRM LOTO – LOCKOUT TAGOUT KEY STATION - INDEX****Index Page No:-3**

32	KKRM-K-LKB-75101	KRM LOTO – LOTO KEY BOX-75101	0.3	33
33	KKRM-K-LKB-75103	KRM LOTO – LOTO KEY BOX-75103	0.3	34
34	KKRM-K-LKST-PCF-Y15156-5	KRM LOTO – LOCKOUT KEY STATION- POLYCARBONATE TINY HOLE -YELLOW	0.0250	35
35	KKRM-K-LKST-PCF-R15156-5	KRM LOTO – LOCKOUT KEY STATION- POLYCARBONATE TINY HOLE -RED	0.0250	35
36	KKRM-K-LKS-MFY-15155-4	KRM LOTO – LOCKOUT KEY STATION-MESH FASCIA-15155-4-YELLOW	0.650	36
37	KKRM-K-LKS-MFR-15155-4	KRM LOTO – LOCKOUT KEY STATION-MESH FASCIA-15155-4-RED	0.650	36
38	KKRM-K-LLTKS-2251655	KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION -2251655	1.5	37
39	KKRM-K-LKHB-15145	KRM LOTO – LOTO KEY HAMMER BOX-15145	1.2	38
40	KKRM-K-LKS-MFR-225155-4	KRM LOTO – LOCKOUT KEY STATION-MESH FASCIA-225155-4-RED	1	39
41	KKRM-K-LKS-MFY-225155-4	KRM LOTO – LOCKOUT KEY STATION-MESH FASCIA-225155-4-Yellow	1	39
42	KKRM-K-TKS30	KRM LOTO – TRANSPARENT KEY STATION -AL	2	40
43	KKRM-K-TKS 50	KRM LOTO – TRANSPARENT KEY STATION -AL	2.5	40
44	KKRM-K-TKS 100	KRM LOTO – TRANSPARENT KEY STATION -AL	5	40

GSTIN No.: 06AAPVW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKOUT KEY STATION-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front fascia door on hinge base welded with box having **Tiny Holes** for more durability & stability of box.
- There will be website www.krmloto.com on each box.
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 3/4/5 Layers of Metal J hook – (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- **Weight** – ± 4.5 Kg
- **Color** – Yellow, /Grey/Red/Green or as per quantity required
- **KKRM-K-MKC3J 18152 = 3 Layers (Total separate key capacity -51)**
- **Total 3 layer**, each layer 17 hook # total 51 hooks
- **one layer welded in same color, 2 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **KKRM-K-MKC4J-18152= 4 Layers (Total separate key capacity -68)**
- **Total 4 layer**, each layer 17 hook # total 68 hooks
- **one layer welded in same color, 3 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **KKRM-K-MKC5J-18152= 5 Layers (Total separate key capacity -85)**
- **Total 5 layer**, each layer 17 hook # total 85 hooks
- **one layer welded in same color, 2 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note: material design to be supply as per stock inventory.**



GSTIN No.: 06AAPVW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lockoutappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKOUT KEY STATION-DOUBLE SIDE-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **There will be website www.krmloto.com on each box.**
- **Size – L18"X 15"X2"+ R18"x15"x2 (combination of 2 Boxes)**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 6/8/10 Layers of Metal J hook - (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.(x2)
- **Weight** – ±4.5Kg + 4.5kg
- **Color** – Yellow,/Grey/Red/Green or as per quantity required
- **KKRM-K-MKC6J-LRB18152 = 6 Layers Having Each Box (Total separate key capacity -102)**
- **Total 6 layer, each layer 17 hook # total 102 hooks**
- **two layer welded in same color, 4 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **KKRM-K-MKC8J-LRB18152 = 8 Layers Having Each Box (Total separate key capacity -136)**
- **Total 8 layer, each layer 17 hook # total 136 hooks**
- **two layer welded in same color, 6 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **KKRM-K-MKC10J- LRB18152= 10 Layers Having Each Box (Total separate key capacity -170)**
- **Total 10 layer, each layer 17 hook # total 140 hooks**
- **two layer welded in same color, 8 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-MKC6J-LRB18152=6



KKRM-K-MKC6J-LRB18152=8



KKRM-K-MKC6J-LRB18152=10

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN No.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO – LOCKOUT KEY STATION 5 – OPAQUE FASCIA-18152

- **Material-** Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size** – 18" X 15" X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 10 Layers of Metal J hook - (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- **Weight** – ± 4.5 kg
- **Color** – Yellow or grey as per quantity required.
- NOTE : - Five + Five Metal J Type hook / slots on each side of station to hang key rings.
- **KKRM-K-MKC-5C= 5+5=10 Layers**
- **Total separate key capacity - 170**
- **Total 10 layer, each layer 17 hook # total 170 hooks**
- **one layer welded in same color, 9 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-MKC-5C

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT KEY STATION 4 – OPAQUE FASCIA-18152

- **Material**- Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size** – 18" X 15" X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 7 Layers of Metal J hook - (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- **Weight** – \pm 4.5 kg
- **Color** – Grey or as per quantity required.
- Four/Three Metal J Type hook slots on one side and Three Metal J Type hook slots on another side of station to hang key rings.
- **KKRM-K-MKC-4C= 4+3=7 Layers**
- **Total separate key capacity – 119**
- **Total 7 layer, each layer 17 hook # total 119 hooks**
- **one layer welded in same color, 6 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory.**



KCRM-K-MKC-4C

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT KEY STATION 3 – OPAQUE FASCIA-18152

- **Material**- Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size** – 18" X 15" X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 6 Layers of Metal J hook - (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- **Weight** – ± 4.5 kg
- **Color** – Grey or as per quantity required.
- Four/Three Metal J Type hook slots on one side and Three Metal J Type hook slots on another side of station to hang key rings.
- **KKRM-K-MKC-3C= 3+3=6 Layers**
- **Total separate key capacity – 102**
- **Total 6 layer, each layer 17 hook # total 102 hooks**
- **one layer welded in same color, 5 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-MKC-3C

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

DUAL LAYER LOCKOUT KEY STATION-WITH DISPLAY MESSAGE LAYER OPAQUE FASCIA-18153

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size** – 18" X 15" X 3"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 6 Layers of Metal J hook - (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- One movable Layer for display Message.
- **Weight** – +8.5 kg
- **Color** – Grey or as per quantity required.
- Three Metal J Type hook /slots on each side of station to hang key rings.
- **KKRM-K-DLLKS-DML-3 = 3+3 = 6 Layers**
- **Total separate key capacity – 102**
- **Total 6 layer, each layer 17 hook # total 102 hooks**
- **one layer welded in same color, 5 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-DLLKS-DML-3

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



KRM LOTO – DUAL LAYER LOCKOUT KEY STATION-3 OPAQUE FASCIA-18156

- **Material-** Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size** – 18" X 15" X 6"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 12 Layers of Metal J hook - (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- **Weight** – ± 9.5 kg
- **Color** – Grey or as per quantity required.
- Three Metal J Type hook/slots on each side of station to hang key rings.
- **KKRM-K-DPKS-3 = 3+3+3+3 = 12 Layers**
- **Total separate key capacity - 204**
- **Total 12 layer, each layer 17 hook # total 204 hooks**
- **one layer welded in same color, 11 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-DPKS-3



GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – DUAL LAYER LOCKOUT KEY STATION-34 OPAQUE FASCIA-18156

- **Material-** Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size** – 18" X 15" X 6"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 7 Layers of Metal J hook – (1 Layer having 17 no's hooks) and 8 layers of in inner movable layer having 12no's hook.
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- **Weight** – ± 9.5 kg
- **Color** – Grey or as per quantity required.
- 3 or 4 Metal J Type hook /slots on each side of station to hang key rings.
- **KKRM-K-DLLKS-34 = 3+4+4+4 = 15 Layers**
- **Total separate key capacity – 215**
- **Total 15 layer**, 7 layer 17 hook & 8 layer 12 hook # total 215 hooks
- **one layer 17 hook welded in same color, 14 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-DLLKS-34

GSTIN No.: 06AAPVW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – DUAL LAYER LOCKOUT KEY STATION-3 OPAQUE FASCIA-18156

- **Material-** Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size** – 18" X 15" X 6"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 8 Layers of Metal J hook – (1 Layer having 17 no's hooks) and 8 layers of in inner movable layer having 12no's hook.
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- **Weight** – + 9.5 kg
- **Color** – Grey or as per quantity required.
- Four Metal J Type hook/slots on each side of station to hang key rings.
- **KKRM-K-DLLKS-44 = 4+4+4+4 = 16 Layers**
- **Total separate key capacity - 232**
- **Total 16 layer, 8 layer 17 hook & 8 layer 12 hook # total 232 hooks**
- **one layer welded in same color, 15 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-DLLKS-44

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – DUAL LAYER LOCKOUT KEY STATION-3 OPAQUE FASCIA-18156

- **Material**- Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size** – 18" X 15" X 6"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 8 Layers of Metal J hook – (1 Layer having 17 no's hooks) and 6 layers of in inner movable layer having 12no's hook.
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- **Weight** – + 9.5 kg
- **Color** – Grey or as per quantity required.
- 4 or 3 Metal J Type hook/slots on each side of station to hang key rings.
- **KKRM-K-DLLKS-43 = 4+3+3+4 = 14 Layers**
- **Total separate key capacity - 208**
- **Total 14 layer, 8 layer 17 hook & 6 layer 12 hook # total 208 hooks**
- **one layer welded in same color, 13 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-DLLKS-43

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – DUAL LAYER LOCKOUT KEY STATION-5 OPAQUE FASCIA-18156

- **Material-** Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size** – 18" X 15" X 6"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 20 Layers of Metal J hook – (1Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- **Weight** – ±8.5 kg
- **Color** – Grey or as per quantity required.
- Five Metal J Type hook /slots on each side of station to hang key rings.
- **KKRM-K-DPKS-5 = 5+5+5+5 = 20 Layers**
- **Total separate key capacity – 340**
- **Total 20 layer, each layer 17 hook # total 340 hooks**
- **one layer welded in same color, 19 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-DPKS-5

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-3752655

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **Size – 375 X 265 X 50 MM**
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- 4 Layers of Metal J Type hook (1 Layer having 12 No's hooks).
- Maximum 4 layer of 12 hooks can fix inside the box.
- Can also make combination of 7/12/ hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- **Weight – ±3.5 kg**
- **Color** – Red or Grey as per volume required.
- **KKRM-K-LLTKS-3752655 =4 Layers of Metal J hook = For Total 48 no's keys.**
- **Total 4 layer, each layer 12 hook # total 48 hooks**
- **one layer welded in same color, 3 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note -Can also make combination of metal j hook 7/12/ as per requirement.**
- **Note: material design to be supply as per stock inventory.**



KRM LOTO
EXPERT

KKRM-K-LLTKS-3752655



**NOTE: IMAGE FOR YOUR
REFERENCE ONLY.**

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION -2251655

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **Size** – 225 X 165 X 50 mm
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- 3 Metal J Type hook (1Layer having 7 No's hooks).
- Metal J hook - 7 nos.in one layer
- Maximum 3 layer of 7 hooks can fix inside the box
- Can hang Multiple key chain on one hook if require.
- One in-built Lock.
- **Weight** – ± 1.2 kg
- **Color** – Yellow,/Red or as per quantity required.
- **KKRM-K-LLTKS-2251655 =3 Layers of Metal J hook=For Total 21no's keys.**
- **Total 3 layer**, each layer 7 hook # total 21 hooks
- **one layer welded in same color, 2 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory**



KKRM-K-LLTKS-2251655

GSTIN No.: 06AAPVW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-375

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **Size** – 375 X 375 X 92.5 MM
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 3 Metal J Type hook (1Layer having 17 No's hooks).
- Maximum 5 layer of 17 hooks can fix inside the box.
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- **Weight** – \pm 4.5 kg
- **Color** – Yellow or as per volume required.
- **KCRM-K-LLTKS-375=3 Layers (Total separate key capacity – 51)**
- **Total 3 layer**, each layer 17 hook # total 51 hooks
- **one layer welded in same color, 2 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **KCRM-K-LLTKS-375=4 Layers Total separate key capacity – 68)**
- **Total 4 layer**, each layer 17 hook # total 68 hooks
- **one layer welded in same color, 3 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **KCRM-K-LLTKS-375=5 Layers Total separate key capacity – 85)**
- **Total 5 layer**, each layer 17 hook # total 85 hooks
- **one layer welded in same color, 2 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory**



KCRM-K-LLTKS-375

GSTIN No.: 06AAPVW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-375-1P

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front fascia door on hinge base welded with box having **Tiny Holes for more durability & stability of box.**
- **Size** – 375 X 375 X 92.5 MM
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 3 Layers of Metal J Type hook –(1 layer having 17no's hooks) and 1 layer of having 7 no's hook.
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Lock and a knob to hold.
- **Weight** – ±4.5 kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-LLTKS-375-1P = 3 layer having 17 hooks and 1 Layer having 7 hooks and 1 ABS Pocket**
- **Total separate key capacity – 58**
- **Total 4 layer, 3 layer 17 hook & 1 layer 7 hook # total 58 hooks**
- **one layer 17 hook welded in same color, 2 layer 17 hook & 1 layer 7 hook in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-LLTKS-375-1P

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-37550

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box having **Tiny Holes** for more **durability & stability of box.**
- There will be website www.krmloto.com on each box.
- **Size in mm** – 375 X 375X 50 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 3 Metal J Type hook layer- 17 nos.in one layer.
- Maximum 5 layer of 17 hooks can fix inside the box.
- One in-built Lock and a knob to hold.
- **Colour** – Yellow
- **KKRM-K-LLTKS-37550 =3 Layers (Total separate key capacity – 51)**
- **Total 3 layer**, each layer 17 hook # total 51 hooks
- **one layer welded in same color, 2 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **KKRM-K-LLTKS-37550 =4 Layers Total separate key capacity – 68)**
- **Total 4 layer**, each layer 17 hook # total 68 hooks
- **one layer welded in same color, 3 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **KKRM-K-LLTKS-37550 =5 Layers Total separate key capacity – 85)**
- **Total 5 layer**, each layer 17 hook # total 85 hooks
- **one layer welded in same color, 2 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-LLTKS-37550

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lockouttagouts.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA


www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-RED-24152

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front fascia door on hinge base welded with box having **Tiny Holes** for more durability & stability of box.
- **Size** – 24"X 15" X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook - (1 Layer having 17 no's hooks)
- Max 7 layer of 17 hooks can put inside .
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One/ two in-built Locks and a knob to hold.
- **Weight** – ±5 kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-LLTKS-24152-R =5 Layers (Total separate key capacity – 85)**
- **Total 5 layer**, each layer 17 hook # total 85 hooks
- **one layer welded in same color, 4 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **KKRM-K-LLTKS-24152-R =6 Layers (Total separate key capacity – 102)**
- **Total 6 layer**, each layer 17 hook # total 102 hooks
- **one layer welded in same color, 5 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **KKRM-K-LLTKS-24152-R =7 Layers (Total separate key capacity – 119)**
- **Total 7 layer**, each layer 17 hook # total 119 hooks
- **one layer welded in same color, 6 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-LLTKS-24152-R-5

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAMPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT KEY STATION- OPAQUE FASCIA-20J-24243

- **Material** – Mild/ CR steel sheet with duly phosphate powder coated.
- Front side Opaque Fascia
- **Overall Size** – 24"X 24 X 3"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 10 Layers of Metal J Type hook (1 layer having 17 no's hook)
+ 10 layer having 12 no's hook.
- Can hang Multiple key chain on one hook ,if require
- One in-built Locks and a knob to hold.
- **Net Weight** - ± 13 kg
- **Gross Weight** - 14 kg
- **Color** – Red , Any color can make on volume basis
- **KKRM-K-LLTKS-20J-24243=10 Layers 17no's and 10 Layer 12 no's Metal j hook (Total Individual key capacity # 290), if 5 key chain on one hook, in that case capacity will be 1450 key chain.**
- **Total 20 layer, 10 layer 17 hook & 10 layer 12 hook # total 290 hooks one layer 17 hook and 12 hook welded in same color, 18 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-LLTKS- 20J-24243

www.krmloto.com

image only for reference

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT KEY STATION- OPAQUE FASCIA- 24J-24243

- **Material** – Mild/ CR steel sheet with duly phosphate powder coated.
- Front side Opaque Fascia
- **Overall Size** – 24”X 24 X 3”
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 12 Layers of Metal J Type hook (1 layer having 17 no's hook) + 12 layer having 12 no's hook.
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One in-built Locks and a knob to hold.
- **Net Weight - ±13 kg**
- **Gross Weight - 14 kg**
- **Color** – Red , Any color can make on volume basis
- **KKRM-K-LLTKS-24J-24243=12 Layers 17no's and 12 Layer 12 no's Metal j hook (Total Individual key capacity 348), if 5 key chain on one hook , in that case capacity will be 1720 key chain.**
- **Total 24 layer, 12 layer 17 hook & 12 layer 12 hook # total 348 hooks**
- **one layer 17 hook and 12 hook welded in same color, 12 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-LLTKS- 24J-24243

image only for reference

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1ZI
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION 30152

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front fascia door on hinge base welded with box **having Tiny Holes** for more durability & stability of box.
- **Size** – 30" X 15" X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook - (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One/two in-built Lock and a knob to hold.
- **Weight** – ± 6 kg
- **Color** – Yellow or as per quantity required.
- **KCRM-K-LLTKS-30152 =7 Layers (Total separate key capacity – 119)**
- **Total 7 layer**, each layer 17 hook # total 119 hooks
- **one layer welded in same color, 6 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **KCRM-K-LLTKS-30152 =8 Layers (Total separate key capacity - 136)**
- **Total 8 layer**, each layer 17 hook # total 136 hooks
- **one layer welded in same color, 7 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **KCRM-K-LLTKS-30152 =9 Layers (Total separate key capacity – 153)**
- **Total 9 layer**, each layer 17 hook # total 153 hooks
- **one layer welded in same color, 8 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory**



KCRM-K-LLTKS-30152

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com



Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION - MESH FASCIA-30152

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side Mesh Fascia with border frame.
- **Size** – 30" X 15" X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook - (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One / two in-built Lock and a knob to hold.
- **Weight** – ±6.5 kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-LLTKS-MF-30152 =7 Layers (Total separate key capacity – 119)**
- **Total 7 layer**, each layer 17 hook # total 119 hooks
- **one layer welded in same color, 6 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **KKRM-K-LLTKS-MF-30152 =8 Layers (Total separate key capacity – 136)**
- **Total 8 layer**, each layer 17 hook # total 136 hooks
- **one layer welded in same color, 7 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **KKRM-K-LLTKS-MF-30152 =9 Layers (Total separate key capacity – 153)**
- **Total 9 layer**, each layer 17 hook # total 153 hooks
- **one layer welded in same color, 8 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory**



KKRM-K-LLTKS-MF-30152

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION-30156

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front fascia door on hinge base welded with box having Tiny Holes for more durability & stability of box.
- **Size** – 30" X 15" X 6"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook - (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One adjustable shelf
- One/ two in-built Lock and a knob to hold.
- **Weight** – ±10 kg
- **Color** – Yellow or as per quantity required.
- **KCRM-K-LLTKS-30156 = 7 Layers (Total separate key capacity – 119)**
- **Total 7 layer, each layer 17 hook # total 119 hooks**
- **one layer welded in same color, 6 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **KCRM-K-LLTKS-30156 = 8 Layers (Total separate key capacity – 136)**
- **Total 8 layer, each layer 17 hook # total 136 hooks**
- **one layer welded in same color, 7 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **KCRM-K-LLTKS-30156 = 9 Layers (Total separate key capacity – 153)**
- **Total 9 layer, each layer 17 hook # total 153 hooks**
- **one layer welded in same color, 8 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory**



KCRM-K-LLTKS-30156

GSTIN No.: 06AAMPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lockouttagouts.com



GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION 30156

- Material – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front fascia door on hinge base welded with box having Tiny Holes for more durability & stability of box.
- Size – 30" X 15" X 6"
- There will be website www.krmloto.com on each box.
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 17 & 7 hooks individually in one metal layer with combination of Front & both left & right side.
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One/two in-built Lock and a knob to hold.
- Weight – ± 10 kg
- Color – Yellow or as per quantity required.
- KCRM-K-LLTKS-217-30156=7 Layers 17 no's and 7+7 Layer-7no's Metal J Hook (Total separate key capacity – 217)
- Total 21 layer, 7 layer of 17 hook & 14 layer of 7 hook # total 217 hooks
- one layer 17 hook welded in same color, 6 layer 17 hook and 14 layer 7 hook in loose form, you will have to fix at your end with nut bolts which we will provide
- KCRM-K-LLTKS-248-30156 =8 Layers 17 No's and 8+8 Layer -7 no's Metal J Hook (Total separate key capacity - 248)
- Total 24 layer, 8 layer of 17 hook & 16 layer of 7 hook # total 248 hooks
- one layer 17 hook welded in same color, 7 layer 17 hook and 16 layer 7 hook in loose form, you will have to fix at your end with nut bolts which we will provide
- KCRM-K-LLTKS-279-30156 =9 Layers 17 No's and 9+9 Layer -7 no' Metal J Hook (Total separate key capacity – 279)
- Total 24 layer, 9 layer of 17 hook & 18 layer of 7 hook # total 279 hooks
- one layer 17 hook welded in same color, 8 layer 17 hook and 18 layer 7 hook in loose form, you will have to fix at your end with nut bolts which we will provide
- No screw / bolt for wall mounted box part of item as always extra
- Note: Material design to be supply as per stock inventory



KKRM-K-LLTKS-217-30156

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT KEY STATION- MESH FASCIA 30156

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side MESH Fascia with border frame.
- **Size** – 30" X 15" X 6"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook - (1 Layer having 17 no's hooks)
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One adjustable shelf
- One/ two in-built Lock and a knob to hold.
- **Weight** – ± 11 kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-LLTKS- MF-30156 = 7 Layers (Total separate key capacity – 119)**
- **Total 7 layer**, each layer 17 hook # total 119 hooks
- **one layer welded in same color, 6 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **KKRM-K-LLTKS- MF-30156 = 8 Layers (Total separate key capacity – 136)**
- **Total 8 layer**, each layer 17 hook # total 136 hooks
- **one layer welded in same color, 7 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **KKRM-K-LLTKS- MF-30156 = 9 Layers (Total separate key capacity – 153)**
- **Total 9 layer**, each layer 17 hook # total 153 hooks
- **one layer welded in same color, 8 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory**



KKRM-K-LLTKS-MF-30156

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT KEY STATION-48362

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **Size** – 36" X 48" X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 30 Metal J hook – (1 layer having 17no's hooks) and other 15 layer having 7 no's hook.
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- One / two in-built Lock and a knob to hold.
- **Weight** – +24 kg
- **Color** – Yellow or as per Volume requirement.
- **KKRM-K-LTKS-48362= 30 Layer having 17 hooks and 15 Layer having 7 hooks.**
- **Total separate key capacity** – 615
- **Total 45 layer**, 30 layer of 17 hook & 15 layer of 7 hooks # total 615 hooks
- **Two layer 17 hook & one layer 7 hook welded in same color, 28 layer 17 hook & 14 layer 7 hook in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory**



KKRM-K-LTKS-48362

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lockoutappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO –LOCKOUT TAGOUT KEY STATION-36362

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **Size** – 36" X 36" X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- 22 layer of Metal J hook – (1 layer having 17no's hooks) and other 11 layer having 7 no's hook.
- Can also make combination of 7/12/17 hook as per requirement
- Can hang Multiple key chain on one hook if require
- Two in-built Lock and a knob to hold.
- **Weight** – +20 kg
- **Color** – Yellow or as per Volume requirement.
- **KKRM-K-LTKS-36362= (11+11)= 22 Layer having 17 hooks and 11 Layer having 7 hooks.**
- **Total separate key capacity** – 451
- **Total 33 layer**, 22 layer of 17 hook & 11 layer of 7 hooks # total 451 hooks
- **Two layer 17 hook & one layer 7 hook welded in same color, 22 layer 17 hook & 10 layer 7 hook in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory**



KKRM-K-LTKS-36362

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT KEY STATION- GREY-15155-1

- KRM LOTO Key and documentation box comprising of 1 small boxes with 1 in built locking hook.
- Made from mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size of individual small box** – 150 mm x 150 mm x 50 mm.
- **Weight of individual small box** – ±660 gms
- Provision of 1 slot for locking purpose on each box.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 7 no's hooks)
- Max 2 layer of 7 hooks can put inside
- Can hang Multiple key chain (max 3 nos.) on one hook if require
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
There will be website www.krmloto.com on each box.
- Pre drilled hole on back side of box to mount on any surface
- There Will be no Label on boxes. if require label on boxes that will be extra cost as separate item, not fix on boxes
- **Color** – Grey or as per quantity required
- **KKRM-K-LKS-G-15155-1 = 2 LAYER**



GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com



Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com



www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKOUT KEY STATION- YELLOW -15155-4

- KRM LOTO Key and documentation box comprising of 1 small boxes with 4 in built locking hooks.
- Made from mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size of individual small box** – 150 mm x 150 mm x 50 mm.
- **Weight of individual small box** – ± 660 gms
- Provision of 4 slots for locking purpose on each box.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 7 no's hooks)
- Max 2 layer of 7 hooks can put inside
- Can hang Multiple key chain (max 3 nos.) on one hook if require
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **There will be website www.krmloto.com on each box.**
- Pre drilled hole on back side of box to mount on any surface
- There Will be no Label on boxes. if require label on boxes that will be extra cost as separate item, not fix on boxes
- **Color** – Grey or as per quantity required
- **KKRM-K-LKS-Y-15155-4 = 2 LAYER**



KKRM-K-LKS-Y-15155-4

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT KEY STATION

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size of individual small box** – 100 mm x 75 mm x 50 mm.
- **Weight of individual small box** – ± 300 gms
- Provision of 3 slots for locking purpose on each box.
- Provision of having one row 1 to 2 hooks Welded as same color of the box.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **There will be website www.krmloto.com on each box on top.**
- Pre drilled hole on back side of box to mount on any surface
- There Will be no Label on boxes. if require label on boxes that will be extra cost as separate item, not fix on boxes
- **Color** – Yellow or any color as per quantity.



KKRM-K-LKB-175-3

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA




GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT KEY STATION

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size of individual small box** – 100 mm x 75 mm x 50 mm.
- **Weight of individual small box** – ± 300 gms
- Provision of 1 slots for locking purpose on each box.
- Provision of having one row 1 to 2 hooks Welded as same color of the box.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **There will be website www.krmloto.com on each box on top.**
- Pre drilled hole on back side of box to mount on any surface
- There Will be no Label on boxes. if require label on boxes that will be extra cost as separate item, not fix on boxes
- **Color** – Yellow or any color as per quantity.



KKRM-K-LKB-175-1

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com



Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT KEY STATION- POLYCARBONATE TINY HOLE

- **Material** – Made from ABS +Polycarbonate compositions material. It is moulded piece.
- Front side Polycarbonate Clear Fascia with border frame.
- **Size** – 156X 156 X 64MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- Metal J hook - (1 Layer having 7 no's hooks)
- Max 2 layer of 7 hooks can put inside
- Can hang Multiple key chain (max 3 nos.) on one hook if require
- 5 locking hooks outside to put locks
- **Weight** – +225 gms
- **Color** – Yellow,/Red or as per quantity required
- **KKRM-K-LKST-PCF-Y15156-5 = 2 LAYERS**
- **KKRM-K-LKST-PCF-R15156-5 = 2 LAYERS**



KKRM-K-LKST-PCF-Y15156-5



KKRM-K-LKST-PCF-Y15156-5

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT KEY STATION-MESH FASCIA-15155-4

- KRM LOTO Key and documentation box comprising of 1 small boxes with 4 in built locking hooks.
- Front side MESH Fascia with border frame.
- Resistant to corrosion.
- **Size of individual small box** – 150 mm x 150 mm x 50 mm.
- **Weight of individual small box** – ±660 gms
- Provision of 4 slots for locking purpose on each box.
- Metal J Type hook to hang keys in the station.
- Metal J hook – (1 Layer having 7 no's hooks)
- Max 2 layer of 7 hooks can put inside
- Can hang Multiple key chain (max 3 nos.) on one hook if require
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **There will be website www.krmloto.com on each box.**
- Pre drilled hole on back side of box to mount on any surface
- There Will be no Label on boxes. if require label on boxes that will be extra cost as separate item, not fix on boxes
- **Color** – Grey or as per quantity required
- **KKRM-K-LKS-MFY-15155-4 = 2 LAYERS**
- **KKRM-K-LKS-MFR-15155-4 = 2 LAYERS**



KKRM-K-LKS-MFY-15155-4



KKRM-K-LKS-MFR-15155-4

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOTO KEY HAMMER BOX-2251655

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side TINY HOLE with border frame.
- **Size** – 225 X 165 X 50 mm
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- 2 Layer of Metal J Type hook (1 Layer having 7 No's hooks).
- Maximum 3 layer of 7 hooks can fix inside the box
- **Total 2 layer**, each layer 7 hook # total 21 hooks
- **one layer welded in same color, 2 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra**
- Can hang Multiple key chain on one hook if require.
- One in-built Lock.
- **Weight** – ± 1.2 kg
- **Standard Color** –Red / Yellow or as per quantity required.



KKRM-K-LKHB-2251655

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOTO KEY HAMMER BOX-15145

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side TINY HOLE with border frame.
- **Size** – 150X 140 X 45MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J hook - 2 nos.
- Can hang Multiple key chain on one hook .
- One in-built Lock.
- **Weight** – ±600 gram.
- Standard Color– Red
- Yellow color make customized quantity required .



KRM-K-LKHB-15145

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT KEY STATION-MESH FASCIA-225155-4

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front side MESH Fascia with border frame.
- **Size** – 225 X 150 X 50 mm
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- 3 Metal J Type hook (1Layer having 7 No's hooks).
- Metal J hook - 7 nos.in one layer
- Maximum 3 layer of 7 hooks can fix inside the box
- Can hang Multiple key chain on one hook if require.
- One in-built Lock.
- **Weight** – ±1.kg
- **Color** – Yellow,/Red or as per quantity required.
- **KKRM-K-LKS-MFR/Y-225155 =3 Layers of Metal J hook=For Total 21no's keys.**
- **Total 3 layer**, each layer 7 hook # total 21 hooks
- **one layer welded in same color, 2 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra**
- **Note: Material design to be supply as per stock inventory**



KKRM-K-LKS-MFR-225155-4



KKRM-K-LKS-MFY-225155-4

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – TRANSPARENT KEY STATION -AL

- **Material** – Aluminium Border section.
- Resistant to corrosion.
- Front side transparent acrylic cover (TINY HOLE).
Provision of pre drilled hole on back side to mount any other surface.
- **KKRM-K-TKS30** – Thirty J Type hook to place the keys on the station, can accommodate 30 keys overall.
- **KKRM-K-TKS50** – Fifty J Type hook to place the keys on the station, can accommodate 50 keys overall.
- **KKRM-K-TKS100** – Hundred J Type hook to place the keys on the station, can accommodate 100 keys overall.
- With Locking arrangement.
- **Weight** - ± 5 kg for 30, 10 Kg for 50 and 15 kg for 100 nos. key
- **Color** – Grey or as per quantity required.



KKRM-K-TKS30



KKRM-K-TKS50



KKRM-K-TKS100

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

Notes:

- Lock & Tag should be used with all loto products.
- For group locking on particular energy hasp should be used.
- Group lockout box should be used for group lockout tagout.
- Scissor Cable or Round cable lockout can be used to lock multiple hazardous energies instead putting individual locks & tags.

