

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT PADLOCK STATION





KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION - INDEX

Index Page No:-1

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	WEIGHT (kg)	TECHNICAL PAGE NO.
1	KKRM-K-MPLH	KRM LOTO – MOLDED PADLOCK HOLDER	0.150	7
2	KKRM-K-LTCH-SY/O	KRM LOTO - PADLOCK HOLDER & LOCK TAG CLIP HOLDER	0.50	8
3	KKRM-K-LTCH-CY/O	KRM LOTO - PADLOCK HOLDER & LOCK TAG CLIP HOLDER	0.50	9
4	KKRM-K-LTCH-Y	KRM LOTO - PADLOCK HOLDER & LOCK TAG CLIP HOLDER	0.50	10
5	KKRM-K-LTPS-18152	KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION-TINY HOLE-18152	4.5	11
6	KKRM-K-PLTS-3J1P	KRM LOTO – PORTABLE LOCKOUT TAGOUT STATION TINY HOLE-18152	4.5	12
7	KKRM-K-PLTS-3J2P	KRM LOTO – PORTABLE LOCKOUT TAGOUT STATION TINY HOLE-18152	4.5	13
8	KKRM-K-PLTS-2S1J2P	KRM LOTO – PORTABLE LOCKOUT TAGOUT STATION TINY HOLE-18152	4.5	14
9	KKRM-K-PLTS-1S2J2P	KRM LOTO – PORTABLE LOCKOUT TAGOUT STATION TINY HOLE -18152	4.5	15
10	KKRM-K-PLTS-6BL1J2P	KRM LOTO – PORTABLE LOCKOUT TAGOUT STATION-TINY HOLE BL-18152	4.5	16
11	KKRM-K-LPSB-S	KRM LOTO - LOCKABLE PLASTIC STATION BOX SMALL WITHOUT MATERIAL	2.5	17
12	KKRM-K-LPSB-B	KRM LOTO - LOCKABLE PLASTIC STATION BOX BIG WITHOUT MATERIAL	3.2	18
13	KKRM-K-LLTPS-3752655	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-3752655	3.5	19
14	KKRM-K-LLTPS-37590	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-37590	4.5	20

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION - INDEX

Index Page No:-2

13	KKRM-K-OLLTS-J2-37590	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION TINY HOLE- 37590	4.5	21
14	KKRM-K-LLTPS-375-1P	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION TINY HOLE-375-1p	4.5	22
15	KKRM-K-OLLTS-J2P-37590	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION TINY HOLE- 37590	4.5	23
16	KKRM-K-PLTS-37590	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION TINY HOLE- 37590	4.5	24
17	KKRM-K-LLTPS-37550	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION TINY HOLE- 37550	4.5	25
18	KKRM-K-DLPS-3	KRM LOTO – DUAL LAYER LOCKOUT PADLOCK STATION-3 OPAQUE FASCIA-18156	8.5	26
19	KKRM-K-DLPS-43	KRM LOTO – DUAL LAYER LOCKOUT PADLOCK STATION-3 OPAQUE FASCIA-18156	9.5	27
20	KKRM-K-DLPS-34	KRM LOTO – DUAL LAYER LOCKOUT PADLOCK STATION-3 OPAQUE FASCIA-18156	9.5	28
21	KKRM-K-DLPS-44	KRM LOTO – DUAL LAYER LOCKOUT PADLOCK STATION-3 OPAQUE FASCIA-18156	9.5	29
22	KKRM-K-DLPS-DML-3	KRM LOTO DUAL LAYER LOCKOUT KEY STATION-WITH DISPLAY MESSAGE LAYER OPAQUE FASCIA-18153	8.5	30
23	KKRM-K-LTPS-OF-18152-5S	KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-18152-5S	5	31
24	KKRM-K-LTPS-OF-18152-3S2M	KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-18152	5	32
25	KKRM-K-LTPS-OF-18152-1P	KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-18152-1P	5	33
26	KKRM-K-MPC-OFY-6J	KRM LOTO – LOCKOUT PADLOCK AND HASPS CABINET-OPAQUE FASCIA-18152	5	34
27	KRKM-K-MPC-OFG-3S2J2P	KRM LOTO -MULTIPURPOSE PADLOCK STATION OPAQUE FASCIA-18152	5	35
28	KKRM-K-MPC-27P	KRM LOTO-MULTIPURPOSE PADLOCK STATION 27 PADLOCK-18152	5	36
29	KKRM-K-LPS-OF-7J	KRM LOTO – LOCKOUT PADLOCK STATION – OPAQUE FASCIA-18152-7	5	37
30	KKRM-K-PCLS-Y/R	KRM LOTO-LOCKOUT TAGOUT STATION TINY HOLE -16146	6.5	38

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION - INDEX

Index Page No:-3

31	KKRM-K-Y-PCLS-P	KRM LOTO – LOCKOUT TAGOUT STATION-OPAQUE FASCIA-16146	7	39
32	KKRM-K-LCGS-Y	KRM LOTO – LOCKOUT TAGOUT STATION TINY HOLE WITH GROUP LOTO BOX	7.5	40
33	KKRM-K-LLTPS-24152	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION TINY HOLE-24152	5.5	41
34	KKRM-K-LLTPS-24152-1P	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION TINY HOLE-24152-1P	5.5	42
35	KKRM-K-LLTPS-10SJ-24243	KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-10SJ-24243	14	43
36	KKRM-K-LLTPS-20J -24243	KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-20J-24243	14	44
37	KKRM-K-LLTPS-8S12J	KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-24243-ABS AND METAL J HOOK	14	45
38	KKRM-K-LLTPS-30152	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION TINY HOLE- 30152J	5.5	46
39	KKRM-K-LLTPS-ABS-30152	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION TINY HOLE- 30152A	5.5	47
40	KKRM-K-LLTPS-1J5ABS-30152	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION TINY HOLE- 30152A	5.5	48
41	KKRM-K-LLTPS- MF-30152	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION - MESH FASCIA-30152	5.5	49
42	KKRM-K-LLTPKS-SCF-30152J	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-SLEEK CLEAR FASCIA - 30152	5.5	50
43	KKRM-K-LLTPS-30156	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-TINY HOLE- 30156	10	51
44	KKRM-K-LLTPS-102P-30156	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-TINY HOLE- -30156	10	52
45	KKRM-K-LLTPS-86P-30156	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-TINY HOLE- -30156	10	53
46	KKRM-K-LLTPS-MF-30156	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION- MESH FASCIA -30156	12	54
47	KKRM-K-LLTPS-30159	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-TINY HOLE-30159	12	55

**KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION - INDEX****Index Page No:-4**

48	KKRM-K-LLTPS-102P-30159	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-TINY HOLE - 30159	14	56
49	KKRM-K-LTPS-483612	KRM LOTO –LOCKOUT TAGOUT PADLOCK STATION-TINY HOLE- -483612	40	57
50	KKRM-K-LTPS-48362	KRM LOTO –LOCKOUT TAGOUT PADLOCK STATION-TINY HOLE- -48362	25	58
51	KKRM-K-LTPS-36362	KRM LOTO –LOCKOUT TAGOUT PADLOCK STATION-TINY HOLE-36362	20	59
52	KKRM-K-LTPS-64	KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION TINY HOLE -64	25	60
53	KKRM-K-LTC-244812	KRM LOTO-MULTIPURPOSE PADLOCK STATION TINY HOLE	26	61
54	KKRM-K-LPS-G-15155-1	KRM LOTO – LOCKOUT PADLOCK STATION- TINY HOLE- GREY-15155-1	0.650	62
55	KKRM-K-LPS-FY-151555-4	KRM LOTO – LOCKOUT PADLOCK STATION- TINY HOLE- YELLOW -15155-4	0.650	63
56	KKRM-K-LPST-PCF-Y15156-5-RED	KRM LOTO – LOCKOUT PADLOCK STATION- POLYCARBONATE CLEAR FASCIA	0.225	64
57	KKRM-K-LPST-PCF-Y15156-5-YELLOW	KRM LOTO – LOCKOUT PADLOCK STATION- POLYCARBONATE CLEAR FASCIA	0.225	64
58	KKRM-K-LPS-MFY-15155-4 -RED	KRM LOTO – LOCKOUT PADLOCK STATION-MESH FASCIA-15155-4	0.650	65
59	KKRM-K-LPS-MFY-15155-4YELLOW	KRM LOTO – LOCKOUT PADLOCK STATION-MESH FASCIA-15155-4	0.650	65
60	KKRM-K-LPS-MFR-225155	KRM LOTO – LOCKOUT PADLOCK STATION-MESH FASCIA-225155-4	1	66
61	KKRM-K-LPS-MFY-225155	KRM LOTO – LOCKOUT PADLOCK STATION-MESH FASCIA-225155-4	1	66

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION - INDEX

Index Page No:-5

62	KKRM-K-LLTPS-2251655	KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION TINY HOLE- -2251655	1.5	67
63	KKRM-K-LLTS-330	KRM LOTO – LOCK KEY STORAGE BOX 14 locks TINY HOLE	2.5	68
64	KKRM-K-LLTS-545	KRM LOTO – LOCK KEY STORAGE BOX 27 locks TINY HOLE	4.5	69
65	KKRM-K-MLPKB-Y	KRM LOTO – DI ELECTRIC MULTIPURPOSE LOCKOUT PADLOCK / KEY BOX	0.150	70
66	KKRM-K-MLPKB-G	KRM LOTO – DI ELECTRIC MULTIPURPOSE LOCKOUT PADLOCK / KEY BOX	0.150	70
67	KKRM-K-MPC-30	KRM LOTO - MULTIPURPOSE PADLOCK CENTER/CABINET TINY HOLE	4	71
68	KKRM-K-LTPS-18152	KRM LOTO - MULTIPURPOSE PADLOCK CENTER/CABINET TINY HOLE	3.5	72
69	KKRM-K-LTPS-18152+2P	KRM LOTO - MULTIPURPOSE PADLOCK CENTER/CABINET 2 POCKET TINY HOLE	3.5	73
70	KKRM-K-LLCPC-T	KRM LOTO – LOCKABLE LOTO CARRY PERMIT CENTER / LOTO CARRY CENTER / LOTO PADLOCK CENTER	0.250	74
71	KKRM-K-PLTS-12	KRM LOTO – ABS PADLOCK HOLDER	0.150	75
72	KKRM-K-LPDS-6	KRM LOTO – PADLOCK STATION HOLDER	0.1	76
73	KKRM-K-LPDS-12	KRM LOTO – PADLOCK STATION HOLDER	0.150	76
74	KKRM-K-LPDS-18	KRM LOTO – PADLOCK STATION HOLDER	0.250	76
75	KKRM-K-MLTS-4033	KRM LOTO - MOLDED LOCKOUT TAGOUT STATION (WALL MOUNTED AS WELL AS CARRYABLE) WITHOUT MATERIAL	2.3	77
76	KKRM-K-MLTS-4033-10	KRM LOTO - MOLDED LOCKOUT TAGOUT STATION (WALL MOUNTED AS WELL AS CARRYABLE) WITH MATERIAL	3.3	78
77	KKRM-K-MLTS-4033-102H	KRM LOTO - MOLDED LOCKOUT TAGOUT STATION (WALL MOUNTED AS WELL AS CARRYABLE) WITH MATERIAL	3.5	79
78	KKRM-K-MLTS-4033-12	KRM LOTO - MOLDED LOCKOUT TAGOUT STATION (WALL MOUNTED AS WELL AS CARRYABLE) WITH MATERIAL	3.5	80



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagappliances.com




KRM LOTO – MOLDED PADLOCK HOLDER

- **Material** – Made of ABS material.
- Contains 12 holes for hanging padlocks and other LOTO items.
- **Size** – Top Width – 130mm Bottom width- 180mm Height -130mm
- Easy to handle and can carry on waist belt to make work hassle free.
- Can be carried on the waist belt with the hooks as shown in the image.
- **Weight** – 150 gm.
- **Color** – Red or as per BULK quantity



KKRM-K-MPLH



GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

PADLOCK HOLDER & LOCK TAG CLIP HOLDER

- Lock Tag Clip Lockout Tagout Holder for hanging a padlocks & other LOTO Items.
- It can be help to easily carry your items one place to other place.
- Material – Plastic
- Size- Height 62mm, Width 15mm, Depth 10mm
- Hanging Dia-10mm
- Color- Yellow, Orange.



KKRM-K-LTCH-SY



KKRM-K-LTCH-SO



GSTIN No.: 06AACPW8746Q126,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L12I
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

PADLOCK HOLDER & LOCK TAG CLIP HOLDER

- Lock Tag Clip Lockout Tagout Holder - Curve hanging a padlocks & other LOTO Items.
- It can be help to easily carry your items one place to other place.
- Material – Plastic
- Size- Height 62mm, Width 25mm, Depth 10mm
- Hanging Dia-10mm
- Color- Yellow, Orange.



KKRM-K-LTCH-CY



KKRM-K-LTCH-CO



GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

PADLOCK HOLDER & LOCK TAG CLIP HOLDER

- Lock Tag Clip Lockout Tagout Holder for hanging a padlocks & other LOTO Items.
- It can be help to easily carry your items one place to other place.
- Material – Plastic
- Size- Height 62mm, Width 25mm, Depth 10mm
- Hanging Dia-10mm
- Color- Yellow, Orange.



KKRM-K-LTCH-Y

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lockouttagouts.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box having **Tiny Holes** for more **durability & stability of box.**
- **There will be website www.krmloto.com on each box.**
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **3 Metal J hook layer (1 layer having 17 no's hook). lock can place /hang after keep blank one j hook and can hang key / key chain ring in that blank hooks.**
- **9 padlock can hang individually in one metal layer of 17 hooks.**
- Maximum 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- **Weight** – ± 4.5 Kg
- **Color** – Yellow,/Grey/Red/Green or as per quantity required
- **KKRM-K-LTPS-18152 = 3 Layers of Metal j hook (27 Padlock can Hang)**
- **Total 3 layer, each layer 17 hook # total 51 hooks**
- **one layer welded in same color, 2 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note - Can also make combination of metal j hook 7/12/17 as per requirement.**
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-LTPS-18152

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – PORTABLE LOCKOUT TAGOUT STATION-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **There will be website www.krmloto.com on each box.**
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount on other surface.
- **3 Metal J hook layer (1 layer having 17 no's hook). for provision can hang 9 locks.**
- 1 ABS Pocket keep loto tag and pen.
- One in-built Lock and a knob to hold.
- **Weight** – ±4.5 Kg
- **Color** – Yellow, /Grey/Red/Green or as per quantity required
- **KKRM-K-PLTS-3J1P= 3 layer 17 no's metal j hook and 1 abs Pocket (27 Padlock can Hang)**
- **Total 3 layer, each layer of 17 hooks # total 51 hooks**
- **All layer welded in same color.**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-PLTS-3J1P

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN No.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – PORTABLE LOCKOUT TAGOUT STATION-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **There will be website www.krmloto.com on each box.**
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- **3 Metal J hook layer (1 layer having 17 no's hook). for provision can hang 9 locks.**
- 2 ABS Pocket keep loto tag and pen.
- One in-built Lock and a knob to hold.
- **Weight** – ±4.5 Kg
- **Color** – Yellow, /Grey/Red/Green or as per quantity required
- **KKRM-K-PLTS-3J2P= 3 layer 17 no's metal j hook and 2 abs Pocket (27 Padlock can Hang)**
- **Total 3 layer, each layer of 17 hooks # total 51 hooks**
- **All layer welded in same color.**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-PLTS-3J2P

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – PORTABLE LOCKOUT TAGOUT STATION-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **There will be website www.krmloto.com on each box.**
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- **2 ABS Slotted layer to keep loto items, can hang 15 locks in a single layer.**
- **1 Metal J hook layer (1 layer having 7 no's hook). for provision lock /hasp**
- 2 ABS Pocket keep loto tag and pen.
- One in-built Lock and a knob to hold.
- **Weight** – ± 4.5 Kg
- **Color** – Yellow,,/Grey/Red/Green or as per quantity required
- **KKRM-K-PLTS-2S1J2P= 2 ABS Slotted , and one layer 7 no's metal j hook (34 Padlock can Hang)**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-PLTS-2S1J2P

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147 & 1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – PORTABLE LOCKOUT TAGOUT STATION-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes** for **more durability & stability of box.**
- **There will be website www.krmloto.com on each box.**
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- **1 Metal J hook layer (1 layer having 17 no's hook). for provision can hang 9 locks.**
- **1 Metal J hook layer (1 layer having 7 no's hook). for provision can hang 4 locks.**
- **1 ABS Slotted layer to keep loto items, can hang 15 locks in a single layer.**
- 2 ABS Pocket keep loto tag and pen.
- One in-built Lock and a knob to hold.
- **Weight** – ±4.5 Kg
- **Color** – Yellow, /Grey/Red/Green or as per quantity required
- **KKRM-K-PLTS-1S2J2P= 1 ABS Slotted and 1 layer 17 no's metal j hook and 1 layer 7 no's metal j hook (28 Padlock can Hang)**
- **Total 3 layer, 1 layer 17 & 1 layer 7 hook # total 24 hooks**
- **one layer welded in same color, 1 layer of 7 hook & 1 Slotter in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-PLTS-1S2J2P

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – PORTABLE LOCKOUT TAGOUT STATION-BL-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **There will be website www.krmloto.com on each box.**
- **Size** – 18" X 15" X 2"
- Provision of pre drilled hole on back side to mount any other surface.
- Yellow ABS hook With 6 small layers, consisting of 7 holes in a single layer to hang padlock/ other items.
- Can hang 4 Padlock in one layer to keep proper gap in between 2 locks
- 1 Metal J hook layer (1 layer having 7 no's hook). for provision lock /hasp
- One in-built Lock and a knob to hold.
- 2 ABS Pocket keep loto tag and pen.
- **Weight** – ± 4.5 Kg
- **Color** – Yellow,,/Grey/Red/Green or as per quantity required
- **KKRM-K-PLTS-6BL1J2P=6 BLK, and 1 Layers 7no's metal j hook (24 Padlock and 5 lockout hasp can Hang)**
- **Note -Can also make combination of metal j hook 7/12/17 as per requirement.**



KKRM-K-PLTS-6BL1J2P

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO - LOCKABLE PLASTIC STATION BOX SMALL WITHOUT MATERIAL

- **Material** – Engineering grade material
- Front side Clear Fascia.
- **Size** - 406mmX315mm X 65mm.
- Provision of pre drilled hole on back side to mount any surface.
- With 5 ABS hooks to hang padlock / LOTO items.
- 1 ABS Pocket keep loto tag and pen
- Max-2 lock can put / hang on one hook as required
- Weight-2.5kg



KKRM-K-LPSB-S

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - LOCKABLE PLASTIC STATION BIG WITHOUT MATERIAL

LOCKOUT/TAGOUT

- **Material** – Engineering grade material
- Front side Clear Fascia.
- **Size** - 565mm x 405mm x 65mm.
- Provision of pre drilled hole on back side to mount any surface.
- With 14 ABS hooks to hang padlock / Loto items.
- 2 ABS Pocket keep loto tag and pen
- Max-2 lock can put / hang on one hook as required
- Weight-3.2 kg



KKRMM-K-LPSB-B

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com



Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com


www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-3752655

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- There will be website www.krmloto.com on each box.
- **Size** – 375 X 265 X 50 MM
- Provision of pre drilled hole on back side to mount any other surface.
- **3 Layers of Metal J Type hook (1 layer having 12 no's hook). One lock & key separately can place /hang on alternate hook.**
- **6 padlock can hang individually in one metal layer of 12 hooks.**
- Maximum 2 lock can put / hang on one hook as per requirement
- One in-built Lock and a knob to hold.
- **Weight** – ± 3.5 kg
- **Color** – Red or Grey, rest colour as per Quantity.
- **KKRM-K-LLTPS-3752655 = 3 Layers of Metal J hook – For 18 padlocks.**
- **Total 3 layer**, each layer 12 hook # total 36 hooks
- **one layer welded in same color, 2 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12 + provision of holes for ABS pocket(if require) to keep tags etc.
- **Note: material design to be supply as per stock inventory.**

KKRM-K-LLTPS-3752655



NOTE: IMAGE FOR YOUR REFERENCE ONLY.

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAPW8746Q
TIN No.: 0682132889,
TAN No.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-37590 (to keep multipurpose loto items)

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **There will be website www.krmloto.com on each box.**
- **Size in mm** – 375 X 375 X 92.5 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **3 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.**
- **9 padlock can hang individually in one metal layer of 17 hooks.**
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- **Weight** – ± 4.5 kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-LLTPS-37590 = 3 Layers of Metal J hook (27 Padlock can Hang)**
- **Total 3 layer, each layer 17 hook # total 51 hooks**
- **one layer welded in same color, 2 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note -Can also make combination of metal j hook 7/12/17 as per requirement.**
- **Note: material design to be supply as per stock inventory.**



KKRM-K-LLTPS-37590

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION- 37590 (to keep multipurpose loto items)

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box having **Tiny Holes** for more durability & stability of box.
- There will be website www.krmloto.com on each box.
- **Size in mm** – 375 X 375 X 92.5 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **2 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.**
- **9 padlock can hang individually in one metal layer of 17 hooks.**
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- **Weight** – ±4.5 kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-OLLTS-J2-37590 = 2 Layers of Metal j hook (18 Padlock can Hang)**
- **Total 2 layer, each layer 17 hook # total 34 hooks**
- **one layer welded in same color, 1 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note -Can also make combination of metal j hook 7/12/17 as per requirement.**
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-OLLTS-J2-37590

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)




www.lotoappliances.com



KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-375-1P (to keep multipurpose loto items)

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **There will be website www.krmloto.com on each box.**
- **Size in mm** – 375 X 375 X 92.5 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **3 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 12 no's hook. One lock & key / key chain separately can place /hang on alternate hook**
- **9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks.**
- 1 ABS Pocket keep loto tag and pen.
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- **Weight** – ± 4.5 kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-LLTPS-375-1P =2 Layers 17no's and 1 Layer 12no's Metal j hook (24 Padlock can Hang)**
- **Total 3 layer, each 2 layer 17 & 1 layer 12 hook # total 46 hooks**
- **one layer welded in same color, 1 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** - Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note: material design to be supply as per stock inventory.**



KCRM-K-LLTPS-375-1P

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION- 37590 (to keep multipurpose loto items)

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box having **Tiny Holes for more durability & stability of box.**
- **Size in mm** – 375 X 375 X 92.5 MM
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 3 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 7 no's hook. One lock & key / key chain separately can place /hang on alternate hook
- 9 & 4 padlock can hang individually in one metal layer of 17 & 7 hooks.
- 2 ABS Pocket keep loto tag and pen.
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- **Weight** – ± 4.5 kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-OLLTS-J2P-37590 =2 Layers 17no's and 1Layer 7no's Metal j hook(22 Padlock can Hang)**
- **Total 3 layer, 2 layer 17 & 1 layer 7 hook # total 41 hooks,**
- **one layer welded in same color, 2 layer in loose form , you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note - Can also make combination of metal j hook 7/12/17 as per requirement.**
- **Note - Material design to be supply as per stock inventory.**



KKRM-K-OLLTS-J2P-37590

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN No.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION- 37590 (to keep multipurpose loto items)

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **There will be website www.krmloto.com on each box.**
- **Size in mm** – 375 X 375 X 90 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 2 Layers of Metal J Type hook -1 layer having 17no's hooks 9 padlock can hang individually in one metal layer of 17 hooks.
- In-built holder in Bottom for loto Items (Tag, Pen) etc.
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- **Weight** – ± 4.5 kg
- **Color** – Yellow or as per quantity required.
- **KKR-K-PLTS-37590=2 Layers 17no's Metal j hook (18 Padlock can Hang)**
- **Total 2 layer**, each layer 17 hook # total 34 hooks
- **one layer welded in same color, rest 1 layer in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** - Can also make combination of metal j hook 7/12/17 as per requirement.
- **Note - Material design to be supply as per stock inventory.**



KKRM-K-PLTS-37590

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)


Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-37550

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box having **Tiny Holes for more durability & stability of box.**
- **There will be website www.krmloto.com on each box.**
- **Size in mm** – 375 X 375X 50 MM
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **3 Layers of Metal J Type hook -1 layer having 17no's hooks 9 padlock can hang individually in one metal layer of 17 hooks.**
- One in-built Lock and a knob to hold.
- **Colour** – Yellow
- **KKRM-K-LLTPS-37550 = 3 Layers 17no's Metal j hook (27 padlock can hang.**
- **Total 3 layer, each layer 17 hook # total 51 hooks**
- **one layer welded in same color, 2 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note - Can also make combination of metal j hook 7/12/17 as per requirement.**
- **Note: Material design to be supply as per stock inventory.**

KKRM-K-LLTPS-37550



NOTE: IMAGE FOR YOUR REFERENCE ONLY.

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – DUAL LAYER LOCKOUT PADLOCK STATION-3 OPAQUE FASCIA-18156

- **Material-** Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** – 18" X 15" X 6"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **12 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place/hang on alternate hook.**
- **9 padlock can hang individually in one metal layer of 17 hooks.**
- 2 lock can put / hag on one hook as per requirement
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- **Weight** – ± 9.5 kg
- **Color** – Grey or as per quantity required.
- Three Metal J Type hook/slots on each side of station to hang loto items.
- **KKRM-K-DLPS-3 =12 Layers 17no's Metal j hook (108 Padlock can Hang)**
- **Total 12 layer, each layer 17 hook # total 204 hooks**
- **one layer welded in same color 11 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.
- **NOTE : PADLOCKS CAN ALSO HANG ON ALTERNATE HOOKS**



KKRM-K-DLPS-3

GSTIN No.: 06AAPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO - DUAL LAYER LOCKOUT PADLOCK STATION-3 OPAQUE FASCIA-18156

- **Material-** Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** – 18" X 15" X 6"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **8 Layers of Metal J Type hook (1 layer having 17 no's hook). and other 6 layer having 12 no's hook. One lock & key / key chain separately can place /hang on alternate hook**
- **9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks. 2 lock can put / hag on one hook as per requirement**
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- **Weight** – ± 9.5 kg
- **Color** – Grey or as per quantity required.
- 14 Metal J Type hook/slots on each side of station to hang loto items.
- **KKRM-K-DLPS-43 =8 Layers 17no's and 6 Layer 12no's Metal j hook(108 Padlock can Hang)**
- **Total 14 layer, 8 layer 17 hook & 6 layer 12 hook # total 208 hooks**
- **one layer 17 hook welded in same color 13 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note -Can also make combination of metal j hook 7/12/17 as per requirement.**
- **NOTE : PADLOCKS CAN ALSO HANG ON ALTERNATE HOOKS .**



KCRM-K-DLPS-43

GSTIN No.: 06AAMPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – DUAL LAYER LOCKOUT PADLOCK STATION-3 OPAQUE FASCIA-18156

- **Material**- Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** – 18" X 15" X 6"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **6 Layers of Metal J Type hook (1 layer having 17 no's hook). and other 8 layer having 12 no's hook. One lock & key / key chain separately can place /hang on alternate hook**
- **9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks. 2 lock can put / hang on one hook as per requirement**
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- **Weight** – ± 9.5 kg
- **Color** – Grey or as per quantity required.
- 14 Metal J Type hook/slots on each side of station to hang loto items.
- **KKRM-K-DLPS-34 =6 Layers 17no's and 8 Layer 12no's Metal j hook(102 Padlock can Hang)**
- **Total 14 layer, 6 layer 17 hook & 8 layer 12 hook # total 198 hooks**
- **one layer 17 hook welded in same color 13 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.
- **NOTE : PADLOCKS CAN ALSO HANG ON ALTERNATE HOOKS**



KKRM-K-DLPS-34

GSTIN No.: 06AAMPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – DUAL LAYER LOCKOUT PADLOCK STATION-3 OPAQUE FASCIA-18156

- **Material**- Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** – 18" X 15" X 6"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **8 Layers of Metal J Type hook (1 layer having 17 no's hook). and other 6 layer having 12 no's hook. One lock & key / key chain separately can place /hang on alternate hook**
- **9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks. 2 lock can put / hang on one hook as per requirement**
- Dual layer of the station provides the extra advantage of the storage.
- One in-built Lock and a knob to hold.
- **Weight** – ± 9.5 kg
- **Color** – Grey or as per quantity required.
- 16 Metal J Type hook/slots on each side of station to hang loto items.
- **KKRM-K-DLPS-44 =8 Layers 17no's and 8 Layer 12no's Metal j hook(120 Padlock can Hang)**
- **Total 16 layer, 8 layer 17 hook & 8 layer 12 hook # total 234 hooks**
- **one layer 17 hook welded in same color rest 13 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.
- **NOTE : PADLOCKS CAN ALSO HANG ON ALTERNATE HOOKS.**



KKRM-K-DLPS-44

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO DUAL LAYER LOCKOUT PADLOCK STATION-WITH DISPLAY MESSAGE LAYER OPAQUE FASCIA-18153

- **Material**- Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** – 18" X 15" X 3"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **6 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook**
- **9 padlock can hang individually in one metal layer of 17 hooks.**
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- One movable Layer for display Message.
- **Weight** – + 8.5 kg
- **Color** – Grey or as per quantity required.
- 6 Metal J Type hook/slots on each side of station to hang loto items.
- **KKRM-K-DLPS-DML-3 =6 Layers 17no's Metal j hook (54 Padlock can Hang)**
- **Total 6 layer, each layer 17 hook # total 102 hooks**
- **one layer 17 hook welded in same color 5 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.
- **NOTE : KEY CAN ALSO HANG ON ALTERNATE HOOKS**



KKRM-K-DLPS-DML-3

GSTIN No.: 06AAMPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-18152-5S

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Opaque Fascia with border frame.
- **Size** – 18" X 15" X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- 5 ABS Slotted layer to keep loto items, can hang 15 locks in a single layer.
- **1 Layers of Metal J Type hook One lock & key / key chain separately can place /hang on alternate hook**
- **9 padlock can hang individually in one metal layer of 17 hooks.**
- One in-built Lock and a knob to hold.
- **Weight** – ± 5.5 Kg
- **Color** – Yellow,/Grey/Red/Green or as per quantity required
- **KKRM-K-LTPS-OF-18152-5S =5 ABS SLOTTED & 1 Layers 17no's Metal j hook (84 Padlock can Hang)**
- **Total 6 layer, 1 layer 17 hook & 5 layer slotter**
- **one layer of 17 hook welded in same color, 5 Slotters in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** - Can also make combination of metal j hook 7/12/17 as per requirement.



KKRM-K-LTPS-OF-18152-5S

GSTIN No.: 06AAPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com


www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Opaque Fascia with border frame.
- **Size** – 18" X 15" X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- 3 ABS Slotted layer to keep loto items, can hang 15 locks in a single layer.
- **2 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook.**
- **9 padlock can hang individually in one metal layer of 17 hooks.**
- One in-built Lock and a knob to hold.
- **Weight** – ± 5 Kg
- Color– Yellow,/Grey/Red/Green or as per quantity required
- **KKRM-K-LTPS-OF-18152-3S2M=3 ABS Slotted & 2 Layers 17 no's, Metal j hook (63 Padlock can Hang)**
- **Total 5 layer, 2 layer 17 hook & 3 layer slotter**
- **one layer of 17 hook welded in same color, 1 layer of 17 hook & 3 Slotters in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** - Can also make combination of metal j hook 7/12/17 as per requirement.



KKRM-K-LTPS-OF-18152-3S2M

GSTIN No.: 06AACPW8746Q1Z6,
 PAN No.: AACPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-18152-1P

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** –18" X 15 X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **3 Layers of Metal J Type hook (1 layer having 17 & 12 no's hook). One lock & key/key chain separately can place /hang on alternate hook**
- **9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks.**
- 2 lock can put / hang on one hook as per requirement
- 1 ABS Pocket keep loto tag and pen.
- One in-built Lock and a knob to hold.
- **Weight** – \pm 5 kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-LTPS-OF-18152-1P= 2 Layers 17no's and 1 Layer 12no's Metal j hook (24 Padlock can Hang)**
- **Total 3 layer, 2 layer 17 & 1 layer 12 hook # total 41 hooks**
- **one layer 17 hook welded in same color 13 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** - Can also make combination of metal j hook 7/12/17 as per requirement.



KKRM-K-LTPS-OF-18152-1P

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO – LOCKOUT PADLOCK AND HASPS CABINET-OPAQUE FASCIA-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** –18" X 15 X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **6 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook**
- **9 padlock can hang individually in one metal layer of 17 hooks.**
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- **Weight** – ± 5 kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-MPC-OFY-6J = 6 Layers 17no's Metal j hook(54 Padlock can Hang or can put hasp as require -17 no in one layer)**
- **Total 6 layer, each layer 17 hook # total 102 hooks**
- **one layer welded in same color, 5 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note -Can also make combination of metal j hook 7/12/17 as per requirement.**



KKRM-K-MPC-OFY-6J

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO-MULTIPURPOSE PADLOCK STATION OPAQUE FASCIA-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size**–18" X 15 X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- 3 ABS Slotted layer to keep loto items, can hang 15 locks in a single layer.
- **3 Layers of Metal J Type hook -2 layer having 17no's hooks and other layer having 7 no's hook. One lock & key separately can place /hang on alternate hook**
- **9 & 4 padlock can hang individually in one metal layer of 17 & 7 hooks.**
- 2 ABS Pocket keep loto tag and pen.
- 2 lock can put / hag on one hook as per requirement .
- One in-built Lock and a knob to hold.
- **Weight** – ± 5 kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-MPC-OFG-3S2J2P =3 ABS Slotted and 2 Layers 17no's and 1 Layer 7no's Metal j hook (67 Padlock can Hang)**
- **Total 6 layer, 2 layer 17 hook & 1 layer 7 hook & 3 layer slotter one layer of 17 hook welded in same color, 1 layer of 17 hook & 1 layer of 7 hook & 3 Slotters in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KKRM-K-MPC-OFG-3S2J2P

GSTIN No.: 06AAPVW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO-MULTIPURPOSE PADLOCK STATION 27 PADLOCK-18152

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** – 18" X 15 X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **3 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook**
- **9 padlock can hang individually in one metal layer of 17 hooks.**
- 2 lock can put / hag on one hook as per requirement .
- One in-built Lock and a knob to hold.
- **Weight** – ± 5 kg
- **Color** – Grey or as per quantity required.
- **KKRM-K-MPC-27P= 3 Layers 17no's Metal j hook (27 Padlock can Hang)**
- **Total 3 layer, each layer 17 hook # total 51 hooks**
- **one layer 17 hook welded in same color, 2 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** - Can also make combination of metal j hook 7/12/17 as per requirement.

KRM LOTO
EXPERT



KKRM-K-MPC-27P

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



www.lotoappliances.com



KRM LOTO – LOCKOUT PADLOCK STATION – OPAQUE FASCIA-18152-7

- **Material**- Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** – 18" X 15" X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **7 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook**
- **9 padlock can hang individually in one metal layer of 17 hooks.**
- 2 lock can put / hag on one hook as per requirement .
- One in-built Lock and a knob to hold.
- **Weight** – ± 5 kg
- **Color** – Grey or as per quantity required.
- **KKRM-K-LPS-OF-7J= 7 Layers 17no's Metal j hook (63 Padlock can Hang)**
- **Total 7 layer, each layer 17 hook # total 119 hooks**
- **one layer 17 hook welded in same color 6 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** - Can also make combination of metal j hook 7/12/17 as per requirement.



KKRM-K-LPS-OF-7J

GSTIN No.: 06AAPVW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com


www.lotoappliances.com

KRM LOTO-LOCKOUT PADLOCK STATION -16146

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **Size** –16" X 14 X 6"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **1 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook**
- **9 padlock can hang individually in one metal layer of 17 hooks.**
- 2 lock can put / hag on one hook as per requirement .
- One Adjustable shelves for placing the items
- One in-built Lock and a knob to hold.
- **Weight** – ±6.5 kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-PCLS-Y= 1Layer Metal j hook (9 Padlock can Hang)**
- **KKRM-K-PCLS-R= 1Layer Metal j hook (9 Padlock can Hang)**
- **one layer 17 hook welded in same color**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note -Can also make combination of metal j hook 7/12/17 as per requirement.**
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-PCLS-R KKRM-K-PCLS-Y



GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com



Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKOUT PADLOCK STATION-OPAQUE FASCIA-16146 (to keep multipurpose loto items)

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size**–16" X 14 X 6"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **1 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.**
- **9 padlock can hang individually in one metal layer of 17 hooks.**
- 2 lock can put / hag on one hook as per requirement .
- One Adjustable shelves for placing the items
- One in-built Lock and a knob to hold.
- **Weight** – **+7** kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-Y-PCLS-P/KKRM-K-R-PCLS-P**
- **one layer 17 hook welded in same color**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KKRM-K-Y-PCLS-P



KKRM-K-G-PCLS-P KKRM-K-R-PCLS-P

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



www.lotoappliances.com



KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION WITH GROUP LOTO BOX

- **Material-** Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **Size – 16" X 14" X 6" + 4" X 14" X 6"**
- **There will be website www.krmloto.com on each box.**
- Having provision of slots on the top layer to drop key or document after locking.
- Provision of optional handle which make it portable so that can be carried any where.
- Provision of pre drilled hole on back side to mount any other surface.
- Three Adjustable shelves for placing the items. Shelves can be adjusted either ways up or down.
- One slider covered block as an additional advantage to the station that can be used to store LOTO items as well as can be used for group locking.
- One in-built Lock and a knob to hold.
- **Weight – ±6 kg**
- **KKRM-K-LCGS-Y**
- **Color – Yellow, Red or as per quantity required.**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-LCGS-Y

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-RED-24152

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **Size** – 24"X 15" X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **5 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook**
- **9 padlock can hang individually in one metal layer of 17 hooks.**
- 2 lock can put / hag on one hook as per requirement
- One /Two in-built Locks and a knob to hold.
- **Weight** – ± 5.5 kg
- **Color** – Yellow, Red or as per quantity required.
- **KKRM-K-LLTPS-24152-R =5 Layers of Metal j hook (45 Padlock can Hang)**
- **Total 5 layer, each layer 17 hook # total 85 hooks**
- **one layer 17 hook welded in same color, 4 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KKRM-K-LLTPS-24152

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-RED-24152-1P

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **Size** – 24" X 15" X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **5 Layers of Metal J Type hook -4 layer having 17no's hooks and 1 layer having 12 no's hook. One lock & key separately can place /hang on alternate hook**
- **9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks.**
- 1 ABS Pocket keep loto tag and pen.
- One /Two in-built Locks and a knob to hold.
- **Weight** – ± 5 kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-LLTPS-24152-1P-R= 4 Layers 17no's and 1 Layer 12no's Metal j hook(42 Padlock can Hang)**
- **Total 5 layer, 4 layer 17 hook & 1 layer 12 hook**
- **one layer of 17 hook welded in same color, 3 layer of 17 hook & 1 layer of 12 hook loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KKRM-K-LLTPS-24152-1P-R

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com



Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com


www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-10SJ-24243

- **Material-** Mild / CR Steel sheet with duly phosphate powder coated.
- Front side Opaque fascia
- **Overall Size** – 24" X 24" X 3"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 10 ABS Slotted layer to hang padlocks / hasp /loto items, Can hang maximum 15 locks in a single layer.
- **10 Layers of Metal J Type hook (1 layer having 12 no's hook). One lock & key / key chain separately can place /hang on alternate hook only.**
- **6 padlock individually can hang on alternate hook in one metal layer of 12 hooks.**
- 2 lock can put / hang on one Metal j hook only , if require .
- One in-built Locks and a knob to hold.
- **Net Weight** – \pm 13 kg
- **Gross weight** – 14kg
- **Color** – Red . Any color can make on volume basis .
- **KKRM-K-LLTPS-10SJ-24243 =10 ABS Slotter & 10 Layers 12no's Metal j hook (Max capacity of individual lock on hook :210 Padlocks)**
- **Total 20 layer, 10 layer 12 hook & 10 layer slotter**
- **one layer of 12 hook welded in same color, 9 layer of 12 hook & 10 Slotters in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **NOTE : PADLOCKS HANG ON ALTERNATE HOOK only.**



KKRM-K-LLTPS-10SJ-24243

image only for reference

GSTIN No.: 06AAVPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



www.lotoappliances.com



KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-20J-24243

- **Material-** Mild / CR Steel sheet with duly phosphate powder coated.
- Front side Opaque fascia .
- **Overall Size** – 24" X 24" X 3"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- **10 Layers of Metal J Type hook (1 layer having 17 no's hook). + 10 layer having 12 no's hook. One lock & key / key chain separately can place /hang on alternate hook only .**
- **9 & 6 padlock can hang individually in one metal layer of 17 & 12 hooks.**
- 2 lock can put / hang on one hook if require .
- One in-built Locks and a knob to hold.
- **Net Weight** – ± 13 kg
- **Gross Weight** – 14kg
- **Color** – Red . Any color can make on volume basis
- **KKRM-K-LLTPS-20J-24243=10 Layer 17no's and 10 Layer 12 no's Metal j hook (Max capacity of individual lock on hook : 150 Padlocks), if 2 locks on one hook, in that case capacity will be 300 padlocks**
- **Total 20 layer, 10 layer of 17 hook & 10 of layer 12 hook**
- **All layer of 17 & 12 hook welded in same color.**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **NOTE : PADLOCKS HANG ON ALTERNATE HOOK only.**



KKRM-K-LLTPS-20J -24243
image only for reference

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN No.: RTKKO3359G
IEC: 0509006116

M: 00 91 9610 291 381, 8900 544 861



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION- OPAQUE FASCIA-24243-ABS AND METAL J HOOK

- **Material-** Mild steel with duly phosphate powder coated.
- Front side Opaque fascia with border frame.
- **Size** – 24" X 24" X 3"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **8 ABS Plastic Slotted layer to keep hang locks, can hang 15 locks side view in a single layer**
- **2 metal J hook layer having 17 hook in one layer to hang locks on alternate hooks**
- 10 Layers of Metal J Type hook (1 layer having 12 no's hook). One lock & key / key chain separately can place /hang on alternate hook
- 6 padlock can hang individually on alternate in one metal layer of 12 hooks.
- Max 2 lock can put / hang on one metal hook as per requirement
- One /Two in-built Locks and a knob to hold.
- **Weight** – ± 10 to 14kg
- **Color** – Red or as per quantity required.
- **KKRM-K-LLTPS-8S12J = 8 ABS SLOTTED , 2 layer 17 metal J hook & 10 Layers 12 Metal J hook (TOTAL LOCK HANG CAPACITY # 198 LOCKS)**
- **Total 20 layer, 2 layer 17 hook & 10 layer 12 hook & 8 layer slotter**
- **Two layer of 17 & 7 hook welded in same color, 8 layer of 12 hook & 8 Slotters in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note -Can also make combination of metal j hook 7/12/17 as per requirement.**
- **NOTE : PADLOCKS HANG ON ALTERNATE METAL J HOOK only.**



KKRM-K-LLTPS-8S12J

Note – image for only reference

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION- 30152J

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box having **Tiny Holes for more durability & stability of box.**
- **Size** – 30" X 15" X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One /Two in-built Locks and a knob to hold.
- **Weight** – ± 5.5 kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-LLTPS-30152= 6 Layers 17no's Metal j hook (54 Padlock can Hang)**
- **Total 6 layer, each layer 17 hook # total 102 hooks**
- **one layer welded in same color, 5 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** - Can also make combination of metal j hook 7/12/17 as per requirement.



KKRM-K-LLTPS-30152

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com


www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-30152A

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box having **Tiny Holes** for more durability & stability of box.
- **Size** – 30" X 15" X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- 6 Layer of ABS slotted to keep loto items, can hang 15 locks in a single layer.
- Can also make combination of 7/12/17 hook as per requirement
- One / Two in-built Lock and a knob to hold.
- **Weight** – ± 5.5 kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-LLTPS-ABS-30152= 6 ABS SLOTTED (90 Padlock can Hang)**
- **Total 6 layer, 6 Layer of slotter all layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KKRM-K-LLTPS-ABS-30152

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com


www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION- 30152A

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **Size** – 30" X 15" X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- 1 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 5 Layer of ABS slotted to keep loto items, can hang 15 locks in a single layer.
- Can also make combination of 7/12/17 hook as per requirement
- One / Two in-built Lock and a knob to hold.
- **Weight** – ± 5.5 kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-LLTPS-1J5ABS-30152= 1 layer 17 hook & 5 ABS SLOTTED (84 Padlock can Hang)**
- **Total 6 layer**, 1 layer 17 hook & 5 layer slotter
- **one layer of 17 hook welded in same color, 5 Slotters in loose form, you will have to fix at your end with nut bolts which we will provide.**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KKRM-K-LLTPS-1J5ABS-30152

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION - MESH FASCIA-30152

- **Material** – Mild steel with duly phosphate powder coated.
- Front side Mesh Fascia with border frame.
- **Size** – 30" X 15" X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One / Two in-built Lock and a knob to hold.
- **Weight** – ± 5.5 kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-LLTPS- MF-30152= 6 Layers of Metal j hook (54 Padlock can Hang)**
- **Total 6 layer**, each layer 17 hook # total 102 hooks
- **one layer welded in same color, 5 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KKRM-K-LLTPS-MF-30152

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK KEY STATION SLEEK CLEAR FASCIA- 30152J

- **Material** – Metal steel with duly phosphate powder coated.
- Front side sleek Clear Fascia in door for visibility.
- **Size** – 30" X 15" X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **6 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key / key chain separately can place /hang on alternate hook.**
- **9 padlock as well key/ key chain on alternate hook can hang individually in one metal layer of 17 hooks.**
- Max 2 lock as well as multiple keys can put / hang on one hook as per requirement
- One /Two in-built Locks and a molded ABS handle on door
- **Weight** – ± 6kg
- **Color** – RED or any other colour on quantity base only .
- **KKRM-K-LLTPKS-SCF-30152J = 6 Layers 17no's Metal j hook (54 Padlock and 54 key / key as individually can Hang)**
- **Total 6 layer, each layer 17 hook # total 102 hooks**
- **one layer welded in same color, 5 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note - Can also make combination of metal j hook 7/12/17 as per requirement.**
on additional cost



KKRM-K-LLTPKS-SCF-30152J

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-CLEAR-30156

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes** for more **durability & stability of box.**
- **Size** – 30" X 15" X 6"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One adjustable shelf
- One / two in-built Lock and a knob to hold.
- **Weight** – ± 10 kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-LLTPS-30156 =6 Layers of Metal j hook (54 Padlock can Hang)**
- **Total 6 layer**, each layer 17 hook # total 102 hooks
- **one layer welded in same color, 5 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KKRM-K-LLTPS-30156

GSTIN No.: 06AAMPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-30156

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **Size** – 30" X 15" X 6"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 7 no's hook. One lock & key/key chain separately can place /hang on alternate hook
- **9, 4 padlock can hang individually in one metal layer of 17 & 7 hooks in combination of Front and both left & right side.**
- 2 lock can put / hag on one hook as per requirement
- One adjustable shelf
- One / Two in-built Lock and a knob to hold.
- **Weight** – ± 12 kg
- **Colour** – Yellow or as per quantity required.
- **KKRM-K-LLTPS-102P-30156=6 Layers 17no's and 6+6 Layer-7no's Metal j hook (102 Padlock can Hang)**
- **Total 18 layer, 6 layer 17 hook & 12 layer 7 hook # total 186 hooks**
- **one layer of 17 hook welded in same color, 5 layer of 17 hook & 12 layer of 7 hook in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KKRM-K-LLTPS-102P-30156

GSTIN No.: 06AAMPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-30156

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **Size** – 30" X 15" X 6"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 7 no's hook. One lock & key/key chain separately can place /hang on alternate hook
- **9, 4 padlock can hang individually in one metal layer of 17 & 7 hooks in combination of Front and both left & right side.**
- 2 lock can put / hag on one hook as per requirement
- One adjustable shelf
- One / Two in-built Lock and a knob to hold.
- **Weight** – ± 12 kg
- **Colour** – Yellow or as per quantity required.
- **KKRM-K-LLTPS-86P-30156=6 Layers 17no's and 4+4 Layer-7no's Metal j hook (86 Padlock can Hang)**
- **Total 14 layer, 6 layer 17 hook & 8 layer 7 hook - total 158 hooks, one layer of 17 hook welded in same color, rest 5 layer of 17 hook & 8 layer of 7 hook in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KKRM-K-LLTPS-86P-30156

GSTIN No.: 06AAPPW8746Q126,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L12I
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION- MESH FASCIA -30156

- **Material** – Mild steel with duly phosphate powder coated.
- Front side mesh Fascia with border frame.
- **Size** – 30" X 15" X 6"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- 6 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook.
- 9 padlock can hang individually in one metal layer of 17 hooks.
- 2 lock can put / hag on one hook as per requirement
- One adjustable shelf
- One / two in-built Lock and a knob to hold.
- **Weight** – ± 10 kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-LLTPS-MF-30156= 6 Layers of Metal j hook (54 padlock can Hang)**
- **Total 6 layer, each layer 17 hook - total 102 hooks, one layer welded in same color, rest 5 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KRM-LLTPS-MF-30156

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-30159

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box having **Tiny Holes for more durability & stability of box.**
- **Size** – 30" X 15" X 9"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **6 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook.**
- **9 padlock can hang individually in one metal layer of 17 hooks.**
- 2 lock can put / hag on one hook as per requirement
- One adjustable shelf
- One / Two in-built Lock and a knob to hold.
- **Weight** – ± 13 kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-LLTPS-30159=6 Layers of Metal j hook (54 Padlock can Hang)**
- **KKRM-K-LLTPS-MF-30156= 6 Layers of Metal j hook (54 padlock can Hang)**
- **Total 6 layer, each layer 17 hook # total 102 hooks**
- **one layer welded in same color, 5 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note -Can also make combination of metal j hook 7/12/17 as per requirement.**
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-LLTPS-30159

GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)




www.lotoappliances.com



KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-30159

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box having **Tiny Holes** for more **durability & stability of box.**
- **Size** – 30" X 15" X 9"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **6 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 7 no's hook. One lock & key/key chain separately can place /hang on alternate hook .**
- **9 & 4 padlock can hang individually in one metal layer of 17 & 7 hooks in combination of Front and both left & right side.**
- 2 lock can put / hag on one hook as per requirement
- One adjustable shelf
- One / Two in-built Lock and a knob to hold.
- **Weight** – +13 kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-LLTPS-102P-30159=6 Layers 17no's and 6+6 Layer-7no's Metal j hook (102 Padlock can Hang)**
- **Total 18 layer, 6 layer 17 hook & 12 layer 7 hook # total 186 hooks**
- **one layer of 17 hook welded in same color, 5 layer of 17 hook & 12 layer of 7 hook in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note -Can also make combination of metal j hook 7/12/17 as per requirement.**



KKRM-K-LLTPS-102P-30159

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com




GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION-483612

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **Size** – 36" X 48" X 12"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **30 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 7 no's hook. One lock & key separately can place /hang on alternate hook**
- **9 & 4 padlock can hang individually in one metal layer of 17 & 7 hooks.**
- One/two adjustable shelf on additional requirement
- 2 lock can put / hag on one hook as per requirement
- One / two in-built Lock and a knob to hold.
- **Weight** – ± 40 kg
- **Color** – Yellow or as per Volume requirement.
- **KKRM-K-LTPS-483612 = 20 Layers 17no's and 10 Layer 7 no's Metal j hook (220Padlock can Hang)**
- **Total 30 layer, 20 layer 17 hook & 10 layer 7 hook # total 510 hooks**
- **Two layer of 17 hook & 1 layer of 7 hook welded in same color, 18 layer of 17 hook & 9 layer of 7 hook in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KKRM-K-LTPS-483612



GSTIN No.: 06AAMPW8746Q1Z6,
 PAN No.: AAVPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION-48362

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **Size** – 48" X 36" X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **30 Layers of Metal J Type hook -1 layer having 17no's hooks and other layer having 7 no's hook. One lock & key/ key chain separately can place /hang on alternate hook**
- **9 & 4 padlock can hang individually in one metal layer of 17 & 7 hooks.**
- 2 lock can put / hag on one hook as per requirement
- One in-built Lock and a knob to hold.
- **Weight** – ± 25 kg
- **Color** – Yellow or as per Volume requirement.
- **KKRM-K-LTPS-48362=20 Layers 17no's and 10 Layer 7 no's Metal j hook (220Padlock can Hang)**
- **Total 30 layer, 20 layer 17 hook & 10 layer 7 hook # total 510 hooks**
- **Two layer of 17 hook & 1 layer of 7 hook welded in same color 18 layer of 17 hook & 9 layer of 7 hook in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KKRM-K-LTPS-48362

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION-36362

- **Material** – Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front fascia door on hinge base welded with box having **Tiny Holes** for more durability & stability of box.
- **Size** – 36" X 36" X 2"
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook to hang keys in the station.
- **21 Layers of Metal J Type hook (1 layer having 17 no's hook and other layer having 7 no's hook. One lock & key / key chain separately can place /hang on alternate hook only.**
- **9&4 padlock individually can hang on alternate hook in one metal layer of 17&7 hooks.**
- Max. 2 lock can put / hang on one Metal j hook as per own require Two in-built Lock and a knob to hold.
- **Weight** – ± 20 kg
- **Color** – Yellow or as per Volume requirement.
- **KKRM-K-LTPS-36362=(7+7)=14 Layers 17no's and 7 Layer 7 no's Metal j hook (154 Padlock can Hang)**
- **Total 21 layer, 14 layer 17 hook & 7 layer 7 hoo k# total 287 hooks**
- **Two layer of 17 hook & 1 layer of 7 hook welded in same color, 12 layer of 17 hook & 6 layer of 7 hook in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note -Can also make combination of metal j hook 7/12/17 as per requirement.**



KKRM-K-LTPS-36362

GSTIN No.: 06AAPPW8746Q1Z6,
PAN No.: AAPPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT TAGOUT PADLOCK STATION-64

- **Material**-Mild steel with duly phosphate powder coated.
- **Size** – Height – 6 feet x Width – 4 feet.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **42 Layers of Metal J Type hook (1 layer having 17 no's hook). One lock & key/key chain separately can place /hang on alternate hook.**
- **9 padlock can hang individually in one metal layer of 17 hooks.**
- 2 lock can put / hang on one hook as per requirement
- Four in-built Lock and a knob to hold.
- Six layer of Metal J Type Hook slots consisting of 2 layers in single layer.
- Station is divided into two sections as to support the Size
- **Weight**- +25 kg
- **Color**- Grey or as per quantity required
- **KKRM-K-LTPS-64=42 Layers 17no's Metal j hook (378 Padlock can Hang)**
- **Total 42 layer, each layer 17 hook # total 714 hooks**
- **Three layer welded in same color, 39 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KKRM-K-LTPS-64

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO-MULTIPURPOSE PADLOCK STATION

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box having Tiny Holes for more durability & stability of box.
- **Size** – 24" X 48" X 12"
- Provision of pre drilled hole on back side to mount any other surface.
- Metal J Type hook / slots to hang padlocks in the station.
- **20 Layers of Metal J Type hook** -1 layer having 17no's hooks and other layer having 12 no's hook. One lock & key separately can place /hang on alternate hook
- **9 & 6 padlock** can hang individually in one metal layer of 17 & 12 hooks.
- 2 lock can put / hag on one hook as per requirement
- One adjustable shelf
- 1/2/3 in-built Lock and a knob to hold.
- **Weight** – ± 35 kg
- **Color** – Yellow or as per quantity required.
- **KKRM-K-LTC-244812=10 Layers 17no's and 10 Layer 12 no's Metal j hook (150 Padlock can Hang)**
- **Total 20 layer**, 10 layer 17 hook & 10 layer 12 hook # total 290 hooks
- **Two layer of 17 hook & one layer of 12 hook welded in same color, 9 layer of 17 hook & 9 layer of 12 hook in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KKRM-K-LTC-244812

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT PADLOCK STATION- GREY-15155-1

- KRM LOTO Key and documentation box comprising of 1 small boxes with 1 in built locking hook.
- Made from mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size of individual small box** – 150 mm x 150 mm x 50 mm.
- **Weight of individual small box** – ±660 gms
- Provision of 1 slot for locking purpose on each box.
- 1 Layer of Metal J Type hook (1 layer having 7 no's hook)
One lock & key separately can place/hang on alternate hook.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- 2 lock can put / hag on one hook as per requirement
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
There will be website www.krmloto.com on each box.
- Pre drilled hole on back side of box to mount on any surface
- There Will be no Label on boxes. if require label on boxes that will be extra cost as separate item, not fix on boxes
- **Color** – Grey or as per quantity required
- **KKRM-K-LPS-G-15155-1 = 1 LAYER**



KKRM-K-LPS-G-15155-1

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com





GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO – LOCKOUT PADLOCK STATION- YELLOW -15155-4

- KRM LOTO Key and documentation box comprising of 1 small boxes with 4 in built locking hooks.
- Made from mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size of individual small box** – 150 mm x 150 mm x 50 mm.
- **Weight of individual small box** – ± 660 gms
- Provision of 4 slots for locking purpose on each box.
- 1 Layer of Metal J Type hook (1 layer having 7 no's hook)
One lock & key separately can place/hang on alternate hook.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- 2 lock can put / hag on one hook as per requirement
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
There will be website www.krmloto.com on each box.
- Pre drilled hole on back side of box to mount on any surface
- There Will be no Label on boxes. if require label on boxes that will be extra cost as separate item, not fix on boxes
- **Color** – Yellow or as per quantity required
- **KKRM-K-LPS-Y-15155-4 = 4 LAYER**



KKRM-K-LPS-Y-15155-4

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT PADLOCK STATION- POLYCARBONATE CLEAR FASCIA

- **Material** – Made from ABS +Polycarbonate compositions material. It is moulded piece.
- Front side Polycarbonate Clear Fascia with border frame.
- **Size** – 156X 156 X 64MM
- Provision of pre drilled hole on back side to mount any other surface.
- 1 Layer of Metal J Type hook (1 layer having 7 no's hook) One lock & key separately can place /hang on alternate hook.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- 5 locking hooks outside to put locks
- **Weight** – ± 225 gms
- **Color** – Yellow,/Red or as per quantity required
- **KKRM-K-LPST-PCF-Y15156-5 = 1 LAYER**
- **KKRM-K-LPST-PCF-R15156-5 = 1 LAYER**



KKRM-K-LPST-
PCF-Y15156-5



KKRM-K-LPST-
PCF-R15156-5

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com




Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – LOCKOUT PADLOCK STATION-MESH FASCIA-15155-4

- KRM LOTO Key and documentation box comprising of 1 small boxes with 4 in built locking hooks.
- Made from mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size of individual small box** – 150 mm x 150 mm x 50 mm.
- **Weight of individual small box** – ± 600 gms
- Provision of 4 slots for locking purpose on each box.
- 1 Layer of Metal J Type hook (1 layer having 7 no's hook)
- One lock & key separately can place/hang on alternate hook.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- 2 lock can put / hag on one hook as per requirement
- Front side MESH Fascia with border frame.
- **There will be website www.krmloto.com on each box.**
- Pre drilled hole on back side of box to mount on any surface
- There Will be no Label on boxes. if require label on boxes that will be extra cost as separate item, not fix on boxes
- **Color** – Yellow or as per quantity required
- **KKRM-K-LPS-MFY-15155-4 = 1 LAYER**
- **KKRM-K-LPS-MFR-15155-4 = 1 LAYER**



KKRM-K-LPS-MFY-15155-4



KKRM-K-LPS-MFR-15155-4

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)



www.lotoappliances.com



KRM LOTO – LOCKOUT PADLOCK STATION-MESH FASCIA-225155-4

- KRM LOTO Key and documentation box comprising of 1 small boxes with 4 in built locking hooks.
- Made from mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- **Size of individual small box** – 225 mm x 150 mm x 50 mm.
- **Weight of individual small box** – ± 1 kg
- Provision of 4 slots for locking purpose on box.
- 1 Layer of Metal J Type hook (1 layer having 7 no's hook)
One lock & key separately can place/hang on alternate hook.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- 2 lock can put / hag on one hook as per requirement
- Front side MESH Fascia with border frame.
- **There will be website www.krmloto.com on each box.**
- Pre drilled hole on back side of box to mount on any surface
- There Will be no Label on boxes. if require label on boxes that will be extra cost as separate item, not fix on boxes
- **Color** – Yellow or as per quantity required
- **KKRM-K-LPS-MFY-15155-4 = 1 LAYER**
- **KKRM-K-LPS-MFR-15155-4 = 1 LAYER**



KKRM-K-LPS-MFR-225155-4



KKRM-K-LPS-MFY-225155-4

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO – LOCKABLE LOCKOUT TAGOUT PADLOCK STATION-225165

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **Size** – 225X165 X50 mm
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- **2 Layer of Metal J Type hook (1 layer having 7 no's hook) One lock & key / key chain separately can place /hang on alternate hook.**
- **3 padlock can hang individually on one layer of 7 hooks.**
- Maximum 2 lock can put / hang on one hook if require.
- One in-built Lock.
- **Weight** – ± 1.2 kg
- **Color** – Red , yellow or as per quantity required.
- **KCRM-K-LLTPS-225165 = 2 Layers, of Metal 7 J hook- For Total 6 padlock .**
- **Total 2 layer, each layer 7 hook # total 14 hooks**
- **one layer welded in same color, 1 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note: Material design to be supply as per stock inventory.**



KCRM-K-LLTPS-225165


OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com



KRM LOTO – LOCK KEY STORAGE BOX 14 LOCKS

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **Size** – 330X330 X50 mm
- **There will be website www.krmloto.com on each box.**
- Provision of pre drilled hole on back side to mount any other surface.
- **14 Layer Metal J Type hook One lock & key / key chain separately can place /hang on alternate hook.**
- Maximum 2 lock can put / hang on one hook if require.
- One in-built Lock.
- **Weight** – ± 2.5 kg
- **Color** – Red , yellow or as per quantity required.
- **KKRM-K-LLTPS-225165 = 14 Layers, of Metal J hook- For Total 14 padlock .**
- **Total 14 layer, all layer of 14 hook welded in same color.**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note: Material design to be supply as per stock inventory.**



KKCRM-K-LLTS-330

OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



KRM LOTO – LOCK KEY STORAGE BOX 27 LOCKS

- **Material** – Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **There will be website www.krmloto.com on each box.**
- **Size** – 565X405X50 mm
- Provision of pre drilled hole on back side to mount any other surface.
- **27 Layer Metal J Type hook One lock & key / key chain separately can place /hang on alternate hook.**
- Maximum 2 lock can put / hang on one hook if require.
- One in-built Lock.
- **Weight** – ± 4.5 kg
- **Color** – Red , yellow or as per quantity required.
- **KKRM-K-LLTPS-225165 = 27 Layers, of Metal J hook- For Total 27 padlock .**
- **Total 27 layer, all layer of 27 hook welded in same color.**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note: Material design to be supply as per stock inventory.**



KKRM-K-LLTS-545

GSTIN No.: 06AACPW8746Q1Z6,
 PAN No.: AACPW8746Q
 TIN No.: 06821328889,
 TAN no.: RTKKO3359G
 IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
 PAN No.: AAECK2831L
 TIN No.: 06824000112
 CIN No.: U31903HR2011PTC042508
 IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – DI ELECTRIC MULTIPURPOSE LOCKOUT PADLOCK / KEY BOX

- **Material** - ABS. For locking purpose one Padlock eye-molded ABS. Can be used with lockout hasp.
- Four Padlocks can be hanged on the metal hook slots being provided in the Padlock & Key Box.
- **Size of the outer rectangular lower base part** – 190mm x 120mm x 25mm, Inner size – 185mm x 115mm x 22mm.
- **Size of upper part** – Length 190mm x Width 120mm
- It can be carried on any isolation area, indoor and outdoor application suitable in moisture and even in corrosion area.
- 4 padlock can hang individually in one metal layer of 7 hooks.
- **Weight** – 150 gms
- **Color** – Grey, Yellow, White or can make as per requirement on the basis of quantities required.



KKRM-K-MLPKB-Y



KKRM-K-MLPKB-G



GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - MULTIPURPOSE PADLOCK CENTRE/CABINET

- **Material** - Mild steel with duly phosphate powder coated.
- Front fascia door on hinge base welded with box **having Tiny Holes for more durability & stability of box.**
- **Size** – 22/24" X 18" X 2"
- **There will be website www.krmloto.com on each box.**
- 30 ABS hooks to hang padlock.
- Provision of pre drilled hole on back side to mount any other surface.
- One in-built Lock and a knob to hold.
- **Weight** - 4 kg.
- **Color** –Grey, Yellow or as per quantity required.
- **KKRM-K-MPC-30 (30 Padlock can Hang)**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KKRM-K-MPC-30



GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - MULTIPURPOSE PADLOCK CENTRE/CABINET

- **Material** - Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front fascia door on hinge base welded with box having **Tiny Holes** for **more durability & stability of box.**
- **Size** - 18" X 15" X 2"
- **There will be website www.krmloto.com on each box.**
- **2 Layers of Metal J Type hook** -1 layer having 17no's hooks **One lock & key separately can place /hang on alternate hook**
- **9 padlock can hang individually in one metal layer of 17 hooks.**
- Provision of pre drilled hole on back side to mount any other surface.
- One in-built Lock and a knob to hold.
- **Weight** - 4 kg.
- **Color** - Red, Yellow, Grey or as per quantity required.
- **KKRM-K-LTPS-18152 (18 Padlock can Hang)**
- **Total 2 layer**, each layer 17 hook - total 34 hooks, **one layer welded in same color, rest 1 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KKRM-K-LTPS-18152

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - MULTIPURPOSE PADLOCK CENTRE/CABINET

- **Material** - Mild steel with duly phosphate powder coated.
- Resistant to corrosion.
- Front fascia door on hinge base welded with box having **Tiny Holes** for more **durability & stability of box.**
- **Size** – 18" X 15" X 2"
- **There will be website www.krmloto.com on each box.**
- **2 Layers of Metal J Type hook** -1 layer having 17no's hooks **One lock & key separately can place /hang on alternate hook**
- **9 padlock can hang individually in one metal layer of 17 hooks.**
- 2 ABS Pocket keep loto tag and pen.
- Provision of pre drilled hole on back side to mount any other surface.
- One in-built Lock and a knob to hold.
- **Weight** - 4 kg.
- **Color** – Red, Yellow, Grey or as per quantity required.
- **KKRM-K-LTPS-18152+2P (18 Padlock can Hang)**
- **Total 2 layer, each layer 17 hook - total 34 hooks, one layer welded in same color, rest 1 layer in loose form, you will have to fix at your end with nut bolts which we will provide**
- **No screw / bolt for wall mounted box part of item as always extra.**
- **Note** -Can also make combination of metal j hook 7/12/17 as per requirement.



KKRM-K-LTPS-18152+2P

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO – LOCKABLE LOTO CARRY PERMIT CENTER / LOTO CARRY CENTER / LOTO PADLOCK CENTER

LOCKOUT/TAGOUT

LOTO Permit Document Carry Centre / Holder made from Hollow Transparent Tube

- Standard length of tube 380 mm and dia. 40 MM
- Portable handle on top side
- Lockable provision on side of tube to make safer and secure for inside contents
- 1 Fixed 3 layer of ABS material, each having 6 slot to hang material
- It can be used for loto / key documentation / permit holder / information
- It can carry and hang on any surface.
- **It can be supplied with or without products.**
- **Weight – 750 gm**
- **Note –** On requirement, long length with large dia. of tube can be made



KKRM-K-LLCPC-T



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com



KRM LOTO – ABS PADLOCK HOLDER

- **Material** – ABS with ACP sheet
- Having three set of slot section in one piece.
- Abs slotter attached with the ACP sheet having provision for the wall mounting.
- Padlock station to hang 15 Padlocks in one layer
- **Size** – 340mm x 40mm.
- ABS Slotter can be used in any type of loto station separately according to the requirement as shown in image.
- **Color** – Red, Black or as per bulk qty. required.
- **Note** –Image only for reference .



ABS SLOTER



KKRM-K-PLTS-12/15



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



KRM LOTO – PADLOCK STATION HOLDER

- **Material** – Metal duly powder coted
- Wall mounting arrangement
- **For 6 locks** , Size of model no. **KKRM-K-LPDS-6**– 100mmx40mm.
- **For 12 locks**, Size of model no. **KKRM-K-LPDS-12**– 200mmx40mm.
- **For 18 locks** , Size of model no. **KKRM-K-LPDS-18**– 340mmx40mm.
- **Color** – Red & Yellow



KKRM-K-LPDS-6



KKRM-K-LPDS-18



KKRM-K-PLTS-12



KKRM-K-LPDS-12

GSTIN No.: 06AAMPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - MOLDED LOCKOUT TAGOUT STATION (WALL MOUNTED AS WELL AS CARRYABLE) WITHOUT MATERIAL

KKRM-K-MLTS-4033

- **Material** – Engineering grade material
- Front side Clear Fascia.
- **Size in mm** – 408 X 338
- Provision of pre drilled hole on back side to mount any surface.
- With 12 ABS hooks to hang padlock / LOTO items.
- Max-3 lock can put / hang on one hook as required
- Molded handle on the top for carry purpose
- Weight-2.3kg



GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmlo.com, info@krmcorporation.com, krmlo@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com

www.krmlo.com

www.locktagindia.com

www.lotoappliances.com

KRM LOTO - MOLDED LOCKOUT TAGOUT STATION (WALL MOUNTED AS WELL AS CARRYABLE) WITH MATERIAL

KKRM-K-MLTS-4033-10

- **Material** – Engineering grade material
- Front side Clear Fascia.
- **Size in mm** – 408 X 338
- Provision of pre drilled hole on back side to mount any surface.
- With 12 ABS hooks to hang padlock / LOTO items.
- Max-3 lock can put / hang on one hook as required.
- Molded handle on the top for carry purpose.
- KKRM-K-OSLTP-C-MDK=5 (METAL SHACKLE PADLOCK)
- KKRM-K-OSLTP-C-NDK=5 (NYLON SHACKLE PADLOCK)
- Weight-3.3kg
- Padlock color will provide as per stock availability
Picture for reference.



GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - MOLDED LOCKOUT TAGOUT STATION (WALL MOUNTED AS WELL AS CARRYABLE) WITH MATERIAL

KKRM-K-MLTS-4033-102H

- **Material** – Engineering grade material
- Front side Clear Fascia.
- **Size in mm** – 408 X 338
- With 12 ABS hooks to hang padlock / LOTO items.
- Max-3 lock can put / hang on one hook as required.
- Molded handle on the top for carry purpose.
- KKRM-K-OSLTP-C-MDK=5 (METAL SHACKLE PADLOCK)
- KKRM-K-OSLTP-C-NDK=5 (NYLON SHACKLE PADLOCK)
- KKRM-K-VCH-R-S25 =2
- Weight-3.5kg
- Padlock color will provide as per stock availability
Picture for reference.



GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO - MOLDED LOCKOUT TAGOUT STATION (WALL MOUNTED AS WELL AS CARRYABLE) WITH MATERIAL

KKRM-K-MLTS-4033-12

- **Material** – Engineering grade material
- Front side Clear Fascia.
- **Size in mm** – 408 X 338
- With 12 ABS hooks to hang padlock / LOTO items.
- Max-3 lock can put / hang on one hook as required
- Molded handle on the top for carry purpose.
- KKRM-K-OSLTP-C-MDK=6 (METAL SHACKLE PADLOCK)
- KKRM-K-OSLTP-C-NDK=6 (NYLON SHACKLE PADLOCK)
- Weight-3.5kg
- Padlock color will provide as per stock availability Picture for reference.

