



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

ALUMINIUM TAG

KRM Corporation
Lockout Tagout

KRM Corporation
Electrical Safety
Products

KRM Corporation
TRAINING



KRM Corporation
Parking & Road
Safety Products

KRM Corporation
Signage & Tapes

KRM Corporation
Other Products



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – ALUMINUM TAG

Index Page No:-2

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	UNIT	WEIGHT (kg)	TECHNICAL PAGE NO.
1	KRM-K-FT-A 76mmx130mm	Do Not Operate TAGS – aluminum 76mmx130mm (SET OF 100)	SET	0.700	3-4
2	KRM-K-FT-A 76mmx57mm	Do Not Operate TAGS – aluminum 76mmx57mm (SET OF 100)	SET	0.300	3-4
3	KRM-K-LT#A10002	Do Not Operate TAGS – aluminum 76mmx130mm (SET OF 100)	SET	0.700	5-6
4	KRM-K-LT#A10009	Do Not Operate TAGS – aluminum 76mmx130mm (SET OF 100)	SET	0.700	7-8
5	KRM-K-FT#A10095	Do Not Operate TAGS – aluminum 76mmx130mm (SET OF 100)	SET	0.700	9-10



OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269



www.lotoappliances.com



KRM LOTO – FIRE EXTINGUISHER RECORD TAGS – ALUMINIUM

- Fire extinguisher tags are basically used to maintain record for the month / year wise details for the extinguishers. Fire Extinguisher Tags are easily writable with pen but if required to punch the month / year detail will require punching plier, which can be supplied separately if required.
- **Material** – Aluminum
- Single color printing or as per the demand which is resistant to the water and oil at extreme temperature
- **Size** – 76mm x 57mm **Weight** – 30gm
- **Size** – 76mm x 130mm **Weight** – 70gm



KRM-K-FT-A 76mmx57mm



KRM-K-FT-A 76mmx130mm



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

LOCKOUT/TAGOUT



FIRE EXTINGUISHER RECORD TAGS – ALUMINUM



Fire extinguisher tags are basically used to maintain record for the month / year wise details for the extinguishers. Fire Extinguisher Tags are easily writable with pen but if required to punch the month / year detail will require punching plier, which can be supplied separately if required.

- **Material** – Aluminum
- Single color printing or as per the demand which is resistant to the water and oil at extreme temperature
- **Size** – 76mm x 57mm **Weight** – 20gm
- **Size** – 76mm x 130mm **Weight** – 50gm

FIRE EXTINGUISHER				
INSPECTION RECORD				
FIRE EXTINGUISHER NO				
2018	2019	MONTH	2020	2021
		JAN		
		FEB		
		MAR		
		APRIL		
		MAY		
		JUNE		
		JULY		
		AUG		
		SEPT		
		OCT		
		NOV		
		DEC		

KRM-K-FT-A (76mm x 57mm)

PRESSURE SAFETY VALVE				
POP UP TEST RECORD				
POP TAG NO				
2020	2021	2022	2023	2024
		JAN		
		FEB		
		MAR		
		APRIL		
		MAY		
		JUNE		
		JULY		
		AUG		
		SEPT		
		OCT		
		NOV		
		DEC		

KRM-K-FT-A (76mm x 130mm)

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmloto.com, info@krmcorporation.com, krmloto@gmail.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO – DANGER – DO NOT OPERATE TAGS – ALUMINIUM

Tags are basically used to provide identification and specify the type of fault in industrial area, it can also be fixed with cable tie with lockout devices, and Padlock written in different languages like English and Hindi etc. as per the requirement in different dimensions.

Aluminium Tags basically indicate danger, caution and some other important points related to the installed device. Easily writable with marker and re-writable pen, free from dirt and easily readable.

- **Material** – Aluminium
- Two color printing or as per the demand which is resistant to the water and oil at extreme temperature
- **Size** – 76 mm x 130 mm
- **Weight** – 70gm



KRM-K-LT#A10002



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



LOCKOUT/TAGOUT
LOCKOUT/TAGOUT



DANGER – DO NOT OPERATE TAGS – ALUMINUM

CE
Certified



KRM-K-LT#A10002

- Tags are basically used to provide identification and specify the type of fault in industrial area, it can also be fixed with cable tie with lockout devices, and Padlock written in different languages like English and Hindi etc. as per the requirement in different dimensions. Aluminium Tags basically indicate danger, caution and some other important points related to the installed device. Easily writable with marker and re-writable pen, free from dirt and easily readable.
- Material – Aluminum
- Two color & Single color printing or as per the demand which is resistant to the water and oil at extreme temperature
- Size – 76 mm x 130 mm
- Weight – 70gm

GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L


Telefax: 00 91 129 4021 381, 413 1381 (D)

KRM LOTO – DANGER – DO NOT OPERATE TAGS – ALUMINIUM

Tags are basically used to provide identification and specify the type of fault in industrial area, it can also be fixed with cable tie with lockout devices, and Padlock written in different languages like English and Hindi etc. as per the requirement in different dimensions.

Aluminium Tags basically indicate danger, caution and some other important points related to the installed device. Easily writable with marker and re-writable pen, free from dirt and easily readable.

- **Material** – Aluminium
- Two color printing or as per the demand which is resistant to the water and oil at extreme temperature
- **Size** – 76 mm x 130 mm
- **Weight** – 70gm



KRM-K-LT#A10009



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com



DANGER – DO NOT OPERATE TAGS – ALUMINUM

CE Certified



KRM-K-LT#A10009



- Tags are basically used to provide identification and specify the type of fault in industrial area, it can also be fixed with cable tie with lockout devices, and Padlock written in different languages like English and Hindi etc. as per the requirement in different dimensions. Aluminium Tags basically indicate danger, caution and some other important points related to the installed device. Easily writable with marker and re-writable pen, free from dirt and easily readable.
- **Material – Aluminum**
- Two color & Single color printing or as per the demand which is resistant to the water and oil at extreme temperature
- **Size – 76 mm x 130 mm**
- **Weight – 70gm**



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – FIRE EXTINGUISHER – MAINTENANCE TAGS – ALUMINUM

Tags are basically used to provide identification and specify the type of fault in industrial area, it can also be fixed with cable tie with lockout devices, and Padlock written in different languages like English and Hindi etc. as per the requirement in different dimensions.

Aluminium Tags basically indicate danger, caution and some other important points related to the installed device. Easily writable with marker and re-writable pen, free from dirt and easily readable.

- **Material** – Aluminium
- Single color printing or as per the demand which is resistant to the water and oil at extreme temperature
- **Size** – 76 mm x 130 mm
- **Weight** – 70gm



KRM-K-FT#A10095

GSTIN No.: 06AAPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8800 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office: 1H/31-A, N.I.T, Faridabad-121001 (Haryana) | Postal Office: 615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

LOCKOUT/TAGOUT



DANGER – DO NOT OPERATE TAGS – ALUMINUM

CE Certified

- Tags are basically used to provide identification and specify the type of fault in industrial area, it can also be fixed with cable tie with lockout devices, and Padlock written in different languages like English and Hindi etc. as per the requirement in different dimensions. Aluminium Tags basically indicate danger, caution and some other important points related to the installed device. Easily writable with marker and re-writable pen, free from dirt and easily readable.
- **Material** – Aluminum
- Two color & Single color printing or as per the demand which is resistant to the water and oil at extreme temperature
- **Size** – 76 mm x 130 mm
- **Weight** – 70gm



KRM-K-FT#A10095



GSTIN No.: 06AAPW8746Q1Z6, PAN No.: AAVPW8746Q, TIN No.: 0682132889, TAN no.: RTKKO3359G, IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



GSTIN No.: 06AAECK2831L1Z1, PAN No.: AAECK2831L, TIN No.: 06824000112, CIN No.: U31903HR2011PTC042508, IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

OEM Manufacturer & Global Supplier of Lockout Tagout & Safety Products

to meet OSHA'S Lockout Tagout Standard 29 CFR, 1910.147&1910.269



www.lotoappliances.com

Email: info@krmlogo.com, info@krmcorporation.com, krmlogo@gmail.com

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmlogo.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO MULTIPURPOSE TAGS /TAG HOLDER

Scaffold (ALUMINUM) Tags basically indicate danger, caution and some other important points related to safety under construction area. Easily writable with marker and re-writable pen, free from dirt and easily readable.

KRM LOTO MULTIPURPOSE TAGS / TAG HOLDERS

