

**KRM - SAFE & SECURITY PRODUCTS - 2024**

(W.E.F 01.04.2024)

TERMS & CONDITIONS

- PRICE VALIDITY : ONE (1) year
- PAYMENT : Advance or as per mutual understanding
- FREIGHT : Extra or To Pay Basis
- DISPATCH TIME : 4-6 WEEKS after approval of design or depends upon the volume or quantity
- CONTACT NO. : (M) 919810291381, 8800544881
- EMAIL : info@krmcorporation.com info@krmloto.com, krmloto@gmail.com
- WEBSITE: krmloto.com, krmcorporation.com

Range of Products: Lockout /tagout, safety signs, parking & road safety, electrical safety, industrial safety products, lifesaving Equipments etc.

We will help to guide on each & every product, if you can share your requirement :

- LOTO # Lockout Tag out including lockout devices, labels/ posters/ signs/tag / holder, training material etc.

Also doing AUDIT-TRAINING - SURVEY - SRERVICES

- Signage's # Safety sign & posters, reflective signs with or without poles etc....
- Electrical Safety # Rescue hook / discharge rod, electrical gloves, insulated Matt, artificial respiratory / ambu bag/ Rescurator Kit etc.....
- Site Management products # safety cone, road stud, solar studs / blinkers / convex mirrors, metal and plastic barrier, speed breakers/ bumps, portable floor stand etc.....
- Security Products # Blinkers/ Traffic Baton, search LED light etc.....
- Tapes # floor marking, glow in dark / radium, reflective, antiskid, barricading tape etc.....
- Industrial items # Mane quinine/ Dummy , PPE KIT , Alcohol Breath, Analyzer, wind sock , First aid boxes , suggestion box, rebar cap , scaffold holder & tags etc...

LOCKOUT TAGOUT & SAFETY PRODUCTS CATALOGUE links for your references:

krmloto.com/download/ecatalogue/krmloto-e-catalogue-mini-booklet-lockout-tagout-safety-products-catalogue.pdf

https://krmloto.com/download/KRM_LOTO_MINI_BOOKLET.pdf

<https://krmloto.com/download/pricelist/krm-loto-lockout-tagout-and-tapes-display-stand-part-1A.pdf>

<https://krmloto.com/download/pricelist/krm-loto-lockout-tagout-station-padlock-key-centre-loto-boxes-pouch-bag-part-1B.pdf>

<https://krmloto.com/download/pricelist/KRM-LOTO-ELECTRICAL-SAFETY-PRODUCTS-PART-1C.pdf>

<https://krmloto.com/download/pricelist/KRM-LOTO-FIRST-AID-&-PPE-PRODUCTS-INFORMATION.pdf>

<https://krmloto.com/download/pricelist/KRM-LOTO-Site-management-products-Safety-Signs-LED-Signs-Parking-&-Road-safety-Products.pdf>

<https://krmloto.com/download/pricelist/KRM-LOTO-FIRST-AID-&-PPE-PRODUCTS-INFORMATION.pdf>

<https://krmloto.com/download/krm-loto-osh-a-standard-lockout-tagout-kit-station-and-safety-product-for-isolation.pdf>















<https://krmloto.com/download/krmloto-osh-a-lockout-tagout-kits-stations-cabinets-for-workplace-safety.pdf>






<https://krmloto.com/download/KRM-LOTO-LOCKABLE-LOCKOUT-TAGOUT-PADLOCK-STATION.pdf>

| S.No. | CATEGORY NAME | KRM PART NO | KRM PART NO-NORMAL QUALITY | BRIEF DESCRIPTION | IMAGE | Unit |
|-------|-------------------------------------|-----------------------------------|-------------------------------------|---|---|------|
| 1 | SEARCH / LED / HAND FREE HEAD LIGHT | KKRM-K-YRCKL-01 | KKRM-K-YRCKL-01-N | Supply of Rechargeable Halogen Lantern made of weather proof construction material & equipped with high capacity sealed lead acid battery and on AC / DC battery charger.1,00,000 candle power. Yellow colour . Range of beam : 750 - 1000 mtr spotlight. |   | no. |
| 2 | SEARCH / LED / HAND FREE HEAD LIGHT | KKRM-K-HDSL | KKRM-K-HDSL-N | Supply of Heavy duty search light in Black colour with flasher |  | no. |
| 3 | SEARCH / LED / HAND FREE HEAD LIGHT | KKRM-K-AC | KKRM-K-AC-N | Supply of 4AA alkaline cell (1 set = 4 nos.) | | set |
| 4 | SEARCH / LED / HAND FREE HEAD LIGHT | KKRM-K-LHL-02 | KKRM-K-LHL-02-N | Led Base Hand Free light |   | no. |
| 5 | SEARCH / LED / HAND FREE HEAD LIGHT | KKRM-K-RSL-07-N | KKRM-K-RSL-07-N-N | Led Search Light -02 Light Weight Hand Held LED Search Light |  | no. |
| 6 | SEARCH / LED / HAND FREE HEAD LIGHT | KKRM-K-PHLL-03-N | KKRM-K-PHLL-03-N-N | KRM - LED RECHARGEABLE SEARCH LIGHT Body /color : ABS Rubberised /black Dimensions (approx.): L-210mm X w-110mm X H-120mm Weight (Approx.) 1450gms(with batter) 740gms without battery Range : up to 500m approx. |   | no. |
| 7 | SEARCH / LED / HAND FREE HEAD LIGHT | KKRM-K-LEL- 01 -without helmet -N | KKRM-K-LEL- 01 -without helmet -N-N | Led Light hand free - NORMAL QUALITY |    | no. |
| 8 | SEARCH / LED / HAND FREE HEAD LIGHT | KKRM-K-HWL-N | KKRM-K-HWL-N-N | Helmet with Light-NORMAL QUALITY |   | no. |
| 9 | SEARCH / LED / HAND FREE HEAD LIGHT | KKRM-LFL-07-N | KKRM-LFL-07-N-N | LED Flash light (Certified) |  | no. |
| 10 | SEARCH / LED / HAND FREE HEAD LIGHT | KKRM-K-PEL-2-N | KKRM-K-PEL-2-N-N | LED Flash light (Certified) |  | no. |
| 11 | SEARCH / LED / HAND FREE HEAD LIGHT | KKRM-K-LHSL5-N | KKRM-K-LHSL5-N-N | LED HAND SEARCH LIGHT - NUSUN 5.0 Mini Flashlight- GUNLITE 500 mtr range , withn usb charges |    | no. |
| 12 | SEARCH / LED / HAND FREE HEAD LIGHT | KKRM-K-LHSL-19-N | KKRM-K-LHSL-19-N-N | LED HAND SEARCH LIGHT - GUNLITE / BRITLITE 1900 mtr range , with usf charges |    | no. |
| 13 | SEARCH / LED / HAND FREE HEAD LIGHT | KKRM-K-LSMT | KKRM-K-LSMT-N | LED STICK - MAGNETIC TORCH |  | NO |

| S.No. | CATEGORY NAME | KRM PART NO | KRM PART NO-NORMAL QUALITY | BRIEF DESCRIPTION | IMAGE | Unit |
|-------|---------------------------------------|-----------------|----------------------------|---|---|------|
| 14 | MEGAPHONE | KKRM-K-HBOM-20 | | Handheld Battery Operated Megaphone with Microphone, Siren, Handheld Megaphone AM 21SD+ Indoor, Outdoor PA System 20 WATT |  | NO |
| 15 | MEGAPHONE | KKRM-K-HBOM-40 | | 40 WATT | | NO |
| 16 | MEGAPHONE | KKRM-K-HBOM-60 | | 60 WATT | | NO |
| 17 | MEGAPHONE | KKRM-K-HBOM-120 | | 120 WATT | | NO |
| 18 | METAL DETECTOR | KKRM -K-HMD | KKRM -K-HMD-N | Handheld metal Detector No false alarms - digital go-no go threshold circuit Elegantly styled molded ABS housing Red, Blue and Amber 3 LED status indicators For fast weapon screening and theft prevention Detects all metals, alloys and ferrites Instant response - clear visual and audio alarms High sensitivity for non-intrusive body searching |  | no. |
| 19 | METAL DETECTOR | KKRM -K-HMD | KKRM -K-HMD-N | Handheld metal Detector - B type For fast weapon screening and theft prevention High sensitivity for non-intrusive body searching Instant response - clear visual and audio alarms Elegantly styled molded ABS housing Electronic switching with tactile feedback Red, Blue and Amber 3 LED status indicators Low current drain - over 300 hours of use on 9v duracell battery |  | no. |
| 20 | METAL DETECTOR | KKRM -K-HMD | KKRM -K-HMD-N | Handheld metal Detector - C type High sensitivity designed for anti-theft use Ideal for detection of electronic components and precious metals Fully automatic - self adjusting circuit Simple push button operations Instant response, clear audible alarm Low field strength detects all metals, alloys and ferrites. |  | no. |
| 21 | METAL DETECTOR | KKRM -K-HMD | KKRM -K-HMD-N | Handheld metal Detector - D type No false alarms - digital go-no go threshold circuit High sensitive scanning circuit - Fast Scan rate Instant response, clear visual and audio alarm No false alarms - digital go-no go threshold circuit Three state, daylight-visible, Blue LED alarm and status indicator detects all metals, alloys and ferrites |  | no. |
| 22 | METAL DETECTOR | KKRM-K-DD | KKRM-K-DD-N | Door Detectors Specifications : Quick Installation no training required 9 levels of sensitivity and 2 levels of alarm Ignore external metals Automatic zero adjustment Piezoelectric beeper for indication of metal 10 step bar-graph indicator Walk and stop indicators to regulate and ferrites SMPS power supply for use with 90V to 270V Integral full function battery backup for over 12 hrs. Low field strength |  | no |
| 23 | INSPECTION & CONVEX MIRROR | KRM-K-TMVI-M | KRM-K-TMVI-M-N | Trolley Mounting Vehicle inspection mirror |  | no |
| 24 | INSPECTION & CONVEX MIRROR | KRM-K-HIM | KRM-K-HIM-N | Handy inspection mirror |  | no |
| 25 | INSPECTION & CONVEX MIRROR | KKRM-K-CM-45 | KKRM-K-CM-45-N | Supply of Anti-Collision Pantascope Front side material made of 1,25 mm thick flexible polycarbonate. Anti-wear, resists the sunlight ultraviolet radiation with the persistent durability. Clear and definite mirror image, easy and convenient installation. Size : 45 cm - |  | NO |
| 26 | INSPECTION & CONVEX MIRROR | KKRM-K-CM-60 | KKRM-K-CM-60-N | Size : 60 cm - With hood | | NO |
| 27 | INSPECTION & CONVEX MIRROR | KKRM-K-CM-80 | KKRM-K-CM-80-N | Size : 80 cm - With hood | | NO |
| 28 | INSPECTION & CONVEX MIRROR | KKRM-K-CM-100 | KKRM-K-CM-100-N | Size : 100 cm - With hood | | NO |
| 29 | INSPECTION & CONVEX MIRROR | KKRM-K-WCM | KKRM-K-WCM-N | Wall clamp for mirror |  | NO |
| 30 | INSPECTION & CONVEX MIRROR | KKRM-K-PCP | KKRM-K-PCP-N | Powder coated MS Hollow PIPE for CONVEX MIRROR - Total length - 6ft X 65 MM dia | | NO |
| 31 | REFLECTIVE JACKET | KRM -K-FJ-N | KRM-K-FJ-N-N | Normal JACKET with ONE HORIZONTAL AND ONE VERTICAL 50 wide reflective band as per picture |  | no |
| 32 | REFLECTIVE JACKET | KRM-K-FJ-N2 | KRM-K-FJ-N2-N | Normal JACKET with 2 HORIZONTAL AND 2 VERTICAL 50 wide reflective band as per picture |  | no |
| 33 | REFLECTIVE JACKET | KRM-K-FJ-S | KRM-K-FJ-S-N | Super Quality Reflective JACKET with ONE HORIZONTAL AND ONE VERTICAL 50 wide reflective band as per picture |  | no |
| 34 | REFLECTIVE JACKET | KRM-K-FC-N | KRM-K-FC-N-N | Normal Cross Belt with 50 wide reflective band as per picture |  | no |

| S.No. | CATEGORY NAME | KRM PART NO | KRM PART NO-NORMAL QUALITY | BRIEF DESCRIPTION | IMAGE | Unit |
|-------|------------------------------------|----------------------|----------------------------|---|---|------|
| 35 | REFLECTIVE JACKET | KRM-K-FC-S | KRM-K-FC-S-N | Super Quality Cross Belt with 50 wide reflective band as per picture |  | no |
| 36 | SIGNAL BATON & BLINKER | KRM-K-SB-R | KRM-K-SB-R-N | Signal Batton- RED |  | no. |
| 37 | SIGNAL BATON & BLINKER | KRM-K-SB-G | KRM-K-SB-G-N | Signal Batton- GREEN | | no. |
| 38 | SIGNAL BATON & BLINKER | KRM-K-SB-RG | KRM-K-SB-RG-N | Signal Batton- RED + GREEN | | no. |
| 39 | SIGNAL BATON & BLINKER | KKRM-K-WLB | KKRM-K-WLB-N | WARNING LIGHT BLINKER FOR SECUR MATERIAL - PS LENS AND PP LAMP BODY TRANSPARENT LENS DIA - 20 CM APPROX LIGHT SOURCE - LED BLINK FREQUENCY - 30-50 FLASH PER MIN VISIBLE DISTANCE - ABOUT 200 MTRS IMAGE FOR REFERENCE PURPOSE ONLY |  | no. |
| 40 | KEY BOX | KKRM-K-LLTKS-2251655 | KKRM-K-LLTKS-2251655-N | KRM LOCKABLE LOCKOUT TAGOUT KEY STATION -2251655(without Material) Size – 225 X 165 X 50 mm 3 Layers of Metal J hook(1Layer having 7 No's hooks) =For Total 21no's keys. |  | NO |
| 41 | KEY BOX | KKRM-K-LLTKS-3752655 | KKRM-K-LLTKS-3752655-N | KRM LOCKABLE LOCKOUT TAGOUT KEY STATION-3752655 4 Metal J Type hook (1Layer having 12 No's hooks).For Total 48 no's keys. |  | NO |
| 42 | KEY BOX | KKRM-K-LLTKS-375 | KKRM-K-LLTKS-375-N | KRM LOCKABLE LOCKOUT TAGOUT KEY STATION-375 Size in mm – 375 X 375 X 92.5 MM without materia Metal J hook - 17 nos.in one layer Max 4 layer of 17 hooks can put inside . Can also make combination of 7/12/17 hook as per requirement Can hang Multiple key chain on one hook if require One in-built Lock and a knob to hold. |  | NO |
| 43 | KEY BOX | KKRM-K-LLTKS-375-1P | KKRM-K-LLTKS-375-1P-N | KRM LOCKABLE LOCKOUT TAGOUT KEY STATION-375-1p Size in mm – 375 X 375 X 92.5 MM without material Metal J hook - 17 nos.in one layer Can also make combination of 7/12/17 hook as per requirement Can hang Multiple key chain on one hook if require One in-built Lock and a knob to hold. Weight – +4.5 kg Colour – Yellow or as per quantity required. |  | NO |
| 44 | KEY BOX | KKRM-K-MKC3J 18152 | KKRM-K-MKC3J 18152 -N | KRM LOCKOUT KEY STATION-clear fascia-18152 Size – 18" X 15" X 2" without material Metal J hook - 17 nos.in one layer Color– Yellow./Grey/Red/Green or as per quantity required KRM-K-MKC3J 18152 = 3 Layers Total separate key hooks capacity - 51 |  | NO |
| 45 | KEY BOX | KKRM-K-LLTKS-24152-R | KKRM-K-LLTKS-24152-R-N | KRM LOCKABLE LOCKOUT TAGOUT KEY STATION-red-24152 Size – 24"X 15" X 2" without material Metal J hook - 17 nos.in one layer Max 7 layer of 17 hooks can put inside . Can also make combination of 7/12/17 hook as per requirement Can hang Multiple key chain on one hook if require One/ two in-built Locks and a knob to hold. Weight – +5 kg Colour – Yellow or as per quantity required. |  | NO |
| 46 | KEY BOX | KKRM-K-RING -WM | KKRM-K-RING -WM-N | Plastic Key ring with numbering (1-50) SET OF 50 NOS |  | SET |
| 47 | PORTABLE GROUP KEY LOCK BOX | KKRM-K-PGLB-H27 | KKRM-K-PGLB-H27-N | KRM Multipurpose Carry Box With 27 holes + 18 hooks , Size 350 mm x320 mm x 80 mm Provision of handle to make it portable and also wall mounted |  | NO |

| S.No. | CATEGORY NAME | KRM PART NO | KRM PART NO-NORMAL QUALITY | BRIEF DESCRIPTION | IMAGE | Unit |
|-------|--|-----------------------|----------------------------|--|---|------|
| 48 | PORTABLE GROUP KEY LOCK BOX | KKRM-K-GPLB-R 12 | KKRM-K-GPLB-R 12-N | KRM PORTABLE GROUP LOCKOUT BOX (12 HOLES)-Without padlocks Material - Group Lockout Box made of Mild Steel with duly Phosphate powder coated. 12 Slots to hang / accommodates padlock and one main locking hook / slot on side. Size – Height 155 mm x Width 205 mm x Depth 110 mm |  | NO |
| 49 | HAMMER BOX | KKRM-K-LKHB-2251655 | KKRM-K-LKHB-2251655-N | KRM LOTO – LOTO KEY HAMMER BOX- 2251655 Size – 225 X 165 X 50 mm |  | NO |
| 50 | BRASS SAFETY PADLOCK – WITH NUMBER PATTERN | KKRM-K-BSP-NP-3 | KKRM-K-BSP-NP-3-N | KRM - Brass Safety Padlock - Three Layer Number pattern to unlock the padlock |  | NO |
| 51 | BRASS SAFETY PADLOCK – WITH NUMBER PATTERN | KKRM-K-BSP-NP-4 | KKRM-K-BSP-NP-4-N | KRM - Brass Safety Padlock - Four Layer Number pattern to unlock the padlock |  | NO |
| 52 | CABLE LOCK | KKRM-K-OSACP+DK | KKRM-K-OSACP+DK-N | KRM LOTO - OSHA SAFETY ADJUSTABLE CABLE PADLOCK DIFFER KEY - NO NEED SEPARATE LOCK AND CABLE TO LOKC HYDRANT VALVE, GATE VALVE, BALL VALVE AND OTHER FIRE & OTHER RELATED SAFETY ITEMS |  | NO |
| 53 | CABLE LOCK | KKRM-K-OSACP+M | KKRM-K-OSACP+M-N | KRM LOTO - OSHA SAFETY ADJUSTABLE CABLE PADLOCK MASTER KEY- NO NEED SEPARATE LOCK AND CABLE TO LOKC HYDRANT VALVE, GATE VALVE, BALL VALVE AND OTHER FIRE & OTHER RELATED SAFETY ITEMS |  | NO |
| 54 | PLASTIC / METAL / METAL INSULATED CHAIN | KKRM-K-MSSC | KKRM-K-MSSC-N | Metal SS finish chain with both side hooks - 3FT |  | NO |
| 55 | PLASTIC / METAL / METAL INSULATED CHAIN | KKRM-K-PLC-M | KKRM-K-PLC-M-N | Plastic link chain Available in Red / White colour. MEDMIUM QUALITY - 10 MTR |  | MTR |
| 56 | PLASTIC / METAL / METAL INSULATED CHAIN | KKRM-K-PLC-M-50 | KKRM-K-PLC-M-50-N | Plastic link chain Available in Red / White colour. MEDMIUM QUALITY - 50 MTR ROLL |  | ROLL |
| 57 | PLASTIC / METAL / METAL INSULATED CHAIN | KKRM-K-MC-4mm -DLC-2 | KKRM-K-MC-4mm -DLC-2-N | Insulated coating steel cable with double at both end - 2 FT |  | NO |
| 58 | PLASTIC / METAL / METAL INSULATED CHAIN | KKRM-K-MC-4mm -DLC-3 | KKRM-K-MC-4mm -DLC-3-N | Insulated coating steel cable with double at both end - 3 FT |  | NO |
| 59 | PLASTIC / METAL / METAL INSULATED CHAIN | KKRM-K-MC-4mm -DLC-50 | KKRM-K-MC-4mm -DLC-50-N | Insulated coating steel cable with double at both end - 50 MTR |  | ROLL |
| 60 | FIRE BLANKET | KKRM-K-FB-B-ENC | KKRM-K-FB-B-ENC-N | Fire Blanket Certified |  | NO |
| 61 | FIRE BLANKET | KKRM-K-FB-B-EN | KKRM-K-FB-B-EN-N | Fire Blanket normal quality |  | NO |

| S.No. | CATEGORY NAME | KRM PART NO | KRM PART NO-NORMAL QUALITY | BRIEF DESCRIPTION | IMAGE | Unit |
|--|---------------|----------------|----------------------------|--|---|--------------------------------|
| 62 | TAPES | KKRM-K-BT-NQ | KKRM-K-BT-NQ-N | BARRICADE / CAUTION TAPE/SAFETY NET, 3INX200M, AS PER STOCK AVAILBILTY |  | roll |
| 63 | DISPLAY STAND | KKRM-K-LMBS -1 | KKRM-K-LMBS -1-N | Lockout Modular Barrier System with Stretchable side strips - heavy duty - without a upper attachment (rate for each) |  | NO |
| 64 | DISPLAY STAND | KKRM-K-LMBS -2 | KKRM-K-LMBS -2-N | Lockout Modular Barrier System with Stretchable side strips -Medmium Duty - without a upper attachment (rate for each) |  | NO |
| 65 | DISPLAY STAND | KKRM-K-NPDS | KKRM-K-NPDS-N | Lockout portable display normal stand Foldable Type |  | NO |
| 66 | DISPLAY STAND | KKRM-K-MBS-M | KKRM-K-MBS-M-N | KRM LOTO MODULAR BARRIER SYSTEM Material – Mild steel- CR sheet 2 to 3mm with duly Phosphate powder coated. Overall height : 1000 mm Base - 250 x 250 mm in black color in taper form with fitting arrangement to hold post set of 2pcs with 1.5mtr chain |  | set of 2pcs with 1.5 mtr chain |
| TERMS AND CONDITIONS : | | | | | | |
| Note: - Product images are for reference, Color may vary at the time of delivery. | | | | | | |
| Rate : F O R Faridabad,Haryana (INDIA) | | | | | | |
| GST: Extra | | | | | | |
| Payment : 100% advance | | | | | | |
| Freight : Extra (Will be charged on the basis of either Gross Weight or Volumetric Weight which ever will be higher) | | | | | | |
| Packing charges : Extra | | | | | | |
| Custom charges : Extra in client account | | | | | | |
| Other duties : Extra, if applicable | | | | | | |