



OEM Manufacturer & Global Supplier of
 Lockout Tagout & Safety Products

to meet
 OSHA'S Lockout Tagout Standard
 29 CFR, 1910.147&1910.269



www.lotoappliances.com



Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

KRM LOTO – REBAR CAPS

Index Page No:-1

SR.NO	KRM LOTO PART CODE	PRODUCT NAME	WEIGHT (kg)	TECHNICAL PAGE NO.
1	KKRM-K-ENC	REBAR CAPS	0.30	2
2	KKRM-K-ENC-F	PVC S HOOK CABLE HANGER 9"	0.30	3
3	KKRM-K-RSS	RABER SAFETY STRIP	1	4
4	KKRM-K-EC	SCAFFOLDING PIPE / END CAP	0.10	5



REBAR CAPS

- PVC Rebar cap is used for safety in Construction Projects and is used to prevent accident at Construction sites. In order to safeguard threaded TMT Bar throughout construction. This safety cap is commonly known by Mushroom Caps.
- Corrosion resistance prevents moisture ingress, enhancing longevity.
- High compressive strength allows it to withstand heavy loads without deformation.
- Dimensional accuracy ensures uniform spacing for reliable structural stability.
- Lightweight design and easy installation reduce labor time and effort.
- Chemical resistance makes it suitable for aggressive environments.
- BAR size 08-16 MM
- BAR size 18-25 MM
- BAR size 18-36 MM



KKRM-K-ENC



GSTIN No.: 06AACPW8746Q1Z6,
PAN No.: AACPW8746Q
TIN No.: 0682132889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.lotoappliances.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

www.krmcorporation.com

www.lockouttagouts.com

www.krmloto.com

www.locktagindia.com

www.lotoappliances.com

RABER CAPS FLEXIBLE

- Flexible Type Rebar Cap is used to prevent the accidents by attaching to the ends of the studs or iron ledges in reinforced concrete constructions.
- high-quality Rebar Cap, designed to meet the needs of the industrial sector. Made with durable plastic, this cap is built to last and can be customized to fit your specific size requirements.
- Size- 8-16mm, 16-32mm.
- Color- Orange.



KKRM-K-ENC-F



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Productsto meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269

www.lotoappliances.com




RABER SAFETY STRIP

- Raber safety Strip is a highly visible and robust safety feature for reinforcement bars, which helps to reduce the chances of more injuries in the event of an accident.
- As well as being quick and easy to apply, the strip reduces trip hazards on site as it stays in place once applied. A single strip is able to cover a length of 1030 mm, making it a cost-effective safety solution for all worksites.
- Made from 100% recycled plastic.
- Weather-resistant
- Multiple reuse
- Horizontal and vertical application
- Supplied in lengths of 1030mm
- Safety tested – 103kg from a height of over 4m



KKRM-K-RSS



GSTIN No.: 06AAVPW8746Q1Z6,
PAN No.: AAVPW8746Q
TIN No.: 06821328889,
TAN no.: RTKKO3359G
IEC: 0509006116

M: 00 91 9810 291 381, 8900 544 881



OEM Manufacturer & Global Supplier of
Lockout Tagout & Safety Products

to meet
OSHA'S Lockout Tagout Standard
29 CFR, 1910.147&1910.269



www.locktagindia.com



GSTIN No.: 06AAECK2831L1Z1
PAN No.: AAECK2831L
TIN No.: 06824000112
CIN No.: U31903HR2011PTC042508
IEC: AAECK2831L

Telefax: 00 91 129 4021 381, 413 1381 (D)

Regd. Office:1H/31-A, N.I.T, Faridabad-121001 (Haryana) Postal Office:615, Sector-15-A, Faridabad-121007-Haryana-NCR-INDIA

www.krmcorporation.com | www.lockouttagouts.com | www.krmloto.com | www.locktagindia.com | www.lotoappliances.com

SCAFFOLDING PIPE / END CAP

- PVC End Caps provide a simple and cost-effective solution for applications where a removable packing cap is required to protect tubes, rods and pipes during the manufacturing process or during transit.
- Lightweight and brightly colored for easy and clear identification, Plastic Pipe End Caps are made from durable low-density polyethylene.
- Fits on scaffolding pipe outside diameter of 48.3mm Dimensions OD 52mm X ID 48mm Height 25mm Produced in Low Density Polyethylene LDPF and Recyclable Available in Highly Visible Yellow color
- Cost-effective
- Protects tubes, rods and pipes
- Made from durable low-density polyethylene
- Imperial and metric thread sizes available
- Typical applications include motor vehicles, domestic appliances, electrical equipment and telecom equipment.



KKRM-K-EC

